

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

PRODUCT NAME: CCL Traditional Gunstock Hand Polish Kit /Original CCL Schaft-Handpolier-Set
Kit de laque de polissage pour crosse / Juego CCL para el pulido a mano tradicional

INTENDED USE: GUNSTOCK WOOD POLISH

MANUFACTURER: CCL TRADITIONAL ENGLISH GUN PRODUCTS LTD.,
THE GUN ROOM, UPPER BENTLEY, REDDITCH,
WORCESTERSHIRE B97 5TD, UNITED KINGDOM.

TELEPHONE/FAX: OVERSEAS (UK CODE) + 1527 550080
U.K. 01527 550080

2. COMPOSITION /INFORMATION ON INGREDIENTS

BOTTLE NO.1 POLISH (BROWN LIQUID)

INGREDIENT NAME	CAS NO.	HEALTH RISK (CLASS)	RISK(R No.)
SHELLAC	9000-64-0	NONE	
BUTANOL	71-36-3	Xn	R10,20
ETHANOL	64-17-5	F	R11

BOTTLE NO.2 OIL (YELLOW LIQUID)

INGREDIENT NAME	CAS NO.	HEALTH RISK (CLASS)	RISK(R No.)
RAW LINSEED OIL	8001-26-1	NONE	R17

3. HAZARDS IDENTIFICATION

HIGHLY FLAMMABLE

IRRITATING TO EYES

MAY CAUSE SENSITISATION BY SKIN CONTACT

INHALATION : Use in a well ventilated area, Do not spray.

INGESTION: May cause Nausea, Vomiting and Diarrhoea.

4. FIRST AID MEASURES

EYE CONTACT: Contact lenses should be removed, wash eyes with fresh clean water for at least 10 minutes keeping eye lids apart, seek medical advice.

SKIN CONTACT: Remove contaminated clothing, wash skin thoroughly with soap and water. If in doubt seek medical help.

INHALATION: In extreme cases remove to a well ventilated area.

INGESTION: If accidentally swallowed obtain immediate medical attention, do not induce vomiting, drink plenty of water or milk. Take the container or this Data sheet to the Doctor with you.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Alcohol resistant foam; CO2, Dry powder or sand & earth.
DO NOT use water

SPECIAL FIRE FIGHTING PROCEDURES: Containers exposed to heat should be sprayed with water.

UNUSUAL FIRE & EXPLOSION HAZARDS: Fire will produce dense black smoke containing hazardous products of combustion (See section 10), Breathing equipment should be used to protect from hazardous fumes. Run off water from fire must not enter drains or water system.

6. ACCIDENTAL RELEASE MEASURES

PROCEDURES FOR LEAKS AND SPILLAGE: Exclude all sources of heat or flame and ventilate area. Avoid breathing vapour. Contain and collect spillage with non-combustible material such as sand or earth and dispose of waste at a suitably approved chemical disposal site. Use gloves when handling repeatedly, wash spill area with soap & water and any contaminated clothing, do not allow to enter drains or water courses.

SAFETY DATA SHEET

**PRODUCT NAME: CCL Traditional Gunstock Hand Polish Kit /Original CCL Schaft-Handpolier-Set
Kit de laque de polissage pour crosse / Juego CCL para el pulido a mano tradicional**

7. HANDLING AND STORAGE

HANDLING: Avoid skin and eye contact. Always wash after handling. No smoking.
STORAGE: Store away from sources of heat, ignition and direct sunlight.
 Store in a dry well ventilated area. Containers which have been opened should be properly resealed.
 Store as for paint or varnish between 5 & 25 degrees C.
 Vapours are heavier than air and may spread along floors, they may form explosive mixtures with air.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENT NAME	CAS NO.	% CONC.Range	STD LT	EXP(8 hours)	ST EXP(15 min)
ETHANOL	64-17-5	>50% & =< 100%	OES	1000.00	
BUTANOL	71-36-3	>2.5% & =,10%	OES	50	75

OES = OCCUPATIONAL EXPOSURE STANDARD

RESPIRATORY PROTECTION: Do not spray. The material should be applied on a cloth as per the manufacturers instructions .
HAND PROTECTION: Use gloves if repeatedly handling and apply on cloth as per the products instructions
EYE PROTECTION Not relevant. Wear protective glasses to avoid splashes.
SKIN PROTECTION: Wash off immediately with soap and water if accidental contamination occurs

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: BOTTLE NO.1 Brown fluid with slight solvent odour. Flash point 12 degrees C., vapour density
 Heavier than Air, Solubility in water- partly miscible
 BOTTLE NO.2 Yellow liquid oil.

10. STABILITY AND REACTIVITY

STABILITY: Stable
CONDITIONS TO AVOID: Avoid naked flames, hot surfaces, other high temperature sources.
INCOMPATIBILITY (Materials to avoid) Oxidising agents, strong acids and strong alkalis.
HAZARDOUS DECOMPOSITION PRODUCTS: In a fire products such as smoke, carbon monoxide, carbon dioxide and oxides of nitrogen may be produced.

11. TOXICOLOGICAL INFORMATION

There is no data on the product itself.
 Over exposure to organic solvent vapours may result in adverse health effects on the renal and central nervous system. Symptoms can include headache, dizziness, fatigue. drowsiness and in extreme cases loss of consciousness. Ingestion may cause irritation of the mouth, throat and digestive tract causing vomiting and abdominal pain . Splashes in the eyes may cause irritation and reversible local damage.
HEALTH WARNINGS: Long Term Effects: On long term repeated prolonged skin contact there is a risk of dermatitis.

12. ECOLOGICAL INFORMATION

The product should not be allowed to enter drains or water courses.

13. DISPOSAL CONSIDERATIONS

Do not allow into drains or water courses. Disposal of large amounts should be carried out at approved chemical waste sites.The small quantity in our empty bottles can be disposed of safely with domestic waste.

SAFETY DATA SHEET

PRODUCT NAME: CCL Traditional Gunstock Hand Polish Kit /Original CCL Schaft-Handpolier-Set
Kit de laque de polissage pour crosse / Juego CCL para el pulido a mano tradicional

14. TRANSPORT INFORMATION

ROAD & RAIL: Outer carton, fibreboard box to max weight 30kg, inner cartons to max.5 litres.

AIR: Outer carton, fibre board box to max weight 1Kg ., inner carton to 500gms of product 1kg max per outer.

DOCUMENTATION INFORMATION:

ROAD & RAIL: PROPER SHIPPING NAME: PAINT. CCCN:3405 20 000, UN no.1263, IMDG 3372, CLASS 3,
PK.GRP II, PACKING INST.309 OR Y309, TREM CARD 30G F1-1+2. Flash Pt below 21 degrees C.

AIR: PROPER SHIPPING NAME: PAINT, CCCN:3405 20 000, UN no.1263, IMDG 3372, CLASS 3,
Flash point below 21 Degrees C .PK.GRP II, PACKING INST. 305 OR Y305, TREM CARD 30G F1-1+2.

15. REGULATORY INFORMATION



TABLE FOR SUPPLY: HIGHLY FLAMMABLE HIGHLY FLAMMABLE

RISK & SAFETY PHRASES BOTTLE NO 1. BROWN LIQUID POLISH

R11 : Highly Flammable
S2: Keep out of the reach of children.
S7/S9: Keep container tightly closed, store in a well ventilated cool place
S16:Keep away from the sources of ignition. No smoking.
S23: Do not breathe vapour or spray,
S29: Do not empty into drains
S43: In case of fire do not use water

BOTTLE NO2. YELLOW LIQUID OIL
R17: Spontaneously flammable in air
Soak oily rags with water before disposal

Regulatory references: The Chemicals (Hazard Information & Packaging) regulations 1994 & as amended 1996/7/8/9.
E.U Dangerous substance & Dangerous preparations Directives 67/548 EEC, 88/379 EEC, and 2001/58/EC

16. OTHER INFORMATION

DATE OF ORIGINATION 1st.January 1998
DATE OF LAST REVISION 20th August 2007

The information in this Safety Data Sheet is taken from data provided by the suppliers of the raw materials contained in the product in accordance with the requirements of the Chemicals. Hazard Information & Packaging) Regulations. The product should not be used for purposes other than those shown in section 1 without referring to the supplier and obtaining written instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this Safety Data Sheet is based on the present state of knowledge and current national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

Supplied on 22.01.2013

