



---

**PRODUCT CATALOGUE**



**WE DISTRIBUTE OUR PRODUCTS  
TO MORE THAN 100 COUNTRIES  
AROUND THE WORLD**



*Scan to find  
the nearest CZ dealer,  
store or service center.*

The technical specifications provided  
are for orientation purposes only and  
may vary according to the specific  
configuration. The manufacturer  
reserves the right to make changes or  
modifications at its sole discretion.

**CONTENTS**

|                                             |                |
|---------------------------------------------|----------------|
| <b>PISTOLS</b>                              | <b>8</b>       |
| CZ SHADOW 2 SERIES                          | 10             |
| CZ TS 2 SERIES                              | 24             |
| CZ 75 SERIES                                | 32             |
| CZ P-10 SERIES                              | 34             |
| CZ P-07/09 SERIES                           | 46             |
| ADAPTERS KADET                              | 52             |
| <br><b>CENTERFIRE RIFLES</b>                | <br><b>56</b>  |
| CZ 600 SERIES                               | 58             |
| CZ TSR                                      | 78             |
| <br><b>RIMFIRE RIFLES</b>                   | <br><b>88</b>  |
| CZ 457 SERIES                               | 90             |
| <br><b>SHOTGUNS</b>                         | <br><b>116</b> |
| CZ-USA FIELD SPORTS SERIES                  | 118            |
| <br><b>SEMI-AUTOMATIC RIFLES / CARBINES</b> | <br><b>122</b> |
| CZ SCORPION EVO 3 S1/S2 SERIES              | 124            |
| CZ BREN 2 Ms SERIES                         | 132            |
| <br><b>ACCESSORIES</b>                      | <br><b>138</b> |

"THE MOMENT YOU HOLD A CZ GUN IN YOUR HAND YOU EXPERIENCE AN INTUITIVE, FAMILIAR CONNECTION. A CONNECTION THAT SEEMS SMOOTH AND WELL KNOWN, LIKE MEETING AN OLD FRIEND. A CONNECTION THAT GIVES YOU ASSURANCE, CALMNESS AND A STEADY HAND TO SUCCESSFULLY PERFORM IN ANY SITUATION.

THIS CONNECTION AND THE DESIGN OF OUR GUNS ALLOWS THEM TO FIT WITH EVERY TASK AND MISSION. BE IT SPORT SHOOTING, HUNTING, MILITARY SERVICE OR LAW ENFORCEMENT, OUR FIREARMS ARE DEVELOPED TO HELP YOU SUCCEED.

THAT IS WHAT YOU GET FROM CZ. A GUN WITH INTUITIVE AND NATURAL HANDLING PRECISELY FIT FOR A GIVEN PURPOSE."



***Dear Customers, Business Partners  
and Supporters of the CZ brand,***

Welcome to our product catalogue – a world of innovation, shooting comfort and leading expertise.

Ceska zbrojovka is one of the main pillars of the international Colt CZ Group, which is among the world's leading manufacturers of small arms, ammunition and munitions for the armed forces, self-defense, hunting, sport shooting and other commercial applications.

Shared know-how, mutual synergy and common values are key factors that have contributed to the success of CZ and the entire Colt CZ Group. Our goal is to provide users with a modern and high-quality range of firearms that combine advanced ergonomics with the highest level of performance and reliability.

Within the pages of this catalogue are many interesting innovations that we are excited to show you. Among the most important are the optics-ready CZ SHADOW 2 COMPACT pistol, the ultra-compact CZ SCORPION EVO 3 S2 MICRO pistol caliber carbine, the technologically groundbreaking CZ 457 CARBON rimfire rifle and the CZ 600 AMERICAN centerfire hunting rifle with a high-quality wood stock optimized for shooting with a riflescope.

Thank you for your continued support and may you have lots of luck in the choice of your new CZ gun. And if this is your very first firearm, I am honored to welcome you to the ever-expanding circle of customers and supporters of the CZ brand!



Jan Zajic  
CEO and Chairman of the Board of Directors  
Ceska zbrojovka



## PISTOLS

CZ leads the world with a comprehensive line of advanced pistols that sees continuous innovation and expansion of models. We have an ideal firearm for everyone. All categories are covered, from supercompacts to full-size models and sport specials. Pistols within the different series are made from both traditional and modern, cutting edge materials with a selection of hammer-fired and striker-fired models. Keeping with the latest trends, selected models come ready for the installation of a suppressor and/or red dot sight.

## THE MOST POPULAR FIREARMS FOR COMPETING IN THE **IPSC** **PRODUCTION** DIVISION

The CZ SHADOW 2 series is a family of high performance, large-capacity steel pistols for today's dynamic sport shooting disciplines. Models within this series allow good shooters to perform extremely well and the best shooters to win the most prestigious IPSC competitions.

**Eric Grauffel,**  
Nine-time IPSC World Champion,  
CZ Shooting Team,  
user of CZ SHADOW 2 ORANGE pistols

# CZ **SHADOW 2** SERIES

# MAIN FEATURES OF THE CZ SHADOW 2 SERIES



Ergonomic, deep-seated grip for improved control during shooting



Height and side-to-side adjustable rear sight for easy aiming



Adjustable magazine release button for maximum reloading speeds



1mm fiber optic front sight ensures high visibility and speeds up precise aiming




120 mm cold hammer forged barrel



Extended left safety button also serves as thumb rest (CZ SHADOW 2 SA and CZ SHADOW 2 ORANGE)



Smooth trigger pull and shortened reset



## CZ SHADOW 2 COMPACT A NEW MEASURE OF PURE PERFORMANCE

**In its quest to put a world-class performer in the hands of shooters who want a sport pistol that's easier to handle and carry, CZ introduces the CZ SHADOW 2 COMPACT. A smaller, lighter, optics-ready version of CZ's full-size flagship SA/DA sport pistol – the CZ SHADOW 2.**

### **DNA OF A WORLD CHAMPION**

Sport shooters around the world are familiar with the highly celebrated CZ SHADOW 2, a full-size sport pistol used by numerous IPSC competitors to win world championship titles in the Production and Production Optics divisions, such as nine-time IPSC world champion Eric Grauffel. Although a highly accurate and easy to handle pistol on the shooting range and in competitions, the larger dimensions and weight of a full-size steel frame did not make it a good choice

for all day carry. The new CZ SHADOW 2 COMPACT is a real game changer in addressing these carry concerns.

### **A NEW KIND OF COMPACT**

CZ-USA Product Manager Rich Huff first came with the idea to create a compact version of the CZ SHADOW 2 in October 2021. His goal was to introduce a pistol on the market that would have the same world class design, accuracy, handling and controls as on the full-size CZ SHADOW 2, but in a smaller and lighter form factor. He wanted more shooters to have access to the highest performance CZ offers in its handguns while away from the shooting range and competitions.

Once CZ made the decision to move forward with this new model, the baton for its design and development was passed to one of CZ designers, Jiri Tichy. Tichy boldly took the reins and led the R&D team in making sure this new pistol would fully live up to the CZ SHADOW 2 name. Development was completed in May 2023 with a production trial run, followed by its worldwide release in August 2023.

Thanks to the active contributions of these two important figures, the CZ SHADOW 2 COMPACT was brought into the CZ portfolio

and is now available on the world market. Sadly, Huff passed away back in February 2022 at just 48 years old, so he did not live to see the completion of the project and the launch of this new model – but we are sure he would have loved it!

### **INSTINCTIVE FIT**

Although the new CZ SHADOW 2 COMPACT is a smaller and much lighter version of the original, it retains the key competition-proven features, accuracy and handling that made its big brother so popular among elite sport shooters and contributed to its status as a world championship firearm. Its light, compact frame is forged from highly durable 7075 aluminum alloy, making it the perfect choice for all day carry, as well as concealed carry. With a butter smooth trigger and shortened reset, quick and accurate shots are a matter of course. The slide comes with two pairs of front and rear cocking serrations for slip-free cocking, and the rear of the slide is equipped with an extremely low and robust mounting interface for attachment of a CZ-designed red dot sight. In fact, its mounting interface is identical to what is found on the CZ SHADOW 2 OR model and is compatible with the same mounting plates. But even

without mounted optics, quick target acquisition is ensured by its highly visible red fiber optic front sight and height-adjustable rear sight, which can also be adjusted laterally. The advanced ergonomics of the CZ SHADOW 2 series are not lost on the CZ SHADOW 2 COMPACT, so you can look forward to the same extreme shooting comfort and control that has won many championships around the world. Both left- and right-handed shooters will be equally at home with handling, thanks to its ambidextrous manual safety and reduced height magazine release button that can be swapped from side-to-side. An accessory rail on its dust cover allows for the easy mounting of a light or other devices. Sophisticated checkering on the grey anodized front strap and duralumin grips ensure confident, slip-free handling.

### **COMPETITION-PROVEN PERFORMANCE THAT IS ALWAYS CLOSE AT HAND**

With the release of the new CZ SHADOW 2 COMPACT, with its impressive 15+1 capacity, CZ gives all shooters the opportunity to have the full performance of its top shelf, championship series always within reach. All day, every day.

CZ SHADOW 2

COMPACT

NEW



The CZ SHADOW 2 COMPACT is an ideal compact size pistol for users and fans of the CZ SHADOW 2. With a partial reduction in size, and a significant reduction in weight, it retains all of the key strengths of the series, which are led by the shooting comfort and accuracy that have made the CZ SHADOW 2 pistol a winner at the world's most prestigious championships. The CZ SHADOW 2 COMPACT is not only the perfect choice for sport shooting, but also for all-day carry, including concealed carry. Its range of use is further expanded with a mounting interface, compatible with CZ SHADOW 2 OR pistols, for attachment of a red dot sight.



COMPACT  
LIGHT-WEIGHT  
PURE PERFORMANCE

| MODEL               | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L × W × H (mm) | BARREL LENGTH (mm) | SIGHTS                                        | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) |
|---------------------|---------|-------------------|--------------------------------|---------------------------|--------------------|-----------------------------------------------|--------|------------------|---------------------|--------------------|
| CZ SHADOW 2 COMPACT | 9 × 19  | 15                | 900                            | 191 × 35 × 138            | 102                | Fiber optic front sight, Checkered rear sight | –      | SA: 15    DA: 46 | SA: 3–4    DA: 5    | 3–4                |

| FRAME                 | GRIPS     | SAFETY FEATURES                           |
|-----------------------|-----------|-------------------------------------------|
| Forged aluminum alloy | Duralumin | Manual safety, Safety notch on the hammer |



## CZ SHADOW 2 OR

The CZ SHADOW 2 pistol is extremely fast, yet at some shooting stages, it can be even faster. How is that possible? By using today's compact red dot sights. The OR (Optics-Ready) model allows for their easy, exceptionally low and secure attachment.



## CZ SHADOW 2 SA

A target shooting model of the successful sports special with a single-action trigger mechanism and adjustable trigger designed to achieve the most accurate hits.

## CZ SHADOW 2

The CZ Shadow 2 is an all-steel, large-capacity SA | DA pistol that is currently the most celebrated firearm in today's dynamic sport disciplines. This model is used by winners of the most prestigious IPSC shooting competitions.



| MODEL          | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L × W × H (mm) | BARREL LENGTH (mm) | SIGHTS                                        | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) |
|----------------|---------|-------------------|--------------------------------|---------------------------|--------------------|-----------------------------------------------|--------|------------------|---------------------|--------------------|
| CZ SHADOW 2    | 9 × 19  | 19 / 10           | 1330                           | 217 × 34 × 157            | 120                | Fiber optic front sight, Checkered rear sight | –      | SA: 15 DA: 46    | SA: 3–4 DA: 5       | 3–4                |
| CZ SHADOW 2 OR | 9 × 19  | 19                | 1330                           | 217 × 34 × 157            | 120                | Fiber optic front sight, Checkered rear sight | –      | SA: 15 DA: 46    | SA: 3–4 DA: 5       | 3–4                |
| CZ SHADOW 2 SA | 9 × 19  | 19                | 1330                           | 217 × 42 × 157            | 120                | Fiber optic front sight, Checkered rear sight | –      | SA: 15           | 3–4                 | 3–4                |

| FRAME | GRIPS     | SAFETY FEATURES                           |
|-------|-----------|-------------------------------------------|
| Steel | Duralumin | Manual safety, Safety notch on the hammer |
| Steel | Duralumin | Manual safety, Safety notch on the hammer |
| Steel | Duralumin | Manual safety, Safety notch on the hammer |





PRODUCTION



NEW



ERIC GRAUFFEL  
USED THE CZ SHADOW 2  
TO WIN MULTIPLE TITLES  
IN THE PRODUCTION  
DIVISION:

WORLD CHAMPIONSHIP  
TITLE AT THE 2022 IPSC  
HANDGUN WORLD SHOOT

IN PATTAYA, THAILAND

EUROPEAN CHAMPIONSHIP  
TITLE AT THE 2023 EUROPEAN  
HANDGUN CHAMPIONSHIP

IN CORINTH, GREECE



## CZ SHADOW 2 ORANGE OR

An advanced, innovative sport pistol design that elevates your shooting experience and results in competitions to the highest level. The superb design base of this model has been further improved by precise gunsmithing modifications and the use of top-quality sport shooting components. A new feature is an extremely low and highly durable interface for mounting today's compact red dot sights.



PRODUCTION



## CZ SHADOW 2 URBAN GREY

Traditional black is not the only color that suits sport. Our portfolio therefore includes a model whose frame is coated with a highly durable finish in the trendy and popular Urban Grey color scheme, which beautifully contrasts with the black aluminum grips.

| MODEL                  | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS                                        | THREAD | TRIGGER PULL (N) |        | TRIGGER TRAVEL (mm) |       | TRIGGER RESET (mm) | FRAME | GRIPS     | SAFETY FEATURES                           |
|------------------------|---------|-------------------|--------------------------------|---------------------------|--------------------|-----------------------------------------------|--------|------------------|--------|---------------------|-------|--------------------|-------|-----------|-------------------------------------------|
| CZ SHADOW 2 ORANGE OR  | 9 × 19  | 19                | 1330                           | 217 × 42 × 157            | 120                | Fiber optic front sight, Checkered rear sight | –      | SA: 15           | DA: 46 | SA: 3–4             | DA: 5 | 3–4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |
| CZ SHADOW 2 URBAN GREY | 9 × 19  | 19                | 1330                           | 217 × 34 × 157            | 120                | Fiber optic front sight, Checkered rear sight | –      | SA: 15           | DA: 46 | SA: 3–4             | DA: 5 | 3–4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |



**RECOMMENDED  
ACCESSORIES**

## A NEW GENERATION OF SA SPORT PISTOLS OPTIMIZED FOR THE **IPSC** **STANDARD** DIVISION

Since 2005, the TS – TACTICAL SPORTS label has been given to top sports specials based on the legendary CZ 75 model. The CZ TS 2 series is the result of development activities that draw upon the extensive experience of CZ Shooting Team, together with today's most advanced design principles and manufacturing processes.

*Kahlil Adrian Viray,  
IPSC World Champion,  
CZ Shooting Team,  
CZ TS 2 ORANGE user*

**CZ TS 2**  
SERIES

# MAIN FEATURES OF THE CZ TS 2 SERIES



Height adjustable metal rear sight (CZ TS 2 DEEP BRONZE, CZ TS 2 RACING GREEN and CZ TS 2 ORANGE)



1 mm red fiber optic front sight for quick and intuitive aiming



Attractive design of the slide, frame and sport hammer




Extended manual safety on left side



Single-Action (SA) only trigger mechanism with short travel and quick reset



Improved ergonomics contribute for extreme shooting comfort



Aggressive checkering ensures a firm and tactile grip

# CZ TS 2 ORANGE

NEW



**CHOICE OF  
KAHLIL ADRIAN VIRAY  
STANDARD DIVISION  
WORLD CHAMPION  
AT 2022 IPSC HANDGUN  
WORLD SHOOT**  
PATTAYA, THAILAND



A sport special developed in accordance with the latest trends in the IPSC Standard division. Its main, new feature is a heavy polished barrel, which has a number of advantages, chief among them more control during very quick, repetitive shots. Extra cocking serrations are placed on the top edge of the slide. The barrel-to-slide and slide-to-frame are hand-fitted to achieve the smallest possible tolerances for optimized operation. This model also comes with a thin profile thumb rest with ideal placement, higher positioned ambidextrous manual safeties and an adjustable rear sight. The duralumin grips, adjustable magazine release button, magwell and magazine base plate are made from orange anodized duralumin.



**A NEW LEVEL  
OF ACCURACY  
AND SPEED**

| MODEL          | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L × W × H (mm) | BARREL LENGTH (mm) | SIGHTS                                        | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME | GRIPS     | SAFETY FEATURES                           |
|----------------|---------|-------------------|--------------------------------|---------------------------|--------------------|-----------------------------------------------|--------|------------------|---------------------|--------------------|-------|-----------|-------------------------------------------|
| CZ TS 2 ORANGE | 9 × 19  | 20 / 10           | 1470                           | 225 × 45 × 149            | 130                | Fiber optic front sight, Checkered rear sight | –      | SA: 8            | 3–4                 | 3–4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |
| CZ TS 2 ORANGE | 40 S&W  | 17                | 1460                           | 225 × 45 × 149            | 130                | Fiber optic front sight, Checkered rear sight | –      | SA: 8            | 3–4                 | 3–4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |



STANDARD

CZ *TS 2*  
**DEEP  
BRONZE**

A sport special with hand-fitted, custom components for competing in the IPSC Standard Division. It features a Deep Bronze finished frame and polished barrel. The flat grips, magazine base and adjustable magazine release are made from black anodized duralumin. A flat slide release and thumb rest come as standard.



STANDARD

CZ *TS 2*  
**RACING  
GREEN**

A more advanced design of the sport special for the IPSC Standard Division with flat, green anodized duralumin grips and magazines with green anodized base plates. Advanced features include increased user comfort, a height adjustable rear metal sight, a thumb rest, a flat slide stop and an adjustable, green anodized magazine release button.



STANDARD

CZ *TS 2*

Base model of the sport special for competing in the IPSC Standard Division or for target shooting. This model, which was developed together with members of the CZ Shooting Team, is equipped with flat, silver anodized duralumin grips, fixed metal sights and an extended, manual safety on the left side of the pistol (flat safety on the right side). The most affordable version in the series, it stands out for extreme shooting comfort and high accuracy.

| MODEL                | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L × W × H (mm) | BARREL LENGTH (mm) | SIGHTS                                           | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME | GRIPS     | SAFETY FEATURES                           |
|----------------------|---------|-------------------|--------------------------------|---------------------------|--------------------|--------------------------------------------------|--------|------------------|---------------------|--------------------|-------|-----------|-------------------------------------------|
| CZ TS 2 DEEP BRONZE  | 9 × 19  | 20 / 10           | 1350                           | 225 × 42 × 149            | 130                | Fiber optic front sight, Height adjustable visor | –      | SA: 8            | 3–4                 | 3–4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |
| CZ TS 2 RACING GREEN | 9 × 19  | 20 / 10           | 1350                           | 225 × 42 × 149            | 130                | Fiber optic front sight, Height adjustable visor | –      | SA: 8            | 3–4                 | 3–4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |
| CZ TS 2              | 9 × 19  | 20                | 1350                           | 225 × 42 × 149            | 130                | Fiber optic front sight, Height adjustable visor | –      | SA: 8            | 3–4                 | 3–4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |
| CZ TS 2              | 40 S&W  | 17                | 1380                           | 225 × 44 × 149            | 130                | Fiber optic front sight, Checkered rear sight    | –      | SA: 8            | 3–4                 | 3–4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |



CZ 75  
SERIES



CZ 75 B

A modern version of one of the most famous pistols of all time. This all-steel, large-caliber SA | DA pistol with an external hammer still captivates users with its superb ergonomics and low trigger pull weight. The letter B stands for the automatic striker block, which improves drop safety.



CZ 75 COMPACT

A compact for fans of classic construction and traditional manufacturing materials. The main advantages of this all-steel pistol, which can be simply described as a smaller and lighter variant of the CZ 75 B, includes user-friendly control during shooting, high accuracy and extreme durability.



CZ 75 SP-01  
SHADOW

IPSC Production division world champions have been fully involved in the development of this all-steel, SA | DA large caliber pistol with an external hammer. Due to an innovative approach to the shape of key components, a remarkably comfortable, accurate, safe and durable pistol was created. It's an excellent choice for sport shooting and self-defense, as well as for use as a service firearm.



CZ 75 P-01

A popular compact with an aluminum alloy frame and, proven SA | DA trigger mechanism from the CZ 75 series. It's a clear choice for those looking for a powerful, reliable and user-friendly pistol with dimensions and weight optimized for everyday carry.

| MODEL              | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L × W × H (mm) | BARREL LENGTH (mm) | SIGHTS                                        | THREAD | TRIGGER PULL (N) |        | TRIGGER TRAVEL (mm) |          | TRIGGER RESET (mm) | FRAME          | GRIPS   | SAFETY FEATURES                                             |
|--------------------|---------|-------------------|--------------------------------|---------------------------|--------------------|-----------------------------------------------|--------|------------------|--------|---------------------|----------|--------------------|----------------|---------|-------------------------------------------------------------|
| CZ 75 B            | 9 × 19  | 16                | 1170                           | 208 × 36,5 × 144          | 114                | Luminescent                                   | –      | SA: 20           | DA: 46 | SA: 9±1             | DA: 15±1 | 6–7                | Steel          | Polymer | Manual safety, Safety notch on the hammer, Firing pin block |
| CZ 75 COMPACT      | 9 × 19  | 15                | 920                            | 184 × 36 × 128            | 98,5               | Luminescent                                   | –      | SA: 20           | DA: 46 | SA: 9±1             | DA: 15±1 | 6–7                | Steel          | Rubber  | Manual safety, Safety notch on the hammer, Firing pin block |
| CZ 75 SP-01 SHADOW | 9 × 19  | 19                | 1170                           | 209 × 42 × 150            | 114                | Fiber optic front sight, Checkered rear sight | –      | SA: 15           | DA: 46 | SA: 8±1             | DA: 13±1 | 6–7                | Steel          | Rubber  | Manual safety, Safety notch on the hammer                   |
| CZ 75 P-01         | 9 × 19  | 15                | 800                            | 184 × 38 × 135            | 92,5               | Luminescent                                   | –      | SA: 20           | DA: 46 | SA: 9±1             | DA: 15±1 | 6–7                | Aluminum alloy | Rubber  | Manual safety, Safety notch on the hammer, Firing pin block |

## RELIABLE STRIKER-FIRED PISTOL SERIES WITH POLYMER FRAME

The industry-leading CZ P-10 series is offered in a comprehensive array of sizes, from supercompact (CZ P-10 M) to subcompact (CZ P-10 S), compact (CZ P-10 C) and full-size (CZ P-10 F). Most models are also available with a design that allows for the easy installation of a suppressor and/or red dot sight.

All CZ P-10 series pistols feature maximum reliability, high accuracy, a long service life and shooting comfort. The sophisticated grip and checkering were created in accordance with the innovative DiFEND ergonomic methodology, which significantly contributes to extreme user-friendliness. The very first model released in this series, the CZ P-10 C compact, was named “2017 Gun of the Year” by the prestigious American magazine “Guns & Ammo”.

**CZ P-10**  
SERIES

# MAIN FEATURES OF THE CZ P-10 SERIES



Extremely durable and weather resistant finish  
on slide and barrel



Front and rear cocking serrations  
for comfortable and safe handling



Lightweight and durable fiberglass-reinforced polymer  
frame is mechanically strong and thermally stable



Flat ambidextrous slide stop (CZ P-10 S,  
CZ P-10 C and CZ P-10 F models)



Swappable magazine release is right-  
and left-handed friendly



Three easily interchangeable backstrap  
sizes (S, M, L) to modify grip and finger reach  
(except for the CZ P-10 M)



Ergonomic grip with prominent checkering for superb  
shooting comfort, stability and safety

## CZ P-10 F

The full-size model of the CZ P-10 pistol is the ideal choice for shooters who prefer the best possible grip, maximum magazine capacity, a long barrel and an extended sight radius.



| MODEL             | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L × W × H (mm) | BARREL LENGTH (mm) | SIGHTS      | THREAD              | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) |
|-------------------|---------|-------------------|--------------------------------|---------------------------|--------------------|-------------|---------------------|------------------|---------------------|--------------------|
| CZ P-10 F         | 9 × 19  | 19 / 10           | 810                            | 203 × 32 × 150            | 114                | Luminescent | No                  | 25±4             | 9±1                 | 4                  |
| CZ P-10 F OR      | 9 × 19  | 19                | 810                            | 203 × 32 × 153            | 114                | Luminescent | No                  | 25±4             | 9±1                 | 4                  |
| CZ P-10 F OR SR   | 9 × 19  | 19                | 830                            | 225 × 32 × 153            | 134                | Luminescent | 1/2" × 28 UNEF – 3A | 25±4             | 9±1                 | 4                  |
| CZ P-10 F 45 Auto | 45 Auto | 13                | 930                            | 207 × 34 × 151            | 114                | Luminescent | No                  | 25±4             | 9±1                 | 4                  |



## CZ P-10 F OR SR

The CZ P-10 F OR SR (Optics-Ready-Suppressor-Ready) features both an innovative CZ interface for mounting a red dot sight and extended barrel with 1/2" × 28 UNEF – 3A threads for mounting a suppressor. This model allows for more flexible use and offers a higher level of shooting comfort.

| FRAME                         | GRIPS | SAFETY FEATURES                                      |
|-------------------------------|-------|------------------------------------------------------|
| Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety, Firing pin block |
| Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety, Firing pin block |
| Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety, Firing pin block |
| Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety, Firing pin block |

## CZ P-10 F OR

The CZ P-10 F OR (Optics-Ready) has been designed for the increasingly popular option of mounting a red dot sight quickly and easily. The innovative CZ mounting interface is known for its robustness, strength, durability, low installation height and easy aiming with the red dot sight at short to long distances. This model also comes with high (cowitness) iron sights in case optics are damaged or fail.



## CZ P-10 F 45 AUTO

This high-powered, full-size model combines an increased 13+1 firing capacity with key benefits of the CZ P-10 family, which include excellent ergonomics, light trigger pull, impressive durability, extreme reliability and high accuracy.



## CZ P-10 C

Due to its compact dimensions, innovative design and large firing capacity, this highly advanced, striker-fired pistol is suitable for concealed carry.



## CZ P-10 C OR

The OR (Optics-Ready) model comes with a modified slide for easy attachment of a red dot sight. This innovative solution from CZ is characterized by its strong and durable assembly, low mounting height, easy aiming with a red dot sight (even at long distances), and the option to use iron sights in the event of the optics failing.



## CZ P-10 C OR SR

The CZ P-10 C OR SR (Optics-Ready-Suppressor-Ready) features both a slide with an innovative interface for mounting a red dot sight and an extended barrel with 1/2" x 28 UNEF – 3A threads for mounting a suppressor. This model allows for quicker target acquisition and provides a higher level of shooting comfort.

| MODEL           | CALIBER          | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L × W × H (mm) | BARREL LENGTH (mm) | SIGHTS      | THREAD              | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) |
|-----------------|------------------|-------------------|--------------------------------|---------------------------|--------------------|-------------|---------------------|------------------|---------------------|--------------------|
| CZ P-10 C       | 9 × 19, 380 Auto | 15                | 740                            | 187 × 32 × 132            | 102                | Luminescent | No                  | 25±4             | 9±1                 | 4                  |
| CZ P-10 C OR    | 9 × 19           | 15                | 740                            | 187 × 32 × 135            | 102                | Luminescent | No                  | 25±4             | 9±1                 | 4                  |
| CZ P-10 C OR SR | 9 × 19           | 15                | 760                            | 209 × 32 × 135            | 122                | Luminescent | 1/2" × 28 UNEF – 3A | 25±4             | 9±1                 | 4                  |

| FRAME                         | GRIPS | SAFETY FEATURES                                      |
|-------------------------------|-------|------------------------------------------------------|
| Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety, Firing pin block |
| Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety, Firing pin block |
| Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety, Firing pin block |



CZ **P-10 S**

A powerful, large-capacity subcompact with optimized dimensions for concealed carry, while maintaining the best possible shooting comfort, reliability and accuracy. With a larger 12+1 firing capacity, which is impressive for its class, the CZ P-10 S can be easily increased by another two 9 × 19 rounds with the exchangeable magazine base plate.



CZ **P-10 S OR**

A subcompact with the slide designed for easy mounting of red dot sights with the proper dimensions. High (co-witness) iron sights enable accurate shooting, even in the event of the optics being damaged or failing.

| MODEL        | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L × W × H (mm) | BARREL LENGTH (mm) | SIGHTS      | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) |
|--------------|---------|-------------------|--------------------------------|---------------------------|--------------------|-------------|--------|------------------|---------------------|--------------------|
| CZ P-10 S    | 9 × 19  | 12                | 710                            | 170 × 32 × 116            | 89,5               | Luminescent | No     | 25±4             | 9±1                 | 4                  |
| CZ P-10 S OR | 9 × 19  | 12                | 710                            | 170 × 32 × 119            | 89,5               | Luminescent | No     | 25±4             | 9±1                 | 4                  |
| CZ P-10 M    | 9 × 19  | 7                 | 575                            | 160,5 × 25,5 × 112        | 85                 | Luminescent | No     | 52               | 9±1                 | 4                  |




CZ **P-10 M**

The CZ P-10 M is a reliable and exceptionally accurate supercompact pistol chambered in 9 × 19. Despite its radical miniaturization, it retains the stand out features that have set the CZ P-10 series apart from other striker-fired pistols, most notably outstanding ergonomics and a superb trigger. With a 7+1 capacity and internal slide stop, it's an ideal firearm for everyday concealed carry.

| FRAME                         | GRIPS | SAFETY FEATURES                                      |
|-------------------------------|-------|------------------------------------------------------|
| Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety, Firing pin block |
| Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety, Firing pin block |
| Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety                   |



**RECOMMENDED**  
**ACCESSORIES**




## WORLD LEADER IN THE **SA/DA** POLYMER PISTOL CATEGORY

The CZ P-07 (compact) and CZ P-09 (full-size) models enjoy an impressive reputation around the world for their comfortable and simple operation, high accuracy even during rapid firing, and absolute reliability in adverse conditions. Their main advantage is the original OMEGA trigger system, which features smooth trigger pull and low pull weight in both single-action and double-action modes. Easily accessible, ambidextrous controls can be easily converted from manual safety to decocker and vice versa. All calibers come with high capacity magazines, which can be further increased with an easily interchangeable magazine base plate.

**CZ P-07/09**  
SERIES

# MAIN FEATURES OF THE CZ P-07/09 SERIES



Lightweight and durable fiberglass-reinforced polymer frame is mechanically strong and thermally stable



Sloping front of the slide for easier holstering



Front and rear cocking serrations allow for comfortable and safe handling of slide



Standardized MIL-STD-1913 rail allows for attachment of a flashlight, laser pointer or both



Easy user conversion from manual safety to decocker and vice versa



Three easily interchangeable backstrap sizes (S, M, L) to modify grip and finger reach



Extremely simple and reliable OMEGA trigger system

CZ P-09

Base model of this full-size SA | DA pistol range. The CZ P-09 is for shooters who require maximum accuracy, the highest possible firing capacity and the lowest possible weight. The highly durable fiberglass-reinforced polymer frame comes with interchangeable backstraps for customizing grip and finger reach.



CZ P-09 SR

An innovative, full-size model with an extended, threaded muzzle for easy and reliable installation of a suppressor. It's the ideal choice for shooters who care about protecting their ears and respecting their surroundings.



CZ P-07

An extremely popular model that combines the winning features of the OMEGA trigger mechanism, reduced dimensions and low weight, while retaining a large capacity magazine. As a result, you're provided with an innovative design, extreme shooting comfort, high accuracy and maximum safety in a perfectly sized firearm that's also an ideal choice for concealed carry.



CZ P-07 SR

Another compact model in this popular series that follows the latest trends of offering an innovative design that features an extended, threaded muzzle for the easy and reliable installation of a suppressor.

| MODEL      | CALIBER          | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L × W × H (mm) | BARREL LENGTH (mm) | SIGHTS      | THREAD              | TRIGGER PULL (N) |          | TRIGGER TRAVEL (mm) |          | TRIGGER RESET (mm) | FRAME                         | GRIPS | SAFETY FEATURES                                             |
|------------|------------------|-------------------|--------------------------------|---------------------------|--------------------|-------------|---------------------|------------------|----------|---------------------|----------|--------------------|-------------------------------|-------|-------------------------------------------------------------|
| CZ P-09    | 9 × 19           | 19                | 860                            | 208 × 37 × 148            | 115                | Luminescent | No                  | SA: 21           | DA: 44±2 | SA: 10±1            | DA: 13±2 | 7±1                | Fiberglass-reinforced polymer | –     | Manual safety, Safety notch on the hammer, Firing pin block |
| CZ P-09 SR | 9 × 19           | 19                | 880                            | 230 × 37 × 148            | 135                | Luminescent | 1/2" × 28 UNEF – 3A | SA: 21           | DA: 44±2 | SA: 10±1            | DA: 13±2 | 7±1                | Fiberglass-reinforced polymer | –     | Manual safety, Safety notch on the hammer, Firing pin block |
| CZ P-07    | 9 × 19, 380 Auto | 15                | 780                            | 185 × 37 × 130            | 95                 | Luminescent | No                  | SA: 21           | DA: 44±2 | SA: 10±1            | DA: 13±2 | 7±1                | Fiberglass-reinforced polymer | –     | Manual safety, Safety notch on the hammer, Firing pin block |
| CZ P-07 SR | 9 × 19           | 15                | 800                            | 207 × 37 × 130            | 115                | Luminescent | 1/2" × 28 UNEF – 3A | SA: 21           | DA: 44±2 | SA: 10±1            | DA: 13±2 | 7±1                | Fiberglass-reinforced polymer | –     | Manual safety, Safety notch on the hammer, Firing pin block |



KADET ADAPTERS

Complete kits for the easy and quick conversion of selected CZ large caliber pistols to fire 22 LR cartridges, ensuring maximum comfort and affording shooting. Assembly does not require any modifications. The basic kit always includes a 10-round magazine and a set of recoil springs to ensure reliable operation with all types of ammunition.

ADAPTER  
CZ 75 SP-01 KADET



ADAPTER  
CZ SHADOW 2 KADET



ADAPTER  
CZ P-09 KADET



ADAPTER  
CZ P-07 KADET



| MODEL                     | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | BARREL LENGTH (mm) | SIGHTS               |
|---------------------------|---------|-------------------|--------------------------------|--------------------|----------------------|
| ADAPTÉR CZ 75 SP-01 KADET | 22 LR   | 10                | 300                            | 120                | Checkered rear sight |
| ADAPTÉR CZ SHADOW 2 KADET | 22 LR   | 10                | 300                            | 125                | Checkered rear sight |
| ADAPTÉR CZ P-09 KADET     | 22 LR   | 10                | 300                            | 120                | Checkered rear sight |
| ADAPTÉR CZ P-07 KADET     | 22 LR   | 10                | 280                            | 103                | Checkered rear sight |

| MODEL                  | CALIBER          | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L × W × H (mm) | BARREL LENGTH (mm) | SIGHTS                                           | THREAD              | TRIGGER PULL (N) |          | TRIGGER TRAVEL (mm) |          | TRIGGER RESET (mm) | FRAME                         | GRIPS     | SAFETY FEATURES                                             |
|------------------------|------------------|-------------------|--------------------------------|---------------------------|--------------------|--------------------------------------------------|---------------------|------------------|----------|---------------------|----------|--------------------|-------------------------------|-----------|-------------------------------------------------------------|
| CZ SHADOW 2 COMPACT    | 9 × 19           | 15                | 900                            | 191 × 35 × 138            | 102                | Fiber optic front sight, Checkered rear sight    | –                   | SA: 15           | DA: 46   | SA: 3–4             | DA: 5    | 3–4                | Forged aluminum alloy         | Duralumin | Manual safety, Safety notch on the hammer                   |
| CZ SHADOW 2            | 9 × 19           | 19 / 10           | 1330                           | 217 × 34 × 157            | 120                | Fiber optic front sight, Checkered rear sight    | –                   | SA: 15           | DA: 46   | SA: 3–4             | DA: 5    | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                   |
| CZ SHADOW 2 OR         | 9 × 19           | 19                | 1330                           | 217 × 34 × 157            | 120                | Fiber optic front sight, Checkered rear sight    | –                   | SA: 15           | DA: 46   | SA: 3–4             | DA: 5    | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                   |
| CZ SHADOW 2 SA         | 9 × 19           | 19                | 1330                           | 217 × 42 × 157            | 120                | Fiber optic front sight, Checkered rear sight    | –                   | SA: 15           |          | 3–4                 |          | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                   |
| CZ SHADOW 2 ORANGE     | 9 × 19           | 19                | 1330                           | 217 × 42 × 157            | 120                | Fiber optic front sight, Checkered rear sight    | –                   | SA: 15           | DA: 46   | SA: 3–4             | DA: 5    | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                   |
| CZ SHADOW 2 URBAN GREY | 9 × 19           | 19                | 1330                           | 217 × 34 × 157            | 120                | Fiber optic front sight, Checkered rear sight    | –                   | SA: 15           | DA: 46   | SA: 3–4             | DA: 5    | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                   |
| CZ TS 2 ORANGE         | 9 × 19           | 20 / 10           | 1470                           | 225 × 45 × 149            | 130                | Fiber optic front sight, Checkered rear sight    | –                   | SA: 8            |          | 3–4                 |          | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                   |
| CZ TS 2 ORANGE         | 40 S&W           | 17                | 1460                           | 225 × 45 × 149            | 130                | Fiber optic front sight, Checkered rear sight    | –                   | SA: 8            |          | 3–4                 |          | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                   |
| CZ TS 2 DEEP BRONZE    | 9 × 19           | 20 / 10           | 1350                           | 225 × 42 × 149            | 130                | Fiber optic front sight, Height adjustable visor | –                   | SA: 8            |          | 3–4                 |          | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                   |
| CZ TS 2 RACING GREEN   | 9 × 19           | 20 / 10           | 1350                           | 225 × 42 × 149            | 130                | Fiber optic front sight, Height adjustable visor | –                   | SA: 8            |          | 3–4                 |          | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                   |
| CZ TS 2                | 9 × 19           | 20                | 1350                           | 225 × 42 × 149            | 130                | Fiber optic front sight, Height adjustable visor | –                   | SA: 8            |          | 3–4                 |          | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                   |
| CZ TS 2                | 40 S&W           | 17                | 1380                           | 225 × 44 × 149            | 130                | Fiber optic front sight, Checkered rear sight    | –                   | SA: 8            |          | 3–4                 |          | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                   |
| CZ 75 B                | 9 × 19           | 16                | 1170                           | 208 × 36,5 × 144          | 114                | Luminescent                                      | –                   | SA: 20           | DA: 46   | SA: 9±1             | DA: 15±1 | 6–7                | Steel                         | Polymer   | Manual safety, Safety notch on the hammer, Firing pin block |
| CZ 75 COMPACT          | 9 × 19           | 15                | 920                            | 184 × 36 × 128            | 98,5               | Luminescent                                      | –                   | SA: 20           | DA: 46   | SA: 9±1             | DA: 15±1 | 6–7                | Steel                         | Rubber    | Manual safety, Safety notch on the hammer, Firing pin block |
| CZ 75 SP-01 SHADOW     | 9 × 19           | 19                | 1170                           | 209 × 42 × 150            | 114                | Fiber optic front sight, Checkered rear sight    | –                   | SA: 15           | DA: 46   | SA: 8±1             | DA: 13±1 | 6–7                | Steel                         | Rubber    | Manual safety, Safety notch on the hammer                   |
| CZ 75 P-01             | 9 × 19           | 15                | 800                            | 184 × 38 × 135            | 92,5               | Luminescent                                      | –                   | SA: 20           | DA: 46   | SA: 9±1             | DA: 15±1 | 6–7                | Aluminum alloy                | Rubber    | Manual safety, Safety notch on the hammer, Firing pin block |
| CZ P-10 F              | 9 × 19           | 19 / 10           | 810                            | 203 × 32 × 150            | 114                | Luminescent                                      | No                  | 25±4             |          | 9±1                 |          | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block        |
| CZ P-10 F OR           | 9 × 19           | 19                | 810                            | 203 × 32 × 153            | 114                | Luminescent                                      | No                  | 25±4             |          | 9±1                 |          | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block        |
| CZ P-10 F OR SR        | 9 × 19           | 19                | 830                            | 225 × 32 × 153            | 134                | Luminescent                                      | 1/2" × 28 UNEF – 3A | 25±4             |          | 9±1                 |          | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block        |
| CZ P-10 F 45 Auto      | 45 Auto          | 13                | 930                            | 207 × 34 × 151            | 114                | Luminescent                                      | No                  | 25±4             |          | 9±1                 |          | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block        |
| CZ P-10 C              | 9 × 19, 380 Auto | 15                | 740                            | 187 × 32 × 132            | 102                | Luminescent                                      | No                  | 25±4             |          | 9±1                 |          | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block        |
| CZ P-10 C OR           | 9 × 19           | 15                | 740                            | 187 × 32 × 135            | 102                | Luminescent                                      | No                  | 25±4             |          | 9±1                 |          | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block        |
| CZ P-10 C OR SR        | 9 × 19           | 15                | 760                            | 209 × 32 × 135            | 122                | Luminescent                                      | 1/2" × 28 UNEF – 3A | 25±4             |          | 9±1                 |          | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block        |
| CZ P-10 S              | 9 × 19           | 12                | 710                            | 170 × 32 × 116            | 89,5               | Luminescent                                      | No                  | 25±4             |          | 9±1                 |          | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block        |
| CZ P-10 S OR           | 9 × 19           | 12                | 710                            | 170 × 32 × 119            | 89,5               | Luminescent                                      | No                  | 25±4             |          | 9±1                 |          | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block        |
| CZ P-10 M              | 9 × 19           | 7                 | 575                            | 160,5 × 25,5 × 112        | 85                 | Luminescent                                      | No                  | 52               |          | 9±1                 |          | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety                          |
| CZ P-09                | 9 × 19           | 19                | 860                            | 208 × 37 × 148            | 115                | Luminescent                                      | No                  | SA: 21           | DA: 44±2 | SA: 10±1            | DA: 13±2 | 7±1                | Fiberglass-reinforced polymer | –         | Manual safety, Safety notch on the hammer, Firing pin block |
| CZ P-09 SR             | 9 × 19           | 19                | 880                            | 230 × 37 × 148            | 135                | Luminescent                                      | 1/2" × 28 UNEF – 3A | SA: 21           | DA: 44±2 | SA: 10±1            | DA: 13±2 | 7±1                | Fiberglass-reinforced polymer | –         | Manual safety, Safety notch on the hammer, Firing pin block |
| CZ P-07                | 9 × 19, 380 Auto | 15                | 780                            | 185 × 37 × 130            | 95                 | Luminescent                                      | No                  | SA: 21           | DA: 44±2 | SA: 10±1            | DA: 13±2 | 7±1                | Fiberglass-reinforced polymer | –         | Manual safety, Safety notch on the hammer, Firing pin block |
| CZ P-07 SR             | 9 × 19           | 15                | 800                            | 207 × 37 × 130            | 115                | Luminescent                                      | 1/2" × 28 UNEF – 3A | SA: 21           | DA: 44±2 | SA: 10±1            | DA: 13±2 | 7±1                | Fiberglass-reinforced polymer | –         | Manual safety, Safety notch on the hammer, Firing pin block |

| ADAPTERS                  |       |    |     |     |                      |
|---------------------------|-------|----|-----|-----|----------------------|
| ADAPTER CZ 75 SP-01 KADET | 22 LR | 10 | 300 | 120 | Checkered rear sight |
| ADAPTER CZ SHADOW 2 KADET | 22 LR | 10 | 300 | 125 | Checkered rear sight |
| ADAPTER CZ P-09 KADET     | 22 LR | 10 | 300 | 120 | Checkered rear sight |
| ADAPTER CZ P-07 KADET     | 22 LR | 10 | 280 | 103 | Checkered rear sight |





## CENTERFIRE RIFLES

CZ rifles for hunting and sport are traditionally among the best long firearms available on the world market. As with all our products, the CZ brand is synonymous with ingenious design, reliability, accuracy and first-rate quality at an affordable price. The innovative, highly modular design of the CZ 600 series comes with a number of patented features that improve all key characteristics – from reliability and durability to ergonomics and shooting comfort to safety and accuracy.

# THE **CZ 600** SERIES FEATURES A PATENT PROTECTED BOLT DESIGN THAT ENSURES 100% USER-CONTROLLED FEED IN ALL SHOOTING POSITIONS, AND EVEN UNDER THE MOST DEMANDING CONDITIONS

Other benefits include a patented, ergonomically designed vertical safety with completely silent operation, an exceptional magazine that users can select to function as detachable or locked, an extremely durable finish, and easy disassembly that requires no manipulation of the trigger. Models for hunting, sport and hobby are available in a continuously updated range of popular calibers.

## MAIN FEATURES OF THE CZ 600 SERIES



**CONTROLLED FEEDING WITH SHORT EJECTOR**  
The CZ 600 series combines the best qualities of controlled feed and push feed systems. This simple and reliable patented design delivers 100% user-controlled feed in all shooting positions, and even under the most demanding conditions.



**UNIQUE SAFETY**  
A patented, easy-to-access vertical safety at the top of the grip is released by pressing down and allows for completely silent operation.



**PATENTED TRIGGER MECHANISM**  
A newly developed, user adjustable single- or double-stage trigger mechanism with four levels of pull weight that can be adjusted without removing the receiver from the stock.

#### LOCKABLE MAGAZINE

A detachable, double-stack magazine with a “push n’ click” loading operation contributes to an exceptionally smooth and reliable feeding of rounds. The magazine is easily locked by sliding the magazine release up. When the magazine lock is activated, the firearm changes to a fixed magazine configuration.



#### CHANGE OF CALIBERS

Thanks to the modular design of the CZ 600 series, any authorized CZ service center can convert your rifle to another caliber from the range for a given receiver size with guaranteed shot retention after the first cold shot.



#### SAFE DISASSEMBLY

A spring-loaded button on the right side of the receiver allows for easy removal of the bolt without manipulating the trigger.



#### EXTREMELY DURABLE FINISH

The surface of metal components in the CZ 600 series comes with CZ’s new BobOx chemical heat treatment, which gives it a hard, durable finish that resists corrosion.



#### EXTREME ACCURACY

The ALPHA, ERGO and LUX models are guaranteed to shoot sub-MOA at 100 m for 3 shot groups, and the RANGE model shoots sub-0.75 MOA for 5 shot groups. The compact TRAIL version is guaranteed to shoot 2 MOA. All models are tested using match-grade factory ammunition.



#### SHORT ROTATION OF BOLT HANDLE

Due to the use of a locking system, the bolt handle rotates 600 for quick and comfortable reloading without the risk of hitting the riflescope.



#### SUPERIOR QUALITY BARREL

High-precision barrels with caliber-optimized lengths are cold hammer forged using CZ technology. The barrel features a threaded muzzle for mounting accessories.



#### STANDARDIZED MOUNTING INTERFACE

CZ 600 series receivers are equipped with an integrated Weaver rail (aluminum) or Remington 700 type mounting interface (steel).



#### HIGHLY DURABLE RECEIVER

All CZ 600 series receivers are manufactured from durable aluminum or steel and come with a guaranteed service life of 20,000 shots.



CZ 600

NEW

AMERICAN



The CZ 600 AMERICAN is an American-style bolt-action centerfire rifle that is equipped with a beautifully crafted Turkish walnut stock with a fleur-de-lis pattern on the grip. Thanks to its straight comb design, the stock allows for comfortable shooting with a riflescope. The steel receiver features a Remington 700-style attachment interface, ensuring compatibility with wide variety of scope rings. Available in a wide range of calibers, from 223 Rem. to 300 Win. Mag., it is ready to meet the needs of a wide range of hunters and sport shooters.

| MODEL                         | TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD  | STOCK  | FINISH  | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL<br>WEIGHT (N) | RECEIVER SIZE |
|-------------------------------|--------------------------------------|----------------------|----------------|-------------|---------------------------|-------------------|--------|---------|--------|---------|------------|----------|--------------------------|----------------------------|---------------|
| CZ 600 AMERICAN 223 Rem.      | 1 : 9 / 6                            | 5                    | 3,2            | 1102        | 24 / 610                  | Light             | No     | M15 × 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| CZ 600 AMERICAN 7,62 × 39     | 1 : 9,5 / 4                          | 5                    | 2,8            | 949         | 18 / 457                  | Light             | No     | M15 × 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| CZ 600 AMERICAN 243 Win.      | 1 : 10 / 6                           | 5                    | 3,5            | 1025        | 20 / 508                  | Light             | No     | M15 × 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| CZ 600 AMERICAN 270 Win.      | 1 : 10 / 4                           | 5                    | 3,7            | 1140        | 24 / 610                  | Light             | No     | M15 × 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| CZ 600 AMERICAN 30-06 Spring. | 1 : 10 / 4                           | 5                    | 3,7            | 1140        | 24 / 610                  | Light             | No     | M15 × 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| CZ 600 AMERICAN 300 Win. Mag. | 1 : 10 / 4                           | 3                    | 3,7            | 1140        | 24 / 610                  | Light             | No     | M15 × 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| CZ 600 AMERICAN 308 Win.      | 1 : 10 / 4                           | 5                    | 3,5            | 1025        | 20 / 508                  | Light             | No     | M15 × 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| CZ 600 AMERICAN 6,5 Creedmoor | 1 : 8 / 6                            | 5                    | 3,7            | 1127        | 24 / 610                  | Light             | No     | M15 × 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |



A MODERN,  
AMERICAN-STYLE  
CENTERFIRE  
HUNTING RIFLE

# CZ 600 LUX



The newest, centerfire hunting rifle from CZ with a traditional, European-style wood stock is the CZ 600 LUX. Its barrel features mechanical, fiber optic front and rear sights. The steel receiver comes with a Remington 700-type interface for mounting optics.

| MODEL                    | TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD  | STOCK  | FINISH | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL<br>WEIGHT (N) | RECEIVER SIZE |
|--------------------------|--------------------------------------|----------------------|----------------|-------------|---------------------------|-------------------|--------|---------|--------|--------|------------|----------|--------------------------|----------------------------|---------------|
| CZ 600 LUX 223 Rem.      | 1: 9 / 6                             | 5                    | 3,2            | 997         | 20 / 508                  | Light             | Yes    | M15 × 1 | Walnut | Oil    | Yes        | 370      | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| CZ 600 LUX 223 Rem. 24"  | 1: 9 / 6                             | 5                    | 3,4            | 1099        | 24 / 610                  | Light             | Yes    | M15 × 1 | Walnut | Oil    | Yes        | 370      | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| NEW CZ 600 LUX 7,62 × 39 | 1: 9,5 / 4                           | 5                    | 3,0            | 946         | 18 / 457                  | Light             | Yes    | M15 × 1 | Walnut | Oil    | Yes        | 370      | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| CZ 600 LUX 308 Win.      | 1: 10 / 4                            | 5                    | 3,8            | 1040        | 20 / 508                  | Light             | Yes    | M15 × 1 | Walnut | Oil    | Yes        | 370      | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| CZ 600 LUX 30-06 Spring. | 1: 10 / 4                            | 5                    | 3,7            | 1053        | 20 / 508                  | Light             | Yes    | M15 × 1 | Walnut | Oil    | Yes        | 370      | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| CZ 600 LUX 8 × 57 IS     | 1: 9,5 / 4                           | 5                    | 3,6            | 1053        | 20 / 508                  | Light             | Yes    | M15 × 1 | Walnut | Oil    | Yes        | 370      | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| CZ 600 LUX 300 Win. Mag. | 1: 10 / 4                            | 3                    | 3,9            | 1155        | 24 / 610                  | Light             | Yes    | M15 × 1 | Walnut | Oil    | Yes        | 370      | Single-Stage, Adjustable | 6–13,5                     | III (long)    |



A MODERN  
CENTERFIRE RIFLE  
WITH A TRADITIONAL  
EUROPEAN DESIGN

CZ 600  
ALPHA



The CZ 600 ALPHA comes with a fiber-reinforced polymer stock and semi-heavy barrel. Optics can be mounted on the Weaver rail integrated on the durable aluminum receiver. Easy maintenance makes this model particularly well suited for those who use their rifle on a daily basis and deeply value durability and reliability, regardless of inclement weather.

| MODEL                       | TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD  | STOCK                    | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL<br>WEIGHT (N) | RECEIVER SIZE |
|-----------------------------|--------------------------------------|----------------------|----------------|-------------|---------------------------|-------------------|--------|---------|--------------------------|------------|------------|----------|--------------------------|----------------------------|---------------|
| CZ 600 ALPHA 223 Rem.       | 1 : 7 / 6                            | 5                    | 3,0            | 1096        | 24 / 610                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| NEW CZ 600 ALPHA 7,62 × 39  | 1 : 9,5 / 4                          | 5                    | 2,5            | 943         | 18 / 457                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| NEW CZ 600 ALPHA 243 Win.   | 1 : 10 / 6                           | 5                    | 3,4            | 1020        | 20 / 508                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| CZ 600 ALPHA 308 Win.       | 1 : 10 / 4                           | 5                    | 3,2            | 1020        | 20 / 508                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| CZ 600 ALPHA 6,5 Creedmoor  | 1 : 7 / 6                            | 5                    | 3,4            | 1071        | 22 / 559                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| CZ 600 ALPHA 6 mm Creedmoor | 1 : 7 / 6                            | 5                    | 3,5            | 1071        | 22 / 559                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| CZ 600 ALPHA 6,5 PRC        | 1 : 7 / 6                            | 3                    | 3,4            | 1071        | 24 / 610                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| NEW CZ 600 ALPHA 270 Win.   | 1 : 10 / 4                           | 5                    | 3,5            | 1033        | 20 / 508                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| CZ 600 ALPHA 30-06 Spring.  | 1 : 10 / 4                           | 5                    | 3,3            | 1033        | 20 / 508                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| CZ 600 ALPHA 8 × 57 IS      | 1 : 9,5 / 4                          | 5                    | 3,3            | 1033        | 20 / 508                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| CZ 600 ALPHA 300 Win. Mag.  | 1 : 10 / 4                           | 3                    | 3,5            | 1135        | 24 / 610                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6–13,5                     | III (long)    |



DURABLE  
RIFLE  
FOR EVERYDAY  
USE

# CZ 600 ERGO



A model refined for the back-country, the CZ 600 ERGO comes standard with a light profile barrel and an ergonomic, CZ-designed fiber-reinforced polymer stock with a distinctive thumbhole style pistol grip that delivers both comfort and control. All gripping surfaces feature padded inlays. The CZ 600 ERGO has a guaranteed, factory-tested sub-MOA at 100 meters (three-shot groups with match-grade factory ammunition).

| MODEL                            | TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH (” / mm) | BARREL<br>PROFILE | SIGHTS | THREAD  | STOCK                    | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL<br>WEIGHT (N) | RECEIVER SIZE |
|----------------------------------|--------------------------------------|----------------------|----------------|-------------|---------------------------|-------------------|--------|---------|--------------------------|------------|------------|----------|--------------------------|----------------------------|---------------|
| CZ 600 ERGO 223 Rem.             | 1: 9 / 6                             | 5                    | 2,6            | 1013        | 20 / 508                  | Light             | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| <b>NEW</b> CZ 600 ERGO 7,62 × 39 | 1: 9,5 / 4                           | 5                    | 2,4            | 962         | 18 / 457                  | Light             | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| CZ 600 ERGO 308 Win.             | 1: 10 / 4                            | 5                    | 2,9            | 1038        | 20 / 508                  | Light             | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| CZ 600 ERGO 6,5 Creedmoor        | 1: 7 / 4                             | 5                    | 3,0            | 1089        | 22 / 559                  | Light             | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| CZ 600 ERGO 30-06 Spring.        | 1: 10 / 4                            | 5                    | 2,9            | 1052        | 20 / 508                  | Light             | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| CZ 600 ERGO 8 × 57 IS            | 1: 9,5 / 4                           | 5                    | 2,9            | 1052        | 20 / 508                  | Light             | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| CZ 600 ERGO 300 Win. Mag.        | 1: 10 / 4                            | 3                    | 3,1            | 1154        | 24 / 610                  | Light             | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6–13,5                     | III (long)    |

CENTERFIRE RIFLE  
WITH ERGONOMIC  
THUMBHOLE  
STOCK



# CZ 600 RANGE



The CZ 600 RANGE is a versatile target and hunting rifle for highly precise shooting at medium to long distances. It comes with a guaranteed, factory-tested accuracy of sub-0.75 MOA at 100 meters (five-shot groups when using match-grade factory ammunition). The stock is optimized for accuracy and features a tool-free, height adjustable comb. This model comes with a nitrided steel receiver with a mounting interface for a Remington 700 type riflescope.

| MODEL                       | TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH (” / mm) | BARREL<br>PROFILE | SIGHTS | THREAD  | STOCK          | FINISH  | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL<br>WEIGHT (N) | RECEIVER SIZE |
|-----------------------------|--------------------------------------|----------------------|----------------|-------------|---------------------------|-------------------|--------|---------|----------------|---------|------------|----------|--------------------------|----------------------------|---------------|
| CZ 600 RANGE 308 Win.       | 1:10 / 4                             | 5                    | 4,6            | 1140        | 24 / 610                  | Heavy             | No     | M18 × 1 | Laminated Wood | Varnish | Adjustable | 370      | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| CZ 600 RANGE 6 mm Creedmoor | 1:7 / 6                              | 5                    | 4,7            | 1140        | 24 / 610                  | Heavy             | No     | M18 × 1 | Laminated Wood | Varnish | Adjustable | 370      | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |

EXTREMELY ACCURATE  
CENTERFIRE RIFLE  
FOR SPORT SHOOTING  
AND HUNTING



CZ 600  
TRAIL



A compact, accurate, bolt-action rifle with a PDW type telescopic stock and CZ BREN 2 style controls, the CZ 600 TRAIL is available in the popular calibers. It's a perfect choice for hobby shooters who appreciate having a generous amount of Picatinny and M-LOK mounting interfaces.

| MODEL                      | TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD  | STOCK                    | FINISH | CHEEKPIECE | LOP (mm) | TRIGGER                  | 1ST<br>TRIGGER PULL<br>WEIGHT (N) | 2ND<br>TRIGGER PULL<br>WEIGHT (N) | RECEIVER SIZE |
|----------------------------|--------------------------------------|----------------------|----------------|-------------|---------------------------|-------------------|--------|---------|--------------------------|--------|------------|----------|--------------------------|-----------------------------------|-----------------------------------|---------------|
| CZ 600 TRAIL 223 Rem.      | 1: 7 / 6                             | 10                   | 2,8            | 690–890     | 16 / 412                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | –      | Yes        | 143–347  | Double-Stage, Adjustable | 4–6                               | 9,5–17                            | I (mini)      |
| NEW CZ 600 TRAIL 7,62 × 39 | 1: 9,5 / 4                           | 10                   | 2,8            | 690–890     | 16 / 412                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | –      | Yes        | 143–347  | Double-Stage, Adjustable | 4–6                               | 9,5–17                            | I (mini)      |
| NEW CZ 600 TRAIL 300 BLK   | 1: 7 / 4                             | 10                   | 2,8            | 690–890     | 16 / 412                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | –      | Yes        | 143–347  | Double-Stage, Adjustable | 4–6                               | 9,5–17                            | I (mini)      |



COMPACT  
SPORTING RIFLE

## SPORT SPECIALS THAT COMBINE THE HIGH-END CZ 600 PLATFORM WITH A SOPHISTICATED CHASSIS

from the world-renowned MDT brand. These rifles feature a generous Picatinny rail, M-LOK mounting points, an Arca Swiss rail, ambidextrous controls, an integrated barricade stop, and an AR-15 compatible stock and pistol grip. The steel receiver only allows for use of MDT AICS 10-round magazines equipped with the proprietary CZ follower for fully reliable feeding, even when manually inserting a round into the chamber through the ejection port.

The result is models optimized for the Production Division of the Precision Rifle Series (PRS) and other tactical shooting disciplines. With advanced ergonomics, a heavy profile cold hammer forged barrel, and an innovative single-action, easy-to-adjust trigger mechanism, CZ guarantees sub-0,75 MOA accuracy (five-shot groups at 100 meters using match-grade factory ammunition).



# CZ 600 MDT

CZ 600 MDT GREY **NEW**

This Light Grey cerakote-finished model features an MDT Elite Pistol Grip, adjustable cheekpiece on an AR-15-style buffer tube, and MDT CCS stock with adjustable LOP via butt pad spacers.



CZ 600 MDT DEEP BRONZE **NEW**

The premium Deep Bronze cerakote-finished model features an adjustable MDT Premier Vertical pistol grip, MDT SRS skeleton stock with a fully adjustable cheekpiece (height and axis) and buttstock (height, length, axis), and an effective three-chamber muzzle brake. The extended safety on one side of the firearm also serves as a thumb rest.

| MODEL                                 | TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD  | STOCK     | FINISH   | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL<br>WEIGHT (N) | RECEIVER SIZE |
|---------------------------------------|--------------------------------------|----------------------|----------------|-------------|---------------------------|-------------------|--------|---------|-----------|----------|------------|----------|--------------------------|----------------------------|---------------|
| CZ 600 MDT GREY 308 Win.              | 1 : 10 / 4                           | 10                   | 5,3            | 1100–1125   | 24 / 610                  | Heavy             | No     | M18 × 1 | Duralumin | Cerakote | Yes        | 330–355  | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| CZ 600 MDT GREY 6 mm Creedmoor        | 1 : 7 / 6                            | 10                   | 5,3            | 1100–1125   | 24 / 610                  | Heavy             | No     | M18 × 1 | Duralumin | Cerakote | Yes        | 330–355  | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| CZ 600 MDT DEEP BRONZE 308 Win.       | 1 : 10 / 4                           | 10                   | 5,6            | 1140–1170   | 24 / 610                  | Heavy             | No     | M18 × 1 | Duralumin | Cerakote | Yes        | 320–350  | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| CZ 600 MDT DEEP BRONZE 6 mm Creedmoor | 1 : 7 / 6                            | 10                   | 5,6            | 1140–1170   | 24 / 610                  | Heavy             | No     | M18 × 1 | Duralumin | Cerakote | Yes        | 320–350  | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |



BUILT TO  
DOMINATE THE PRS  
PRODUCTION  
DIVISION

# CZ TSR



## ADVANCED SPORT SPECIAL

The CZ TSR sport special is chambered in a proven, high-performance caliber that's optimized for highly precise, long-range shooting. The heavy, cold hammer forged barrel is guaranteed for a minimum of 10,000 shots with an accuracy of up to 1 MOA.

*The mounted  
riflescope is  
for illustrative  
purposes only.*

This advanced and extremely reliable bolt-action rifle can be easily customized to each user's requirements and preferences due to the extensive use of STANAG 4694 mounting rails, as well as a number of adjustable features. Its innovative stock folds to the left or right side of the forearm for convenient transport. A further benefit is an adjustable pistol grip with interchangeable backstraps and storage space.

| MODEL  | CALIBER  | TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT (kg) | LENGTH WITH<br>STOCK FOLDED /<br>UNFOLDED (mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD  | COMPENSATOR  | STOCK                  | FINISH   |
|--------|----------|--------------------------------------|----------------------|-------------|------------------------------------------------|---------------------------|-------------------|--------|---------|--------------|------------------------|----------|
| CZ TSR | 308 Win. | 1:11 / 4                             | 10                   | 6,3         | 931 / 1188±10                                  | 26 / 660                  | Heavy             | No     | M18 × 1 | Muzzle Brake | 7075 T6 Aluminum Alloy | Anodized |

| CHEEKPIECE | LOP (mm) | TRIGGER                  | 1ST<br>TRIGGER PULL<br>WEIGHT (N) | 2ND<br>TRIGGER PULL<br>WEIGHT (N) |
|------------|----------|--------------------------|-----------------------------------|-----------------------------------|
| Adjustable | 363–393  | Double-Stage, Adjustable | 3–5                               | 10–20                             |



1070-7011  
SPUHR SCOPE MOUNT 2PCS  
HP 30-25 Ø 30 H25, 4 MM



C0300-0001  
CZ 600 MIL-STD-1913 RAIL  
MEDIUM 0 MOA

C0302-0002  
LEICA FORTIS RIFLESCOPE  
6 2.5-15 × 56I (L-4A)

6003-4000-6401ND  
CZ 600 MAG 223 REM.,  
5 ROUND

6003-4000-7301ND  
CZ 600 MAG 7,62 × 39, 5 ROUND

C0315-0000  
CZ GAMEHAMMER  
RIFLE SLING, BLACK

6000-3320-02ND  
CZ 600 BOLT HANDLE,  
WOOD KNOB

**RECOMMENDED**  
**ACCESSORIES**



C0302-0001  
LEICA MAGNUS RIFLESCOPE  
1-6.3 × 24 I(L-3D)

1070-7011  
SPUHR SCOPE MOUNT 2PCS  
HP 30-25 Ø 30 H25, 4 MM



C0307-0005M  
SUPPRESSOR AU2006-B  
RADIEN .30, BLACK

6000-3322-01ND  
CZ 600 BOLT HANDLE,  
POLYMER KNOB

6003-4500-5301ND  
CZ 600 MAG 308 WIN., 6 MM  
CREEDMOOR, 6,5 CREEDMOOR,  
243 WIN. – 10 ROUND /  
6,5 PRC – 6 ROUND

1002-4100-05  
ATI SLING SWIVEL

C0315-0002  
CZ SAUENHAMMER  
RIFLE SLING, ORANGE



**RECOMMENDED**  
**ACCESSORIES**



| MODEL                                | TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH<br>(mm) | BARREL<br>LENGTH (” / mm) | BARREL<br>PROFILE | SIGHTS | THREAD  | STOCK                    | FINISH     | CHEEKPIECE | LOP<br>(mm) | TRIGGER                  | TRIGGER PULL<br>WEIGHT (N) | RECEIVER SIZE |
|--------------------------------------|--------------------------------------|----------------------|----------------|----------------|---------------------------|-------------------|--------|---------|--------------------------|------------|------------|-------------|--------------------------|----------------------------|---------------|
| <b>CZ 600 AMERICAN</b> 223 Rem.      | 1 : 9 / 6                            | 5                    | 3,2            | 1102           | 24 / 610                  | Light             | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| <b>CZ 600 AMERICAN</b> 7,62 × 39     | 1 : 9,5 / 4                          | 5                    | 2,8            | 949            | 18 / 457                  | Light             | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| <b>CZ 600 AMERICAN</b> 243 Win.      | 1 : 10 / 6                           | 5                    | 3,5            | 1025           | 20 / 508                  | Light             | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>CZ 600 AMERICAN</b> 270 Win.      | 1 : 10 / 4                           | 5                    | 3,7            | 1140           | 24 / 610                  | Light             | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| <b>CZ 600 AMERICAN</b> 30-06 Spring. | 1 : 10 / 4                           | 5                    | 3,7            | 1140           | 24 / 610                  | Light             | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| <b>CZ 600 AMERICAN</b> 300 Win. Mag. | 1 : 10 / 4                           | 3                    | 3,7            | 1140           | 24 / 610                  | Light             | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| <b>CZ 600 AMERICAN</b> 308 Win.      | 1 : 10 / 4                           | 5                    | 3,5            | 1025           | 20 / 508                  | Light             | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>CZ 600 AMERICAN</b> 6,5 Creedmoor | 1 : 8 / 6                            | 5                    | 3,7            | 1127           | 24 / 610                  | Light             | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>CZ 600 LUX</b> 223 Rem.           | 1 : 9 / 6                            | 5                    | 3,2            | 997            | 20 / 508                  | Light             | Yes    | M15 × 1 | Walnut                   | Oil        | Yes        | 370         | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| <b>CZ 600 LUX</b> 223 Rem. 24"       | 1 : 9 / 6                            | 5                    | 3,4            | 1099           | 24 / 610                  | Light             | Yes    | M15 × 1 | Walnut                   | Oil        | Yes        | 370         | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| <b>NEW CZ 600 LUX</b> 7,62 × 39      | 1 : 9,5 / 4                          | 5                    | 3,0            | 946            | 18 / 457                  | Light             | Yes    | M15 × 1 | Walnut                   | Oil        | Yes        | 370         | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| <b>CZ 600 LUX</b> 308 Win.           | 1 : 10 / 4                           | 5                    | 3,8            | 1040           | 20 / 508                  | Light             | Yes    | M15 × 1 | Walnut                   | Oil        | Yes        | 370         | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>CZ 600 LUX</b> 30-06 Spring.      | 1 : 10 / 4                           | 5                    | 3,7            | 1053           | 20 / 508                  | Light             | Yes    | M15 × 1 | Walnut                   | Oil        | Yes        | 370         | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| <b>CZ 600 LUX</b> 8 × 57 IS          | 1 : 9,5 / 4                          | 5                    | 3,6            | 1053           | 20 / 508                  | Light             | Yes    | M15 × 1 | Walnut                   | Oil        | Yes        | 370         | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| <b>CZ 600 LUX</b> 300 Win. Mag.      | 1 : 10 / 4                           | 3                    | 3,9            | 1155           | 24 / 610                  | Light             | Yes    | M15 × 1 | Walnut                   | Oil        | Yes        | 370         | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| <b>CZ 600 ALPHA</b> 223 Rem.         | 1 : 7 / 6                            | 5                    | 3,0            | 1096           | 24 / 610                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| <b>NEW CZ 600 ALPHA</b> 7,62 × 39    | 1 : 9,5 / 4                          | 5                    | 2,5            | 943            | 18 / 457                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| <b>NEW CZ 600 ALPHA</b> 243 Win.     | 1 : 10 / 6                           | 5                    | 3,4            | 1020           | 20 / 508                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>CZ 600 ALPHA</b> 308 Win.         | 1 : 10 / 4                           | 5                    | 3,2            | 1020           | 20 / 508                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>CZ 600 ALPHA</b> 6,5 Creedmoor    | 1 : 7 / 6                            | 5                    | 3,4            | 1071           | 22 / 559                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>CZ 600 ALPHA</b> 6 mm Creedmoor   | 1 : 7 / 6                            | 5                    | 3,5            | 1071           | 22 / 559                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>CZ 600 ALPHA</b> 6,5 PRC          | 1 : 7 / 6                            | 3                    | 3,4            | 1071           | 24 / 610                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>NEW CZ 600 ALPHA</b> 270 Win.     | 1 : 10 / 4                           | 5                    | 3,5            | 1033           | 20 / 508                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| <b>CZ 600 ALPHA</b> 30-06 Spring.    | 1 : 10 / 4                           | 5                    | 3,3            | 1033           | 20 / 508                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| <b>CZ 600 ALPHA</b> 8 × 57 IS        | 1 : 9,5 / 4                          | 5                    | 3,3            | 1033           | 20 / 508                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| <b>CZ 600 ALPHA</b> 300 Win. Mag.    | 1 : 10 / 4                           | 3                    | 3,5            | 1135           | 24 / 610                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355         | Single-Stage, Adjustable | 6–13,5                     | III (long)    |



| MODEL                              | TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH<br>(mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD  | STOCK                    | FINISH     | CHEEKPIECE | LOP<br>(mm) | TRIGGER                  | TRIGGER PULL<br>WEIGHT (N) | RECEIVER SIZE |
|------------------------------------|--------------------------------------|----------------------|----------------|----------------|---------------------------|-------------------|--------|---------|--------------------------|------------|------------|-------------|--------------------------|----------------------------|---------------|
| <b>CZ 600 ERGO</b> 223 Rem.        | 1 : 9 / 6                            | 5                    | 2,6            | 1013           | 20 / 508                  | Light             | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 370         | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| <b>NEW CZ 600 ERGO</b> 7,62 × 39   | 1 : 9,5 / 4                          | 5                    | 2,4            | 962            | 18 / 457                  | Light             | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 370         | Single-Stage, Adjustable | 6–13,5                     | I (mini)      |
| <b>CZ 600 ERGO</b> 308 Win.        | 1 : 10 / 4                           | 5                    | 2,9            | 1038           | 20 / 508                  | Light             | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 370         | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>CZ 600 ERGO</b> 6,5 Creedmoor   | 1 : 7 / 4                            | 5                    | 3,0            | 1089           | 22 / 559                  | Light             | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 370         | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>CZ 600 ERGO</b> 30-06 Spring.   | 1 : 10 / 4                           | 5                    | 2,9            | 1052           | 20 / 508                  | Light             | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 370         | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| <b>CZ 600 ERGO</b> 8 × 57 IS       | 1 : 9,5 / 4                          | 5                    | 2,9            | 1052           | 20 / 508                  | Light             | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 370         | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| <b>CZ 600 ERGO</b> 300 Win. Mag.   | 1 : 10 / 4                           | 3                    | 3,1            | 1154           | 24 / 610                  | Light             | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 370         | Single-Stage, Adjustable | 6–13,5                     | III (long)    |
| <b>CZ 600 RANGE</b> 308 Win.       | 1 : 10 / 4                           | 5                    | 4,6            | 1140           | 24 / 610                  | Heavy             | No     | M18 × 1 | Laminated Wood           | Varnish    | Adjustable | 370         | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>CZ 600 RANGE</b> 6 mm Creedmoor | 1 : 7 / 6                            | 5                    | 4,7            | 1140           | 24 / 610                  | Heavy             | No     | M18 × 1 | Laminated Wood           | Varnish    | Adjustable | 370         | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |

| MODEL                             | TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH<br>(mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD  | STOCK                    | FINISH | CHEEKPIECE | LOP<br>(mm) | TRIGGER                  | 1ST<br>TRIGGER PULL<br>WEIGHT (N) | 2ND<br>TRIGGER PULL<br>WEIGHT (N) | RECEIVER SIZE |
|-----------------------------------|--------------------------------------|----------------------|----------------|----------------|---------------------------|-------------------|--------|---------|--------------------------|--------|------------|-------------|--------------------------|-----------------------------------|-----------------------------------|---------------|
| <b>CZ 600 TRAIL</b> 223 Rem.      | 1 : 7 / 6                            | 10                   | 2,8            | 690–890        | 16 / 412                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | –      | Yes        | 143–347     | Double-Stage, Adjustable | 4–6                               | 9,5–17                            | I (mini)      |
| <b>NEW CZ 600 TRAIL</b> 7,62 × 39 | 1 : 9,5 / 4                          | 10                   | 2,8            | 690–890        | 16 / 412                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | –      | Yes        | 143–347     | Double-Stage, Adjustable | 4–6                               | 9,5–17                            | I (mini)      |
| <b>NEW CZ 600 TRAIL</b> 300 BLK   | 1 : 7 / 4                            | 10                   | 2,8            | 690–890        | 16 / 412                  | Semi-Heavy        | No     | M15 × 1 | Fiber-reinforced polymer | –      | Yes        | 143–347     | Double-Stage, Adjustable | 4–6                               | 9,5–17                            | I (mini)      |

| MODEL                                        | TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH<br>(mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD  | STOCK     | FINISH   | CHEEKPIECE | LOP<br>(mm) | TRIGGER                  | TRIGGER PULL<br>WEIGHT (N) | RECEIVER SIZE |
|----------------------------------------------|--------------------------------------|----------------------|----------------|----------------|---------------------------|-------------------|--------|---------|-----------|----------|------------|-------------|--------------------------|----------------------------|---------------|
| <b>CZ 600 MDT GREY</b> 308 Win.              | 1 : 10 / 4                           | 10                   | 5,3            | 1100–1125      | 24 / 610                  | Heavy             | No     | M18 × 1 | Duralumin | Cerakote | Yes        | 330–355     | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>CZ 600 MDT GREY</b> 6 mm Creedmoor        | 1 : 7 / 6                            | 10                   | 5,3            | 1100–1125      | 24 / 610                  | Heavy             | No     | M18 × 1 | Duralumin | Cerakote | Yes        | 330–355     | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>CZ 600 MDT DEEP BRONZE</b> 308 Win.       | 1 : 10 / 4                           | 10                   | 5,6            | 1140–1170      | 24 / 610                  | Heavy             | No     | M18 × 1 | Duralumin | Cerakote | Yes        | 320–350     | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |
| <b>CZ 600 MDT DEEP BRONZE</b> 6 mm Creedmoor | 1 : 7 / 6                            | 10                   | 5,6            | 1140–1170      | 24 / 610                  | Heavy             | No     | M18 × 1 | Duralumin | Cerakote | Yes        | 320–350     | Single-Stage, Adjustable | 6–13,5                     | II (medium)   |

| MODEL         | CALIBER  | TWIST RATE /<br>NUMBER<br>OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT (kg) | LENGTH WITH<br>STOCK FOLDED /<br>UNFOLDED (mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD  | COMPENSATOR  | STOCK                  | FINISH   | CHEEKPIECE | LOP (mm) | TRIGGER                  | 1ST<br>TRIGGER PULL<br>WEIGHT (N) | 2ND<br>TRIGGER PULL<br>WEIGHT (N) |
|---------------|----------|--------------------------------------|----------------------|-------------|------------------------------------------------|---------------------------|-------------------|--------|---------|--------------|------------------------|----------|------------|----------|--------------------------|-----------------------------------|-----------------------------------|
| <b>CZ TSR</b> | 308 Win. | 1 : 11 / 4                           | 10                   | 6,3         | 931 / 1188±10                                  | 26 / 660                  | Heavy             | No     | M18 × 1 | Muzzle Brake | 7075 T6 Aluminum Alloy | Anodized | Adjustable | 363–393  | Double-Stage, Adjustable | 3–5                               | 10–20                             |





## RIMFIRE RIFLES

A gateway to the fascinating world of guns and shooting. They're an irreplaceable training aid and exciting source of entertainment, as well as an effective hunting tool and target shooter. These are considered the traditional qualities of long firearms that use rimfire ammunition, so-called rimfire rifles, and models from CZ have been designed by leading experts with a focus on innovation, shooting comfort, safety and advantageous pricing. The best proof of their success is the millions of satisfied customers and fans around the world, together with the fact that CZ is considered a global standard in this segment. The backbone of its current range is the CZ 457 bolt-action rifle series, which brings many outstanding features to the table.

## **CZ 457 SERIES** **A NEW GENERATION** **OF MODERN** **RIMFIRE RIFLES**

The CZ 457 series offers exceptional user comfort due to its easy, fast and reliable operation, even with a mounted riflescope. For maximum safety, it comes with a push-to-fire safety on the right side of the receiver, striker status indicator and a separate bolt extractor control. Shooting accuracy is ensured with its adjustable trigger mechanism that features low trigger pull weight and excellent travel, combined with a noticeably lighter striker and a new type of bedding. Other benefits include an extremely durable anticorrosion finish on metal parts, easy change of caliber by users and reliable polymer magazines that are compatible with the previous generation of CZ rimfire rifles.

## **MAIN** **FEATURES** **OF THE** **CZ 457** **SERIES**





Striker status indicator



Open and remove  
bolt even with safety  
engaged

Adjustable trigger mechanism for setting  
pull weight and trigger travel



CZ 457

CARBON

NEW



The new, key feature of the CZ 457 CARBON, chambered in 22 LR, is an innovative composite barrel that combines the best properties of steel and carbon fiber to provide many unique advantages. Due to this advanced technology, the CZ 457 CARBON weighs in at only 2.15 kg, making it the lightest model in the CZ 457 series. It delivers the accuracy of varmint models, together with a host of new benefits.



EXTREMELY  
LIGHTWEIGHT  
RIMFIRE RIFLE

| MODEL         | CALIBER (TWIST RATE) /<br>NUMBER OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE          | SIGHTS | THREAD       | COMPENSATOR | STOCK   | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL<br>WEIGHT (N) |
|---------------|---------------------------------------------|----------------------|----------------|-------------|---------------------------|----------------------------|--------|--------------|-------------|---------|------------|------------|----------|------------|----------------------------|
| CZ 457 CARBON | 22 LR (1 : 16) / 6                          | 5                    | 2,15           | 977         | 20 / 525                  | Carbon fiber-wrapped steel | No     | 1/2 × 20 UNF | No          | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1-14                    |

CZ 457

RANGE

NEW



High accuracy is achieved thanks to its heavy, 525 or 610 mm (20" or 24") cold hammer forged barrel with MATCH chamber. The muzzle with thread protector comes with standardized threading for easy mounting of accessories.

Its laminated and varnished adjustable wood stock makes a significant contribution to both accuracy and comfort.

A new sport and hunting rimfire rifle based on the design of the CZ 600 RANGE centerfire rifle. This 22 LR model, like its large-caliber brother, is a versatile firearm for high-precision shooting at medium to long distances. It is an ideal choice for static and dynamic target shooting, as well as for hunting small game and varmints.

| MODEL            | CALIBER (TWIST RATE) /<br>NUMBER OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK          | FINISH  | CHEEKPIECE | LOP (mm) | TRIGGER      | TRIGGER PULL<br>WEIGHT (N) |
|------------------|---------------------------------------------|----------------------|-------------|-------------|---------------------------|-------------------|--------|----------|-------------|----------------|---------|------------|----------|--------------|----------------------------|
| CZ 457 RANGE 20" | 22 LR (1:16) / 6                            | 5                    | 3,7         | 980         | 20 / 525                  | Varmint Match     | No     | 1/2 × 20 |             | Laminated Wood | Varnish | Adjustable | 365      | Single-stage | 11,1-14                    |
| CZ 457 RANGE 24" | 22 LR (1:16) / 6                            | 5                    | 4           | 990         | 24 / 610                  | Varmint Match     | No     | 1/2 × 20 |             | Laminated Wood | Varnish | Adjustable | 365      | Single-stage | 11,1-14                    |



CZ **457 MDT**

MATCH  
CHAMBER

NEW



An innovative sport model with a visually appealing duralumin chassis from the renowned MDT brand. Its fluted barrel with MATCH chamber is fitted with a compensator and the stock, optimized for extreme shooting comfort, features a height adjustable comb. LOP can be changed through the use of the four included buttpad spacers. The Picatinny mounting rail with 25 MOA inclination allows for easy sighting in of the riflescope, even at longer distances.

CZ **457 LRP BLACK**

MATCH  
CHAMBER

NEW



A new version of this popular model for accurate, long range shooting. It comes with a 20" heavy and fluted cold hammer forged barrel, MATCH chamber and an effective cylindrical compensator mounted on the muzzle. All key features of its black, target-style stock are adjustable. A Picatinny mounting rail with 25 MOA inclination allows for easy sighting in of the riflescope.

| MODEL            | CALIBER (TWIST RATE) /<br>NUMBER OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK     | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL<br>WEIGHT (N) |
|------------------|---------------------------------------------|----------------------|----------------|-------------|---------------------------|-------------------|--------|----------|-------------|-----------|------------|------------|----------|------------|----------------------------|
| CZ 457 MDT       | 22 LR (1:16) / 6                            | 5                    | 3,4            | 1010        | 20 / 525                  | Heavy, Fluted     | No     | 1/2 × 20 | Yes         | Duralumin | Cerakote   | Adjustable | 335–360  | Adjustable | 11,1–14                    |
| CZ 457 LRP BLACK | 22 LR (1:16) / 6                            | 5                    | 3,9            | 1010        | 20 / 525                  | Heavy, Fluted     | No     | 1/2 × 20 | Yes         | Beech     | Soft-touch | Adjustable | 351–382  | Adjustable | 11,1–14                    |



CZ **457 AT-ONE**



The CZ 457 AT-ONE sport model from the CZ-USA range, which is held in high regard by our customers, is part of our worldwide offer of the CZ 457 series. This specially designed rifle is equipped with a varmint barrel with MATCH chamber and a solid laminated wood stock from the well-known American brand Boyds, which features an easily adjustable butt pad and comb. Classic sling loops are complemented by a quick-release loop with anchor holes on both sides of the stock.



CZ **457 THUMBHOLE** **NEW**

The perfect combination of ergonomics and elegance. The defining characteristic of this model is its thumbhole stock made from high-strength, gray-brown laminated wood, which also features a unique integrated trigger guard. Its sophisticated stock design allows for comfortable use by both right- and left-handed shooters.

| MODEL                | CALIBER (TWIST RATE) /<br>NUMBER OF GROOVES | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH ("/> / mm) | BARREL<br>PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK     | FINISH  | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL<br>WEIGHT (N) |
|----------------------|---------------------------------------------|----------------------|----------------|-------------|-----------------------------|-------------------|--------|----------|-------------|-----------|---------|------------|----------|------------|----------------------------|
| CZ 457 AT-ONE        | 22 LR (1 : 16) / 6                          | 5                    | 3,5            | 935-982     | 20 / 525                    | Heavy             | No     | 1/2 × 20 | No          | Laminated | Varnish | Adjustable | 313-360  | Adjustable | 11,1-14                    |
| CZ 457 THUMBHOLE 16" | 22 LR (1 : 16) / 6                          | 5                    | 3,2            | 885         | 16 / 412,5                  | Heavy             | No     | 1/2 × 20 | Yes         | Laminated | Varnish | Yes        | 360      | Adjustable | 11,1-14                    |
| CZ 457 THUMBHOLE 20" | 17 HMR (1 : 9) / 6                          | 5                    | 3,6            | 997         | 20 / 525                    | Heavy             | No     | 1/2 × 20 | Yes         | Laminated | Varnish | Yes        | 360      | Adjustable | 11,1-14                    |
| CZ 457 THUMBHOLE 20" | 22 LR (1 : 16) / 6                          | 5                    | 3,5            | 997         | 20 / 525                    | Heavy             | No     | 1/2 × 20 | Yes         | Laminated | Varnish | Yes        | 360      | Adjustable | 11,1-14                    |
| CZ 457 THUMBHOLE 20" | 22 WMR (1 : 16) / 6                         | 5                    | 3,5            | 997         | 20 / 525                    | Heavy             | No     | 1/2 × 20 | Yes         | Laminated | Varnish | Yes        | 360      | Adjustable | 11,1-14                    |

# CZ 457 STAINLESS

A trail model created for those who appreciate the use of premium materials. Along with the many strengths of the CZ 457 series, this 22 LR caliber rifle features a modern digital camouflage pattern on its high comfort, soft-touch finished polymer stock and comes with a light profile, weather-resistant stainless steel barrel.



# CZ 457 SYNTHETIC

The main feature for this model is increased resistance to adverse environmental conditions. All metal components come with a high quality, anti-corrosion finish. Its ergonomically friendly, and extremely strong, polymer stock comes with a soft-touch finish and is resistant to moisture, cold and heat.



# CZ 457 SYNTHETIC SET

With an increased resistance to adverse weather conditions, this model is available as a basic version or as a set with a 3-9 × 42 riflescope developed especially for this series. The riflescope is sighted in at 50 meters and is securely attached on a durable, two-piece duralumin mount. Reliable and consistent shot groupings are ensured through tests carried out on all CZ centerfire rifles.

| MODEL                | CALIBER (TWIST RATE) /<br>NUMBER OF GROOVES                 | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK   | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL<br>WEIGHT (N) |
|----------------------|-------------------------------------------------------------|----------------------|----------------|-------------|---------------------------|-------------------|--------|----------|-------------|---------|------------|------------|----------|------------|----------------------------|
| CZ 457 STAINLESS     | 22 LR (1 : 16) / 6                                          | 5                    | 2,5            | 977         | 20 / 525                  | Light             | No     | 1/2 × 20 | No          | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1-14                    |
| CZ 457 SYNTHETIC 16" | 22 LR (1 : 16) / 6                                          | 5                    | 2,3            | 865         | 16 / 412,5                | Light             | No     | 1/2 × 20 | No          | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1-14                    |
| CZ 457 SYNTHETIC 20" | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6, 22 WMR (1 : 16) / 6 | 5                    | 2,5            | 977         | 20 / 525                  | Light             | No     | 1/2 × 20 | No          | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1-14                    |
| CZ 457 SYNTHETIC SET | 22 LR (1 : 16) / 6                                          | 5                    | 2,5            | 977         | 20 / 525                  | Light             | No     | 1/2 × 20 | No          | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1-14                    |

# CZ 457 VARMINT SYNTHETIC NEW

A model created at the request of our customers. It's an ideal choice for accurate sport shooting and hunting at medium to longer distances, due to its heavy barrel and polymer stock with increased resistance to adverse weather conditions.



This model is also available as a left-handed version.



# CZ 457 VARMINT

A popular design with an American-style varnished stock and heavy 525 mm barrel, which makes it ideal for accurate sport shooting and hunting at medium to long distances. The proven 11 mm CZ dovetail is milled into the top of the receiver for attaching riflescope ringmounts.



# CZ 457 MTR MATCH CHAMBER

A highly precise model with an extraordinarily comfortable stock made from premium walnut. The heavy, cold hammer forged match-grade barrel in 22 LR caliber is equipped with a MATCH chamber. Thanks to this feature, together with other innovations in the CZ 457 series, the CZ 457 MTR guarantees 15 mm groups at a distance of 50 m.

| MODEL                        | CALIBER (TWIST RATE) /<br>NUMBER OF GROOVES                 | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH ("/> / mm) | BARREL<br>PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK   | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL<br>WEIGHT (N) |
|------------------------------|-------------------------------------------------------------|----------------------|----------------|-------------|-----------------------------|-------------------|--------|----------|-------------|---------|------------|------------|----------|------------|----------------------------|
| CZ 457 VARMINT SYNTHETIC 16" | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6                      | 5                    | 2,6            | 865         | 16 / 412,5                  | Heavy             | No     | 1/2 × 20 | No          | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1–14                    |
| CZ 457 VARMINT SYNTHETIC 20" | 22 LR (1 : 16) / 6                                          | 5                    | 2,9            | 977         | 20 / 525                    | Heavy             | No     | 1/2 × 20 | No          | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1–14                    |
| CZ 457 VARMINT               | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6, 22 WMR (1 : 16) / 6 | 5                    | 3,3            | 981         | 20 / 525                    | Heavy             | No     | 1/2 × 20 | No          | Walnut  | Varnish    | No         | 360      | Adjustable | 11,1–14                    |
| CZ 457 VARMINT LH            | 22 LR (1 : 16) / 6                                          | 5                    | 3,3            | 981         | 20 / 525                    | Heavy             | No     | 1/2 × 20 | No          | Walnut  | Varnish    | No         | 360      | Adjustable | 11,1–14                    |
| CZ 457 MTR 16"               | 22 LR (1 : 16) / 6                                          | 5                    | 3,5            | 859         | 16 / 412,5                  | Heavy             | No     | 1/2 × 20 | No          | Walnut  | Oil        | No         | 350      | Adjustable | 11,1–14                    |
| CZ 457 MTR 20"               | 22 LR (1 : 16) / 6                                          | 5                    | 3,5            | 976         | 20 / 525                    | Heavy             | No     | 1/2 × 20 | No          | Walnut  | Oil        | No         | 350      | Adjustable | 11,1–14                    |

# CZ 457 AMERICAN

A beautiful, modern example of a classic American sport shooting and hunting rimfire rifle. The varnished American-style stock is made from high quality walnut, with checkering on the grip that incorporates a fleur-de-lis motif. The light profile, cold hammer forged barrel is 630 mm long and has no sights.



This model is also available as a left-handed version.

# CZ 457 AMERICAN LH NEW



| MODEL              | CALIBER (TWIST RATE) /<br>NUMBER OF GROOVES                 | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK  | FINISH  | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL<br>WEIGHT (N) |
|--------------------|-------------------------------------------------------------|----------------------|----------------|-------------|---------------------------|-------------------|--------|----------|-------------|--------|---------|------------|----------|------------|----------------------------|
| CZ 457 AMERICAN    | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6, 22 WMR (1 : 16) / 6 | 5                    | 3,0            | 1087        | 24 / 630                  | Light             | No     | 1/2 × 20 | No          | Walnut | Varnish | No         | 360      | Adjustable | 11,1-14                    |
| CZ 457 AMERICAN LH | 22 LR (1 : 16) / 6                                          | 5                    | 3,0            | 1087        | 24 / 630                  | Light             | No     | 1/2 × 20 | No          | Walnut | Varnish | No         | 360      | Adjustable | 11,1-14                    |

# CZ 457 JAGUAR XII

The CZ 457 JAGUAR XII is a modern version of the popular rimfire rifles from CZ. It features the longest barrel on offer (726 mm), as well as a tangent rear sight adjustable between 25 and 200 m, stock with a jaguar motif, and claw marks in place of traditional checkering. Standard accessories include a 10-round metal magazine.



This model is also available as a left-handed version.



# CZ 457 PREMIUM

The CZ 457 PREMIUM is a model that will impress all fans of classically shaped hunting rifles. Its premium walnut stock features a cheekpiece and decorative forend from high-grade material. The 630 mm light profile barrel has a ½ x 20 muzzle thread for the attachment of a suppressor. Aiming is quick and intuitive with its tangent rear sight and fiber optic front sight.

# CZ 457 PREMIUM LH



| MODEL             | CALIBER (TWIST RATE) /<br>NUMBER OF GROOVES                 | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK  | FINISH | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL<br>WEIGHT (N) |
|-------------------|-------------------------------------------------------------|----------------------|----------------|-------------|---------------------------|-------------------|--------|----------|-------------|--------|--------|------------|----------|------------|----------------------------|
| CZ 457 JAGUAR XII | 22 LR (1 : 16) / 12                                         | 10                   | 3,3            | 1182        | 28 / 726                  | Light             | Yes    | 1/2 x 20 | No          | Beech  | Lak    | Yes        | 360      | Adjustable | 11,1-14                    |
| CZ 457 PREMIUM    | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6, 22 WMR (1 : 16) / 6 | 5                    | 3,2            | 1085        | 24 / 630                  | Light             | Yes    | 1/2 x 20 | No          | Walnut | Olej   | Yes        | 360      | Adjustable | 11,1-14                    |
| CZ 457 PREMIUM LH | 22 LR (1 : 16) / 6                                          | 5                    | 3,2            | 1085        | 24 / 630                  | Light             | Yes    | 1/2 x 20 | No          | Walnut | Olej   | Yes        | 360      | Adjustable | 11,1-14                    |

CZ 457 LUX

An accurate, safe, reliable and modern rimfire rifle with a classic European centerfire hunting rifle design. The varnished stock with cheekpiece is made of high-quality Turkish walnut and features laser-etched checkering on the grip. Traditional iron sights come as standard.



CZ 457 TRAINING RIFLE XII

CZ rimfire rifles with the Training Rifle moniker have traditionally been the ideal firearm for novice shooters of all ages. In this case, it is all the more true thanks to the benefits of the CZ 457 series that significantly increase user safety, accuracy and the rifle's service life. Like the CZ 457 JAGUAR XII, the barrel on this model comes with a 12 groove bore.

| MODEL                     | CALIBER (TWIST RATE) /<br>NUMBER OF GROOVES                 | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH (” / mm) | BARREL<br>PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK  | FINISH  | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL<br>WEIGHT (N) |
|---------------------------|-------------------------------------------------------------|----------------------|----------------|-------------|---------------------------|-------------------|--------|----------|-------------|--------|---------|------------|----------|------------|----------------------------|
| CZ 457 LUX                | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6, 22 WMR (1 : 16) / 6 | 5                    | 2,9            | 1088        | 24 / 630                  | Light             | Yes    | 1/2 × 20 | No          | Walnut | Varnish | Yes        | 360      | Adjustable | 11,1–14                    |
| CZ 457 TRAINING RIFLE XII | 22 LR (1 : 16) / 12                                         | 5                    | 3,1            | 1085        | 24 / 630                  | Light             | Yes    | 1/2 × 20 | No          | Beech  | Varnish | Yes        | 360      | Adjustable | 11,1–14                    |





**RECOMMENDED**  
**ACCESSORIES**



| MODEL                        | CALIBER (TWIST RATE) /<br>NUMBER OF GROOVES                 | MAGAZINE<br>CAPACITY | WEIGHT<br>(kg) | LENGTH (mm) | BARREL<br>LENGTH (" / mm) | BARREL<br>PROFILE          | SIGHTS | THREAD   | COMPENSATOR | STOCK          | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER      | TRIGGER PULL<br>WEIGHT (N) |
|------------------------------|-------------------------------------------------------------|----------------------|----------------|-------------|---------------------------|----------------------------|--------|----------|-------------|----------------|------------|------------|----------|--------------|----------------------------|
| CZ 457 CARBON                | 22 LR (1 : 16) / 6                                          | 5                    | 2,15           | 977         | 20 / 525                  | Carbon fiber-wrapped steel | No     | 1/2 × 20 | No          | Polymer        | Soft-touch | No         | 356      | Adjustable   | 11,1–14                    |
| CZ 457 RANGE 20"             | 22 LR (1 : 16) / 6                                          | 5                    | 3,7            | 980         | 20 / 525                  | Varmint Match              | No     | 1/2 × 20 | No          | Laminated Wood | Varnish    | Adjustable | 365      | Single-stage | 11,1–14                    |
| CZ 457 RANGE 24"             | 22 LR (1 : 16) / 6                                          | 5                    | 4              | 990         | 24 / 610                  | Varmint Match              | No     | 1/2 × 20 | No          | Laminated Wood | Varnish    | Adjustable | 365      | Single-stage | 11,1–14                    |
| CZ 457 MDT                   | 22 LR (1 : 16) / 6                                          | 5                    | 3,4            | 1010        | 20 / 525                  | Heavy, Fluted              | No     | 1/2 × 20 | Yes         | Duralumin      | Cerakote   | Adjustable | 335–360  | Adjustable   | 11,1–14                    |
| CZ 457 LRP BLACK             | 22 LR (1 : 16) / 6                                          | 5                    | 3,9            | 1010        | 20 / 525                  | Heavy, Fluted              | No     | 1/2 × 20 | Yes         | Beech          | Soft-touch | Adjustable | 351–382  | Adjustable   | 11,1–14                    |
| CZ 457 AT-ONE                | 22 LR (1 : 16) / 6                                          | 5                    | 3,5            | 935–982     | 20 / 525                  | Heavy                      | No     | 1/2 × 20 | No          | Laminated      | Varnish    | Adjustable | 313–360  | Adjustable   | 11,1–14                    |
| CZ 457 THUMBHOLE 16"         | 22 LR (1 : 16) / 6                                          | 5                    | 3,2            | 885         | 16 / 412,5                | Heavy                      | No     | 1/2 × 20 | Yes         | Laminated      | Varnish    | Yes        | 360      | Adjustable   | 11,1–14                    |
| CZ 457 THUMBHOLE 20"         | 17 HMR (1 : 9) / 6                                          | 5                    | 3,6            | 997         | 20 / 525                  | Heavy                      | No     | 1/2 × 20 | Yes         | Laminated      | Varnish    | Yes        | 360      | Adjustable   | 11,1–14                    |
| CZ 457 THUMBHOLE 20"         | 22 LR (1 : 16) / 6                                          | 5                    | 3,5            | 997         | 20 / 525                  | Heavy                      | No     | 1/2 × 20 | Yes         | Laminated      | Varnish    | Yes        | 360      | Adjustable   | 11,1–14                    |
| CZ 457 THUMBHOLE 20"         | 22 WMR (1 : 16) / 6                                         | 5                    | 3,5            | 997         | 20 / 525                  | Heavy                      | No     | 1/2 × 20 | Yes         | Laminated      | Varnish    | Yes        | 360      | Adjustable   | 11,1–14                    |
| CZ 457 STAINLESS             | 22 LR (1 : 16) / 6                                          | 5                    | 2,5            | 977         | 20 / 525                  | Light                      | No     | 1/2 × 20 | No          | Polymer        | Soft-touch | No         | 356      | Adjustable   | 11,1–14                    |
| CZ 457 SYNTHETIC 16"         | 22 LR (1 : 16) / 6                                          | 5                    | 2,3            | 865         | 16 / 412,5                | Light                      | No     | 1/2 × 20 | No          | Polymer        | Soft-touch | No         | 356      | Adjustable   | 11,1–14                    |
| CZ 457 SYNTHETIC 20"         | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6, 22 WMR (1 : 16) / 6 | 5                    | 2,5            | 977         | 20 / 525                  | Light                      | No     | 1/2 × 20 | No          | Polymer        | Soft-touch | No         | 356      | Adjustable   | 11,1–14                    |
| CZ 457 SYNTHETIC SET         | 22 LR (1 : 16) / 6                                          | 5                    | 2,5            | 977         | 20 / 525                  | Light                      | No     | 1/2 × 20 | No          | Polymer        | Soft-touch | No         | 356      | Adjustable   | 11,1–14                    |
| CZ 457 VARMINT SYNTHETIC 16" | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6                      | 5                    | 2,6            | 865         | 16 / 412,5                | Heavy                      | No     | 1/2 × 20 | No          | Polymer        | Soft-touch | No         | 356      | Adjustable   | 11,1–14                    |
| CZ 457 VARMINT SYNTHETIC 20" | 22 LR (1 : 16) / 6                                          | 5                    | 2,9            | 977         | 20 / 525                  | Heavy                      | No     | 1/2 × 20 | No          | Polymer        | Soft-touch | No         | 356      | Adjustable   | 11,1–14                    |
| CZ 457 VARMINT               | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6, 22 WMR (1 : 16) / 6 | 5                    | 3,3            | 981         | 20 / 525                  | Heavy                      | No     | 1/2 × 20 | No          | Walnut         | Varnish    | No         | 360      | Adjustable   | 11,1–14                    |
| CZ 457 VARMINT LH            | 22 LR (1 : 16) / 6                                          | 5                    | 3,3            | 981         | 20 / 525                  | Heavy                      | No     | 1/2 × 20 | No          | Walnut         | Varnish    | No         | 360      | Adjustable   | 11,1–14                    |
| CZ 457 MTR 16"               | 22 LR (1 : 16) / 6                                          | 5                    | 3,5            | 859         | 16 / 412,5                | Heavy                      | No     | 1/2 × 20 | No          | Walnut         | Oil        | No         | 350      | Adjustable   | 11,1–14                    |
| CZ 457 MTR 20"               | 22 LR (1 : 16) / 6                                          | 5                    | 3,5            | 976         | 20 / 525                  | Heavy                      | No     | 1/2 × 20 | No          | Walnut         | Oil        | No         | 350      | Adjustable   | 11,1–14                    |
| CZ 457 AMERICAN              | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6, 22 WMR (1 : 16) / 6 | 5                    | 3,0            | 1087        | 24 / 630                  | Light                      | No     | 1/2 × 20 | No          | Walnut         | Varnish    | No         | 360      | Adjustable   | 11,1–14                    |
| CZ 457 AMERICAN LH           | 22 LR (1 : 16) / 6                                          | 5                    | 3,0            | 1087        | 24 / 630                  | Light                      | No     | 1/2 × 20 | No          | Walnut         | Varnish    | No         | 360      | Adjustable   | 11,1–14                    |
| CZ 457 JAGUAR XII            | 22 LR (1 : 16) / 12                                         | 10                   | 3,3            | 1182        | 28 / 726                  | Light                      | Yes    | 1/2 × 20 | No          | Beech          | Varnish    | Yes        | 360      | Adjustable   | 11,1–14                    |
| CZ 457 PREMIUM               | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6, 22 WMR (1 : 16) / 6 | 5                    | 3,2            | 1085        | 24 / 630                  | Light                      | Yes    | 1/2 × 20 | No          | Walnut         | Oil        | Yes        | 360      | Adjustable   | 11,1–14                    |
| CZ 457 PREMIUM LH            | 22 LR (1 : 16) / 6                                          | 5                    | 3,2            | 1085        | 24 / 630                  | Light                      | Yes    | 1/2 × 20 | No          | Walnut         | Oil        | Yes        | 360      | Adjustable   | 11,1–14                    |
| CZ 457 LUX                   | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6, 22 WMR (1 : 16) / 6 | 5                    | 2,9            | 1088        | 24 / 630                  | Light                      | Ano    | 1/2 × 20 | No          | Walnut         | Varnish    | Ano        | 360      | Adjustable   | 11,1–14                    |
| CZ 457 TRAINING RIFLE XII    | 22 LR (1 : 16) / 12                                         | 5                    | 3,1            | 1085        | 24 / 630                  | Light                      | Ano    | 1/2 × 20 | No          | Beech          | Varnish    | Ano        | 360      | Adjustable   | 11,1–14                    |





## **SHOTGUNS** **CZ-USA FIELD SPORTS**

Borrowing from the most popular firearms in the CZ-USA portfolio, this diverse range of shotguns exhibits excellent construction quality, reliability and user-friendliness. The traditional core offer is a proven range of semi-automatic and pump action shotgun models for hunting and sport shooting, for which a wide selection of interchangeable chokes is available. There's something for everyone on the following pages.



## CZ REDHEAD PREMIER

A high level, universal 12-gauge over/under shotgun designed for sport shooting and hunting. The precision CNC machined receiver is chrome plated, which gives it a shiny silver appearance. This model is equipped with ejectors for the fastest reloading times and a single trigger mechanism that allows you to choose the barrel firing order.

## CZ SUPREME FIELD

An elegant over/under shotgun made for shooters who require more than just accuracy and reliability from their firearm. The beautiful CNC machined receiver is chrome plated, polished and hand engraved. The stock is made from carefully selected Turkish walnut (Grade III) and features a beautiful image. Additional features include ejectors and a single trigger mechanism that allows you to choose firing order of the barrels.



## CZ DRAKE

The CZ DRAKE is an over/under shotgun with an extremely advantageous price to performance ratio. CNC machining of components is also utilized for this model. Features include extractor operation, a single selectable trigger mechanism with the ability to choose the firing order of barrels, low weight due to the deletion of the mid-rib between barrels, and laser cut checkering for a slip-free grip .

| MODEL              | CHAMBERING | CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | STOCK  | FINISH  | CHEEKPIECE | LOP (mm) | CHOKE         | EJECTOR/EXTRACTOR | 1ST TRIGGER PULL WEIGHT (N) | 2ND TRIGGER PULL WEIGHT (N) |
|--------------------|------------|----------|-------------|-------------|-----------------------|--------|---------|------------|----------|---------------|-------------------|-----------------------------|-----------------------------|
| CZ SUPREME FIELD   | 12/76      | 2        | 3,5         | 1160        | 28 / 710              | Walnut | Varnish | No         | 355      | Multi (5 pcs) | Ejectors          | 16                          | 16                          |
| CZ REDHEAD PREMIER | 12/76      | 2        | 3,5         | 1160        | 28 / 710              | Walnut | Varnish | No         | 355      | Multi (5 pcs) | Ejectors          | 19,5                        | 15,5                        |
| CZ DRAKE           | 12/76      | 2        | 3,3         | 1160        | 28 / 710              | Walnut | Varnish | No         | 355      | Multi (5 pcs) | Extractor         | 19                          | 17,5                        |



## CZ 1012

A 12-gauge semi-automatic shotgun with a gasless inertia operating system for maximum reliability. Its user-friendliness was confirmed with a test of 5,000 shots without a drop of oil or any type of cleaning, while experiencing zero parts breakage or malfunctions. This model is equipped with a stock and forend made from Turkish walnut.



## CZ 1012 SYNTHETIC

A semi-automatic 12-gauge shotgun with a gasless inertia operating system, which provides maximum reliability with various types of ammunition, from light-recoiling target loads to powerful 3" magnums, and allows for a more relaxed maintenance schedule. A durable polymer stock makes it an ideal firearm for use in extremely inhospitable conditions. A wide range of chokes is also available for this model.

| MODEL               | CHAMBERING | CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | STOCK   | FINISH  | CHEEKPIECE | LOP (mm) | CHOKE          | TRIGGER PULL WEIGHT (N) |
|---------------------|------------|----------|-------------|-------------|-----------------------|---------|---------|------------|----------|----------------|-------------------------|
| CZ 1012             | 12/76      | 4        | 3,5         | 1285        | 28 / 710              | Walnut  | Varnish | Yes        | 355      | Multi (5 pcs)  | 20                      |
| CZ 1012 SYNTHETIC   | 12/76      | 4        | 3,1         | 1285        | 28 / 710              | Polymer | –       | Yes        | 355      | Multi (5 pcs)  | 20                      |
| CZ 612 HOME DEFENSE | 12/76      | 4        | 2,6         | 970         | 18,5 / 470            | Polymer | –       | No         | 355      | Fixed Cylinder | 17                      |
| CZ 612 FIELD        | 12/76      | 4        | 2,8         | 1170        | 28 / 710              | Walnut  | Varnish | No         | 355      | Multi (3 pcs)  | 17                      |



## CZ 612 HOME DEFENSE

A simple 12-gauge pump action shotgun with a durable polymer stock and reduced length, 47 cm barrel with fixed cylinder choke. The result is a compact, reliable and powerful firearm especially suited for home defense, while also being a great choice for competing in IPSC disciplines.



## CZ 612 FIELD

A reliable and affordable 12-gauge pump action shotgun for sport and hunting. The simple and durable pump reloading system has very low maintenance requirements, while the dual action bars make operation smooth and reliable. The stock is made of Turkish walnut and three interchangeable chokes come as part of its standard equipment.





## SEMI-AUTOMATIC RIFLES/CARBINES

The semi-automatic CZ SCORPION EVO 3 S1/S2 and CZ BREN 2 Ms series are among the world's elite in their respective categories. Their parameters and high level of performance make them an ideal choice for today's dynamic shooting sports, as well as maintaining shooting fitness and hobby shooting.

## ADVANCED SEMI-AUTOMATIC PISTOL CALIBER CARBINES FOR MODERN SPORTING DISCIPLINES

The unique design of the CZ SCORPION EVO 3 S1/S2 series offers its users many benefits, such as light weight, advanced ergonomics, high accuracy, comfortable handling, ease of disassembly, impressive reliability and extremely fast reloading.



**CZ SCORPION**  
**EVO 3 S1/S2**  
SERIES

SEMI-AUTOMATIC

# CZ SCORPION EVO 3 S2 MICRO



A 9 × 19 caliber model based on the internationally popular CZ SCORPION EVO 3 pistol caliber carbine series. Despite a barrel length of only 140 mm, it retains high accuracy. The spiral three-arm flash hider effectively contributes to its impressive shooting comfort. A short forend made from highly durable aluminum alloy, with mounted hand stop, ensures a safe and reliable grip. Picatinny and M-LOK mounting interfaces are also at the user's disposal.



| MODEL                                         | CALIBER | TWIST RATE /<br>NUMBER OF<br>GROOVES | MAGAZINE<br>CAPACITY | BARREL<br>LENGTH (″ / mm) | THREAD         | SIGHTS           | WEIGHT<br>WITHOUT<br>MAGAZINE (kg) | OVERALL LENGTH WITH<br>STOCK FOLDED / UNFOLDED<br>- FULLY EXTENDED (mm) | HEIGHT WITH FOLDED<br>IRON SIGHTS,<br>NO MAGAZINE (mm) |
|-----------------------------------------------|---------|--------------------------------------|----------------------|---------------------------|----------------|------------------|------------------------------------|-------------------------------------------------------------------------|--------------------------------------------------------|
| CZ SCORPION EVO 3 S2 MICRO<br>(with stock)    | 9 × 19  | 1:10 / 6                             | –                    | 5,5 / 140 ± 0,3           | 1/2″ × 28 UNEF | Iron, Adjustable | 2,6 ± 0,05                         | 386 ± 10 / 584 – 634 ± 10                                               | 215 ± 5                                                |
| CZ SCORPION EVO 3 S2 MICRO<br>(without stock) | 9 × 19  | 1:10 / 6                             | –                    | 5,5 / 140 ± 0,3           | 1/2″ × 28 UNEF | Iron, Adjustable | 2,2 ± 0,05                         | 386 ± 10 / 386 ± 10                                                     | 215 ± 5                                                |

| WIDTH WITH STOCK<br>UNFOLDED / FOLDED (mm) | TRIGGER PULL<br>WEIGHT (N) | FRAME                         |
|--------------------------------------------|----------------------------|-------------------------------|
| 60 ± 5 / 82 ± 5                            | 48 ± 10                    | Fiberglass-reinforced polymer |
| 60 ± 5                                     | 48 ± 10                    | Fiberglass-reinforced polymer |

HIGHLY COMPACT  
SEMI-AUTOMATIC  
FIREARM FOR PISTOL  
CALIBER CARTRIDGES



## CZ SCORPION EVO 3 S1

A semi-automatic rifle chambered for pistol cartridges. Its simple design, extreme reliability, light weight, easy handling and accuracy make it the perfect fit for modern shooting sports and hobby shooting.



## CZ SCORPION EVO 3 S1 CARBINE

A highly accurate and reliable semi-automatic carbine with a 16" barrel that's fitted with an attractive faux-suppressor. Its long, fiberglass-reinforced polymer forend is equipped with a modern M-LOK attachment system for comfortable handling.

| MODEL                             | CALIBER | TWIST RATE /<br>NUMBER OF<br>GROOVES | MAGAZINE<br>CAPACITY | BARREL<br>LENGTH ( " / mm) | THREAD         | SIGHTS           | WEIGHT<br>WITHOUT<br>MAGAZINE (kg) | OVERALL LENGTH WITH<br>STOCK FOLDED / UNFOLDED<br>- FULLY EXTENDED (mm) | HEIGHT WITH FOLDED<br>IRON SIGHTS,<br>NO MAGAZINE (mm) | WIDTH WITH STOCK<br>UNFOLDED / FOLDED (mm) | TRIGGER PULL<br>WEIGHT (N) | FRAME                         |
|-----------------------------------|---------|--------------------------------------|----------------------|----------------------------|----------------|------------------|------------------------------------|-------------------------------------------------------------------------|--------------------------------------------------------|--------------------------------------------|----------------------------|-------------------------------|
| CZ SCORPION EVO 3 S1              | 9 × 19  | 1:10 / 6                             | –                    | 7,7 / 196 ± 1              | M18 × 1        | Iron, Adjustable | 2,56 ± 0,05                        | 420 / 615–665 ± 10                                                      | 215 ± 5                                                | 60 / 82 ± 5                                | 48 ± 10                    | Fiberglass-reinforced polymer |
| CZ SCORPION EVO 3 S1 CARBINE      | 9 × 19  | 1:10 / 6                             | –                    | 16,2 / 412 ± 1             | 1/2" × 28 UNEF | Iron, Adjustable | 3,05 ± 0,05                        | 630 / 830–880 ± 10                                                      | 215 ± 5                                                | 60 / 82 ± 5                                | 48 ± 10                    | Fiberglass-reinforced polymer |
| CZ SCORPION EVO 3 S1 CARBINE COMP | 9 × 19  | 1:10 / 6                             | –                    | 16,2 / 412 ± 1             | 1/2" × 28 UNEF | Iron, Adjustable | 3,05 ± 0,05                        | 665 / 860–910 ± 10                                                      | 215 ± 5                                                | 60 / 82 ± 5                                | 48 ± 10                    | Fiberglass-reinforced polymer |
| CZ SCORPION EVO 3 S1 CARBINE COMP | 22 LR   | 1:10 / 6                             | 10                   | 16 / 416 ± 0,3             | 1/2" × 28 UNEF | Iron, Adjustable | 2,7 ± 0,05                         | 665 / 860–910 ± 10                                                      | 215 ± 5                                                | 60 / 82 ± 5                                | 33 ± 5                     | Fiberglass-reinforced polymer |
| CZ SCORPION EVO 3 S1 8"           | 22 LR   | 1:16 / 6                             | 10                   | 8 / 200 ± 0,3              | M18 × 1        | Iron, Adjustable | 2,22 ± 0,05                        | 420 / 615–665 ± 10                                                      | 215 ± 5                                                | 60 / 82 ± 5                                | 33 ± 5                     | Fiberglass-reinforced polymer |

## CZ SCORPION EVO 3 S1 CARBINE COMP

The increased shooting comfort of this model is due to an effective two-chamber muzzle brake fitted on its 16" barrel and a long forend equipped with the M-LOK attachment system. It's a first-class firearm for modern sport and hobby shooting.



## CZ SCORPION EVO 3 S1 and S1 CARBINE COMP, 22 LR

Exclusive, semi-automatic models for sport shooting with 22 LR cartridges. Both retain all advantages of the globally popular series, in addition to minimal recoil. Their dynamic bolt is optimized for reliable operation with all types of cartridges. Both models are equipped with a folding/telescopic shoulder stock, adjustable mechanical sights and a 10 round polymer magazine.



**RECOMMENDED  
ACCESSORIES**

A0216-0000  
ACRO WEAVER MOUNT  
QD 39MM 200519

B0101-0001  
AIMPOINT ACRO C-2  
RED DOT SIGHT

A0103-0001  
INFORCE WML TACT.  
FLASHLIGHT, 400 LM

3662-0800-0715ND  
CZ MAG 9 × 19, 10 ROUND

A0105-0002  
FRONT HAND GUARD  
FOR CZ SCORPION EVO 3,  
M-LOK

A man with a beard and mustache, wearing a black tactical cap with a CZ logo, safety glasses, and a black t-shirt, is holding a CZ Bren 2 Ms semi-automatic rifle. He is looking directly at the camera with a serious expression. The background is a dark shooting range with acoustic foam panels. The image has a dark, moody aesthetic with green and grey geometric shapes in the corners.

## CUTTING-EDGE SEMI-AUTOMATIC RIFLES WITH IMPRESSIVE PARAMETERS

The CZ BREN 2 Ms semi-automatic platform is one of the most sophisticated on the global market. Its advantages include a simple design, extreme reliability, high accuracy, low weight and excellent ergonomics, as well as ambidextrous and easy to swap controls.

**CZ BREN 2 Ms**  
SERIES



## CZ *BREN 2 Ms*

The semi-automatic CZ BREN 2 Ms rifle is chambered in the popular 223 Rem. caliber. It features a short, interchangeable forend and 280 mm barrel. Despite its compact dimensions, it's a highly accurate firearm. Standard equipment includes mechanical sights.



## CZ *BREN 2 Ms*

This model combines the outstanding design features of the CZ BREN 2 Ms series with the impressive ballistic performance of the 7,62 × 39 cartridge. Standard equipment includes mechanical sights.



## CZ *BREN 2 Ms CARBINE*

The CZ BREN 2 Ms semi-automatic carbine is chambered in the popular 223 Rem. caliber. It comes with a long, interchangeable forend, 425 mm barrel and extended folding/telescopic shoulder stock with raised comb. Its design is optimized for accurate shooting, even at longer distances. Standard equipment includes mechanical sights.

| MODEL                | CALIBER   | TWIST RATE /<br>NUMBER OF<br>GROOVES | MAGAZINE<br>CAPACITY | BARREL<br>LENGTH ("/> / mm) | THREAD         | SIGHTS                    | WEIGHT<br>WITHOUT<br>MAGAZINE (kg) | OVERALL LENGTH WITH<br>STOCK FOLDED / UNFOLDED<br>- FULLY EXTENDED (mm) | HEIGHT WITH FOLDED<br>IRON SIGHTS,<br>NO MAGAZINE (mm) | WIDTH WITH STOCK<br>UNFOLDED / FOLDED (mm) | TRIGGER PULL<br>WEIGHT (N) | UPPER RECEIVER         |
|----------------------|-----------|--------------------------------------|----------------------|-----------------------------|----------------|---------------------------|------------------------------------|-------------------------------------------------------------------------|--------------------------------------------------------|--------------------------------------------|----------------------------|------------------------|
| CZ BREN 2 Ms 11"     | 223 Rem.  | 1 : 7 / 6                            | –                    | 11 / 280 ± 1                | 1/2" × 28 UNEF | Iron, Folding, Adjustable | 2,97 ± 0,05                        | 577 / 762–807 ± 10                                                      | 202 ± 5                                                | 80 / 104 ± 5                               | 16 ± 4                     | 7075 T6 aluminum alloy |
| CZ BREN 2 Ms 11"     | 7,62 × 39 | 1 : 9,45 / 4                         | –                    | 11 / 280 ± 1                | M14 × 1 LH     | Iron, Folding, Adjustable | 2,87 ± 0,05                        | 577 / 762–807 ± 10                                                      | 202 ± 5                                                | 80 / 104 ± 5                               | 16 ± 4                     | 7075 T6 aluminum alloy |
| CZ BREN 2 Ms CARBINE | 223 Rem.  | 1 : 7 / 6                            | –                    | 16,5 / 425 ± 1              | 1/2 × 28 UNEF  | Iron, Folding, Adjustable | 3,45 ± 0,05                        | 719 / 909–980 ± 10                                                      | 202 ± 5                                                | 80 / 104 ± 5                               | 16 ± 4                     | 7075 T6 aluminum alloy |



**RECOMMENDED  
ACCESSORIES**

A0201-0017  
AIMPOINT DUTY RDS  
2 MOA RED DOT SIGHT

A0201-0018  
AIMPOINT MAGNIFIER  
3×MAG-C

3722-3500-6503ND  
CZ MAG 5,56 × 45, 10 ROUND



ACCESSORIES  
PISTOLS



1091-1341-03  
CZ 75 SP-01 AL MAGAZINE BASE PLATE – RED

1091-1341-04  
BLUE

1091-1341-02  
SILVER

1091-1341-01  
BLACK



1091-1342-03  
CZ TS AL MAGAZINE BASE PLATE – RED

1091-1342-04  
BLUE

1091-1342-02  
SILVER

1091-1342-01  
BLACK



1091-1345-05  
CZ SHADOW 2 ALU BASE PLATE FOR MAGWELL – PURPLE

1091-1345-11  
BLACK

1091-1345-12  
SILVER

1091-1345-14  
BLUE



1091-1148-01  
CZ TS WIDE MAGWELL – BLACK

1091-1148-02  
SILVER

1091-1148-03  
RED

1091-1148-04  
BLUE

1091-1148-05  
ORANGE



1091-2280-01  
CZ SHADOW 2 MAGWELL – BLACK (HARD ELOX)

1091-2280-03  
RED

1091-2280-05  
PURPLE

1091-2280-12  
SILVER

1091-2280-14  
BLUE



1091-2180-05  
CZ SHADOW 2 GRIPS – PURPLE (HARD ANODIZED)

1091-2180-11  
BLACK (HARD ANODIZED)

1091-2180-12  
SILVER (HARD ANODIZED)

1091-2180-14  
BLUE (HARD ANODIZED)



B0105-0013  
CZ TS 2 LONG GRIPS – BLACK

B0105-0024  
RED

B0105-0015  
BLUE

B0105-0014  
GREEN

B0105-0016  
GREY



B0105-0022  
CZ TS 2 SHORT GRIPS – GREEN

B0105-0011  
BLACK

B0105-0023  
RED

B0105-0012  
BLUE

B0105-0025  
SILVER



B0305-0008  
CZ SHADOW 2 COMPACT GRIPS – GREEN

B0305-0005  
BLUE

B0305-0006  
BLACK

B0305-0007  
RED

B0305-0011  
SILVER

B0305-0009  
PURPLE

B0306-0001  
CZ SHADOW 2 COMPACT FLAT ALU BASE PLATE – BLUE

B0306-0002  
BLACK

B0306-0003  
RED

B0306-0004  
GREEN

B0306-0005  
PURPLE

B0306-0006  
SILVER



B0306-0007  
CZ SHADOW 2 ALU +2 BASE PLATE – BLUE

B0306-0008  
BLACK

B0306-0009  
RED

B0306-0010  
GREEN

B0306-0011  
PURPLE

B0306-0012  
SILVER



B0305-0000  
CZ SHADOW 2 COMPACT ALU MAGAZINE RELEASE BUTTON – BLUE

B0305-0001  
BLACK

B0305-0002  
RED

B0305-0003  
GREEN

B0305-0004  
PURPLE

B0305-0010  
SILVER



0470-0080-1604ND  
SLIDE RELEASE PIN FOR CZ TS 2



1091-1352  
CZ TS 2 THUMBREST 20° ANGLE (RACING GREEN)

1091-1353  
CZ TS 2 THUMBREST 48° ANGLE (ORANGE)

1091-1354  
CZ TS 2 THUMBREST SHORTENED 20,5° ANGLE (DEEP BRONZE)



1091-1320  
SA | DA HAMMER



1091-1321  
SA HAMMER (CZ SHADOW, CZ TS)



1091-1337  
CZ 75 SP-01 / CZ SHADOW / CZ TS / CZ TS 2 SAFETY SET (L) WIDE



1091-1338  
CZ 75 SP-01 / CZ SHADOW 2 / CZ TS / CZ TS 2 SAFETY SET (R) WIDE



1091-1312-01  
CZ TS 2 TRIGGER, BLACK



0471-0081-1606ND  
CZ SHADOW 2 / CZ TS FLAT SLIDE RELEASE



0423-2500-02ND  
CZ 75 SP-01 / CZ SHADOW 2 / CZ TS / CZ TS 2 SAFETY SET (R)



1091-1224  
CZ 75 SP-01 SHADOW / CZ 75 SP-01 SHADOW ORANGE FLAT SAFETY SET

1091-1336  
CZ 75 SP-01 SHADOW / CZ 75 SP-01 SHADOW ORANGE SAFETY SET – RIGHT-HANDERS



1091-1335  
CZ SHADOW 2 / CZ SHADOW 2 COMPACT / CZ TS / CZ TS 2 WIDE SAFETY SET

ACCESSORIES  
PISTOLS



1091-1420-01  
CZ SHADOW 2 OPTICS-READY  
PLATE – TRIJICON RMR/SRO

1091-1420-06  
CZ SHADOW 2 OR PLATE –  
SHIELD RMS

1091-1420-04  
CZ SHADOW 2 OR PLATE –  
VENOM/DOCTER

B0101-0002  
CZ SHADOW 2 OPTICS-READY  
PLATE – ACRO

5125-1407-01  
CONCEALED CARRY PISTOL BAG, BLACK

5125-1407-02  
GREY



0422-0710-14ND  
CZ 75 SP-01 / CZ SHADOW 2  
9 × 19 MAGAZINE, 17 ROUND, AFC

0422-0710-15ND  
CZ SP-01 / CZ SHADOW 2  
MAGAZINE, 19 ROUND, AFC

0422-0710-17ND  
CZ 75 / CZ 75 SP-01 SHADOW /  
CZ SHADOW 2 / CZ 75  
MAGAZINE, 19 ROUND

0472-3710-0706ND  
CZ 75 TS 9 × 19 MAGAZINE, 20 ROUND



0422-0710-16ND  
CZ 75 / CZ 75 SP-01 / CZ SHADOW 2  
NICKEL MAGAZINE, 19 ROUND



0472-3710-0713ND  
CZ TS 2 RACING GREEN MAGAZINE,  
20 ROUND, GREEN

0472-3710-0712ND  
CZ TS 2 DEEP BRONZE MAGAZINE,  
20 ROUND, BLACK  
AL BASE PLATE (MAGWELL)



0472-3710-1617ND  
CZ TS / CZ TS 2 40 S&W MAGAZINE,  
17 ROUND



5125-1048  
CZ 75 MAGAZINE POUCH



5125-1049  
CZ 75 DOUBLE MAGAZINE POUCH



B0115-0057  
CZ SHADOW 2 COMPACT FROGY  
OWB KYDEX HOLSTER (R)

B0115-0045  
CZ SHADOW 2 COMPACT  
OWB KYDEX HOLSTER, 1/2 SWG (R)



B0115-0058  
CZ SHADOW 2 COMPACT SHARKY  
IWB KYDEX HOLSTER (R)



5125-1200  
CZ TS 2 OWB KYDEX HOLSTER (R)

5125-1201  
CZ TS 2 OWB KYDEX HOLSTER (L)



5125-1202  
CZ TS 2 KYDEX SPORT HOLSTER (TEKLOK) (R)

5125-1203  
CZ TS 2 KYDEX SPORT HOLSTER (TEKLOK) (L)



5118-0005-01  
CZ SHADOW 2 NANUK CASE –  
BLACK

5118-0005-02  
OLIVE


5118-0005-03  
TAN

5118-0005-04  
GRAPHITE

5118-0005-05  
SILVER

5118-0005-06  
ORANGE

ACCESSORIES  
PISTOLS



0722-0030-10ND  
CZ P-09 / CZ P-10 F  
9 x 19 MAGAZINE, 19 ROUND, AFC

0532-0030-10ND  
CZ P-10 F 45 AUTO  
45 AUTO MAGAZINE, 13 ROUND


0722-0030-05ND  
CZ P-09 / CZ P-10 F  
9 x 19 MAGAZINE, 10 ROUND, AFC

0552-0030-10ND  
CZ P-09 / CZ P-10 F  
9 x 19 MAGAZINE, 15 ROUND, AFC, WH

0552-0030-04ND  
CZ P-10 C / CZ P-07  
9 x 19 MAGAZINE, 10 ROUND, AFC, WH

0552-0030-06ND  
CZ P-10 C 9 x 19 MAGAZINE, 17 ROUND  
(CAN BE USED FOR CZ P-07)

ACCESSORIES  
PISTOLS



0721-0700-03ND  
STEEL TRITIUM SIGHTS H3 (5,50 MM)

0721-0700-02ND  
STEEL TRITIUM SIGHTS H2 (5,50 MM)

0721-0700-04ND  
STEEL TRITIUM SIGHTS H4 (6,00 MM)



1081-0101  
CZ SHADOW 2  
ADJUSTABLE REAR SIGHT



1081-0105  
CZ TS ORANGE  
ADJUSTABLE REAR SIGHT



1081-0220  
CZ TS 2  
FULLY ADJUSTABLE REAR SIGHT



1091-1250-01  
FRONT SIGHT WITH DOT H1 5,25 MM

1091-1250-02  
FRONT SIGHT WITH DOT H2 5,50 MM

1091-1250-03  
FRONT SIGHT WITH DOT H3 5,75 MM

1091-1250-04  
FRONT SIGHT WITH DOT H4 6,00 MM

1091-1250-05  
FRONT SIGHT WITH DOT H5 6,25 MM

1091-1250-06  
FRONT SIGHT WITH DOT H6 6,50 MM

1091-1250-07  
FRONT SIGHT WITH DOT H7 6,75 MM

1091-1250-08  
FRONT SIGHT WITH DOT H8 7,00 MM

1091-1250-09  
FRONT SIGHT WITH DOT H9 7,50 MM

1091-1250-10  
FRONT SIGHT WITH DOT H10 8,00 MM

1091-1250-11  
FRONT SIGHT WITH DOT H11 8,50 MM



1091-1251-01  
CHECKERED FRONT SIGHT H1 5,25 MM

1091-1251-02  
CHECKERED FRONT SIGHT H2 5,50 MM

1091-1251-03  
CHECKERED FRONT SIGHT H3 5,75 MM

1091-1251-04  
CHECKERED FRONT SIGHT H4 6,00 MM

1091-1251-05  
CHECKERED FRONT SIGHT H5 6,25 MM

1091-1251-06  
CHECKERED FRONT SIGHT H6 6,50 MM

1091-1251-07  
CHECKERED FRONT SIGHT H7 6,75 MM (UNI ADAPT.)

1091-1251-08  
CHECKERED FRONT SIGHT H8 7,00 MM

1091-1251-09  
CHECKERED FRONT SIGHT H9 7,50 MM

1091-1251-10  
CHECKERED FRONT SIGHT H10 8,00 MM

1091-1251-11  
CHECKERED FRONT SIGHT H11 8,50 MM



1091-1252-01  
FIBER OPTIC FRONT SIGHT H1 1×5,25 MM

1091-1252-02  
FIBER OPTIC FRONT SIGHT H2 1×5,50 MM

1091-1252-03  
FIBER OPTIC FRONT SIGHT H3 1×5,75 MM

1091-1252-04  
FIBER OPTIC FRONT SIGHT H4 1×6,00 MM

1091-1252-05  
FIBER OPTIC FRONT SIGHT H5 1×6,25 MM

1091-1252-06  
FIBER OPTIC FRONT SIGHT H6 1×6,50 MM

1091-1252-07  
FIBER OPTIC FRONT SIGHT H7 1×6,75 MM

1091-1252-08  
FIBER OPTIC FRONT SIGHT H8 1×7,00 MM

1091-1252-09  
FIBER OPTIC FRONT SIGHT H9 1×7,50 MM

1091-1252-10  
FIBER OPTIC FRONT SIGHT H10 1×8,00 MM

1091-1252-11  
FIBER OPTIC FRONT SIGHT H11 1×8,50 MM



1091-1253-01  
FIBER OPTIC FRONT SIGHT H1 1,5×5,25 MM

1091-1253-02  
FIBER OPTIC FRONT SIGHT H2 1,5×5,50 MM

1091-1253-03  
FIBER OPTIC FRONT SIGHT H3 1,5×5,75 MM

1091-1253-04  
FIBER OPTIC FRONT SIGHT H4 1,5×6,00 MM

1091-1253-05  
FIBER OPTIC FRONT SIGHT H5 1,5×6,25 MM

1091-1253-06  
FIBER OPTIC FRONT SIGHT H6 1,5×6,50 MM

1091-1253-07  
FIBER OPTIC FRONT SIGHT H7 1,5×6,75 MM

1091-1253-08  
FIBER OPTIC FRONT SIGHT H8 1,5×7,00 MM

1091-1253-09  
FIBER OPTIC FRONT SIGHT H9 1,5×7,50 MM

1091-1253-10  
FIBER OPTIC FRONT SIGHT H10 1,5×8,00 MM

1091-1253-11  
FIBER OPTIC FRONT SIGHT H11 1,5×8,50 MM



| FRONT SIGHT HEIGHT | FRONT SIGHT WITH DOT * | FRONT SIGHT WITHOUT DOT * | FIBER OPTIC FRONT SIGHT 1 MM ** | FIBER OPTIC FRONT SIGHT 1.5 MM ** |
|--------------------|------------------------|---------------------------|---------------------------------|-----------------------------------|
| 5,25 mm            | 1091-1250-01           | 1091-1251-01              | 1091-1252-01                    | 1091-1253-01                      |
| 5,5 mm             | 1091-1250-02           | 1091-1251-02              | 1091-1252-02                    | 1091-1253-02                      |
| 5,75 mm            | 1091-1250-03           | 1091-1251-03              | 1091-1252-03                    | 1091-1253-03                      |
| 6 mm               | 1091-1250-04           | 1091-1251-04              | 1091-1252-04                    | 1091-1253-04                      |
| 6,25 mm            | 1091-1250-05           | 1091-1251-05              | 1091-1252-05                    | 1091-1253-05                      |
| 6,5 mm             | 1091-1250-06           | 1091-1251-06              | 1091-1252-06                    | 1091-1253-06                      |
| 6,75 mm            | 1091-1250-07           | 1091-1251-07              | 1091-1252-07                    | 1091-1253-07                      |
| 7 mm               | 1091-1250-08           | 1091-1251-08              | 1091-1252-08                    | 1091-1253-08                      |
| 7,5 mm             | 1091-1250-09           | 1091-1251-09              | 1091-1252-09                    | 1091-1253-09                      |
| 8 mm               | 1091-1250-10           | 1091-1251-10              | 1091-1252-10                    | 1091-1253-10                      |
| 8,5 mm             | 1091-1250-11           | 1091-1251-11              | 1091-1252-11                    | 1091-1253-11                      |

\* CZ P-07, CZ P-09, CZ 75 COMPACT, CZ 75 D COMPACT, CZ 75, CZ 75 B Ω, CZ 85, CZ 97, CZ SP-01, CZ 75 SP-01 TACTICAL, CZ SHADOW, CZ 75 SP-01 PHANTOM, CZ 75 TS, CZ 75 TS CZECHMATE,

\*\* CZ 75 COMPACT, CZ 75 D COMPACT, CZ 75, CZ 75 B Ω, CZ 85, CZ 97, CZ SP-01, CZ 75 SP-01 TACTICAL, CZ SHADOW, CZ 75 SP-01 PHANTOM, CZ 75 TS, CZ 75 TS CZECHMATE



|                          | REAR SIGHT HEIGHT | DEFENDER REAR SIGHT WITH DOT | DEFENDER REAR SIGHT WITHOUT DOT | TARGET REAR SIGHT WITH DOT | TARGET REAR SIGHT WITHOUT DOT | FIBER OPTIC REAR SIGHT |
|--------------------------|-------------------|------------------------------|---------------------------------|----------------------------|-------------------------------|------------------------|
| CZ P-07 / CZ P-09        | 7,3 mm            | 1091-1260                    | 1091-1263                       | 1091-1266                  | 1091-1269                     | 1091-1272              |
| CZ 75 / CZ 85 / CZ SP-01 | 8,3 mm            | 1091-1261                    | 1091-1264                       | 1091-1267                  | 1091-1270                     | 1091-1273              |
| CZ 75 SP-01 SHADOW       | 10 mm             | 1091-1262                    | 1091-1265                       | 1091-1268                  | 1091-1271                     | 1091-1274              |



|                   | SIGHT HEIGHT | WITH 1 MM FIBER OPTIC | WITH 1,5 MM FIBER OPTIC | TRITIUM FRONT SIGHT | TRITIUM REAR SIGHT |
|-------------------|--------------|-----------------------|-------------------------|---------------------|--------------------|
| CZ P-07 / CZ P-09 | 5,5 mm       | 1091-1282-02          | 1091-1283-02            | 0720-0600-06ND      | 0720-0690-01ND     |
| CZ P-07 / CZ P-09 | 5,75 mm      | 1091-1282-03          | 1091-1283-03            | 0720-0600-07ND      | 0720-0690-01ND     |
| CZ P-07 / CZ P-09 | 6 mm         | 1091-1282-04          | 1091-1283-04            | 0720-0600-08ND      | 0720-0690-01ND     |

ACCESSORIES  
PISTOLS



3660-0023  
INFORCE WILD 1 TACTICAL  
FLASHLIGHT

3660-0024  
INFORCE WILD 2 TACTICAL  
FLASHLIGHT



B0103-0007  
SUREFIRE X300U-A FLASHLIGHT

B0103-0008  
SUREFIRE X300T-A FLASHLIGHT

B0103-0009  
SUREFIRE X300T-B FLASHLIGHT



B0103-0001  
STREAMLIGHT TLR-7 FLASHLIGHT A SML69424

B0103-0002  
STREAMLIGHT TLR-8 FLASHLIGHT A (RED LASER)

B0103-0003  
STREAMLIGHT TLR-8 G FLASHLIGHT (GREEN LASER)

B0103-0004  
STREAMLIGHT TLR-1 HL FLASHLIGHT SML69260

B0103-0005  
STREAMLIGHT TLR-1 FLASHLIGHT S SML69210

B0103-0006  
STREAMLIGHT TLR-9 FLEX FLASHLIGHT SML69464



3700-7801  
TRIJICON SRO - RED DOT SIGHT, 1 MOA

3700-7800  
TRIJICON SRO - RED DOT SIGHT, 2,5 MOA

3700-7802  
TRIJICON SRO - RED DOT SIGHT, 5 MOA



1091-1391  
SHIELD RMS - RED DOT SIGHT - DURALUMIN



3700-7700  
TRIJICON RMR - RED DOT SIGHT



B0101-0001  
AIMPOINT ACRO C-2 -  
RED DOT SIGHT

ACCESSORIES  
CENTERFIRE RIFLES



1070-7010  
SPUHR 2-PIECE MOUNT,  
1" DIAMETER, 1" HEIGHT

1070-7011  
SPUHR 2-PIECE MOUNT,  
30 MM DIAMETER, 1" HEIGHT

1070-7012  
SPUHR 2-PIECE MOUNT,  
34 MM DIAMETER, 1,18" HEIGHT



1070-7013  
SPUHR ISMS 2-PIECE MOUNT,  
30 MM DIAMETER, 1" HEIGHT

1070-7014  
SPUHR ISMS 2-PIECE MOUNT,  
34 MM DIAMETER, 1" HEIGHT



C0300-0004  
CZ 600 2-PIECE REMINGTON MOUNT,  
1" DIAMETER, 30 MM HEIGHT

C0300-0005  
2-PIECE MOUNT, 30 MM DIAMETER,  
34 MM HEIGHT

C0300-0006  
2-PIECE MOUNT, 34 MM DIAMETER,  
34 MM HEIGHT



C0300-0010  
CZ 600 MINI ONE-PIECE WEAVER MOUNT,  
30 MM DIAMETER, 30 MM HEIGHT

C0300-0011  
MEDIUM 30 MM DIAMETER, 34 MM HEIGHT


C0300-0012  
MEDIUM 34 MM DIAMETER, 34 MM HEIGHT

C0300-0013  
LONG 30 MM DIAMETER, 34 MM HEIGHT

C0300-0014  
LONG 34 MM DIAMETER, 34 MM HEIGHT

C0300-0017  
CZ 600 WEAVER RAIL FOR DURALUMIN RECEIVER - MEDIUM

C0300-0018  
CZ 600 WEAVER RAIL FOR DURALUMIN RECEIVER - LONG



C0300-0003  
CZ 600 LONG PICATINNY RAIL, 0 MOA

C0300-0001  
CZ 600 MEDIUM PICATINNY RAIL, 0 MOA

C0300-0002  
CZ 600 MEDIUM PICATINNY RAIL, 25 MOA

C0300-0000  
CZ 600 SHORT PICATINNY RAIL, 0 MOA



C0300-0007  
CZ 600 2-PIECE WEAVER MOUNT,  
1" DIAMETER, 30 MM HEIGHT

C0300-0008  
2-PIECE MOUNT, 30 MM DIAMETER, 34 MM HEIGHT

C0300-0009  
2-PIECE MOUNT, 34 MM DIAMETER, 34 MM HEIGHT



C0300-0015  
CZ 600 ONE-PIECE MEDIUM REMINGTON  
MOUNT, 30 MM DIAMETER, 34 MM HEIGHT

C0300-0016  
MEDIUM 34 MM DIAMETER, 34 MM HEIGHT

1070-7016  
SPUHR RED DOT SIGHT ADAPTER -  
TRIJICON RMR MOUNT

1070-7015  
SPUHR RED DOT SIGHT ADAPTER -  
DELTA POINT MOUNT



ACCESSORIES  
CENTERFIRE RIFLES



C0307-0004M  
SUPPRESSOR FOR CZ 600 AU2001-B  
RADIEN 223 / 25, 15 × 1, BLACK



C0307-0005M  
SUPPRESSOR FOR CZ 600 AU2006-B  
RADIEN 30, 15 × 1, BLACK



C0307-0006M  
SUPPRESSOR FOR CZ 600 AU2007-B  
RADIEN 30, 18 × 1, BLACK



C0307-0007M  
SUPPRESSOR FOR CZ 600 AU2101-B  
RADIEN 9,3 MM, 15 × 1, BLACK



6000-7202-01ND  
CZ 600 TRIGGER GUARD  
FOR WOOD STOCK



A0310-0028  
LONG CLEANING ROD – CARBON  
FIBER Ø 5 L=910MM UNC 8-32



C0310-0000  
223 REM. CLEANING BRUSH SET



6000-0010-01ND  
M15 × 1 THREAD PROTECTOR,  
LIGHT PROFILE BARREL

6000-0010-04ND  
M15 × 1 THREAD PROTECTOR,  
SEMI-HEAVY PROFILE BARREL

6000-0010-08ND  
M18 × 1 THREAD PROTECTOR,  
HEAVY PROFILE BARREL



6000-3322-01ND  
CZ 600 PLASTIC BOLT KNOB



6000-3320-02ND  
CZ 600 WOOD BOLT KNOB



6000-3320-03ND  
CZ 600 RANGE DURALUMIN  
BOLT KNOB



6000-3320-51ND  
CZ 600 TRAIL DURALUMIN  
BOLT KNOB



6002-9000-01ND  
CZ 600 CENTERFIRE RIFLE TOOLS



6003-4000-6401ND  
CZ 600 MAG 223 REM., 5 ROUND

6003-4000-7301ND  
CZ 600 MAG 7,62 × 39, 5 ROUND



6003-4000-5301ND  
CZ 600 MAG 308 WIN., 6 MM CREEDMOOR,  
6,5 CREEDMOOR – 5 ROUND /  
6,5 PRC – 3 ROUND

6003-4500-5301ND  
CZ 600 MAG 308 WIN., 6 MM CREEDMOOR,  
6,5 CREEDMOOR, 243 WIN. – 10 ROUND /  
6,5 PRC – 6 ROUND



6003-4000-6901ND  
CZ 600 MAG 30-06 SPRING.,  
8 × 57 IS – 5 ROUND /  
300 WIN. MAG. – 3 ROUND



6003-4500-5301ND  
CZ 600 MAG 308 WIN., 6 MM CREEDMOOR,  
6,5 CREEDMOOR, 243 WIN. – 10 ROUND /  
6,5 PRC – 6 ROUND

ACCESSORIES  
CENTERFIRE RIFLES



5120-0600  
CZ PREMIUM RIFLE BAG – BROWN

5120-0700  
CZ PREMIUM RIFLE BAG – GREEN



5500-2990-01ND  
TRIGATTI SLING STUD FOR SLING  
LOOP ON WOOD STOCK



1081-7383  
TRIGATTI SLING LOOP  
(2 PCS IN PACKAGE)



1002-4100-05  
ATI SLING LOOP ON RIFLE SLING



5812-1293-04ND  
CZ 457 / CZ 600 SLING LOOP  
FOR WOOD STOCKS



545130060481  
MUZZLE BRAKE FOR M18 × 1 THREAD,  
ONLY FOR CZ TSR



C0315-0000  
CZ GAMEHAMMER RIFLE SLING – BLACK

C0315-0001  
CZ GAMEHAMMER RIFLE SLING – GREEN

C0315-0002  
CZ SAUENHAMMER RIFLE SLING – ORANGE



5120-0110-01  
CZ RIFLE SLING, NYLON / RUBBER – GREEN



5120-0110-02  
CZ RIFLE SLING, NYLON / RUBBER – BROWN



5120-0110-03  
CZ RIFLE SLING, NYLON / RUBBER – ORANGE



5120-0110-04  
CZ RIFLE SLING, TWEED / RUBBER – TWEED



5120-0110-11  
CZ RIFLE SLING, LEATHER / RUBBER – LIGHT BROWN



5120-0110-12  
CZ RIFLE SLING, LEATHER / RUBBER – DARK BROWN



5120-0110-09  
CZ RIFLE SLING, NYLON / RUBBER – BLACK



5120-0110-05  
CZ RIFLE SLING, NYLON / RUBBER – CAMOUFLAGE

ACCESSORIES  
RIMFIRE RIFLES



5133-1000-01ND  
CZ 455 / CZ 457 / CZ 512  
22 LR METAL MAGAZINE, 5 ROUND



5073-1000-8802ND  
CZ 455 / CZ 457 / CZ 512  
22 WMR / 17 HMR DURABLE  
POLYMER MAGAZINE, 5 ROUND



5133-1000-02ND  
CZ 455 / CZ 457 / CZ 512  
22 LR DURABLE POLYMER  
MAGAZINE, 5 ROUND



5133-1200-02ND  
CZ 455 / CZ 457 / CZ 512  
22 LR DURABLE POLYMER  
MAGAZINE, 10 ROUND



5073-1200-8802ND  
CZ 455 / CZ 457 / CZ 512  
22 WMR / 17 HMR DURABLE  
POLYMER MAGAZINE, 10 ROUND



5133-1200-01ND  
CZ 455 / CZ 457  
22 LR METAL MAGAZINE, 10 ROUND



5131-1001-02ND  
ONE ROUND MAGAZINE



5123-1225-03ND  
CZ 455 / CZ 457 / CZ 512  
22 LR DURABLE POLYMER  
MAGAZINE, 15 ROUND



5123-1225-02ND  
CZ 455 / CZ 457 / CZ 512  
22 LR DURABLE POLYMER  
MAGAZINE, 25 ROUND



D3900-0000  
CZ 4M RIMFIRE RIFLE BAG, BLACK,  
UNI SIZE

4M  
TACTICAL



1070-7005  
CZ RIMFIRE RIFLESCOPE 3-9 x 42

**Lens Diameter:** 42 mm  
**Magnification:** 3-9x  
**Tube Diameter:** 1"  
**Reticle Focal Plane:** Reticle Focal Plane (Second Focal Plane (SFP))  
**Illumination Type:** No  
**Adjustment Click Value:** ¼ MOA  
**Parallax:** 50 m  
**Resistance to Weather Conditions:** Yes  
**Waterproof:** Yes

A compact riflescope with a one inch tube. Its impressive performance includes an industry-leading field of view, fast focus ocular and generous eye relief.

It features a proprietary coating process that maximizes light transmission through each optical element surface. As a result, it transmits over 92% of available light and maintains image clarity, even in low light conditions.

It also features a Double HD lens, created when multiple extra-low dispersion lenses are chemically laminated to minimize light reflection on the surface of multiple lenses, enhance resolution and color contrast of images, and minimize chromatic aberrations.



5083-9059-01ND  
CZ 457 DIOPTR ADAPTER RAIL



1070-7001  
CZ 455 / CZ 457 / CZ 512  
2-PIECE MOUNT, 1" DIAMETER



1070-7016  
SPUHR PLATE FOR MOUNTING  
TRIJICON RMR RED DOT SIGHTS

1070-7015  
SPUHR PLATE FOR MOUNTING  
DELTA POINT RED DOT SIGHTS

SPUHR®

1070-7002  
CZ 455 / CZ 457 / CZ 512  
2-PIECE MOUNT, 30 MM DIAMETER



5083-9057-01ND  
CZ 457 PICATINNY RAIL, BLACK

5083-9025-01ND  
CZ 457 PICATINNY RAIL, 25 MOA, BLACK

ACCESSORIES  
RIMFIRE RIFLES

5083-0096-8591V1ND  
CZ LRP 22 LR MINISET, 5 ROUND, 525 MM, 1/2 × 20



5083-0190-83V1ND  
CZ 457 JAGUAR 22 LR MINISET, 10 ROUND, 726 MM, 1/2 × 20

5083-0190-8982V1ND  
CZ 457 PREMIUM 17 HMR MINISET, 24" 1/2 × 20



5083-0190-82V1ND  
CZ 457 PREMIUM 22 LR MINISET, 24" 1/2 × 20

083-0190-8882V1ND  
CZ 457 PREMIUM 22 WMR MINISET, 24" 1/2 × 20

5083-0090-8991V1ND  
CZ 457 VARMIN'T 17 HMR MINISET, 5 ROUND, 525 MM, 1/2 × 20

5083-0090-8594V1ND  
CZ 457 VARMIN'T MTR 22 LR MATCH MINISET, 16" 1/2 × 20



5083-0090-8591V1ND  
CZ 457 VARMIN'T MTR 22 LR MATCH MINISET, 20" 1/2 × 20

5083-0090-91V1ND  
CZ 457 VARMIN'T 22 LR MINISET, 20" 1/2 × 20

5083-0090-8891V1ND  
CZ 457 VARMIN'T 22 WMR MINISET, 20" 1/2 × 20



5083-0090-8594V1ND  
CZ 457 MTR 22 LR MINISET, 5 ROUND, 525 MM, 1/2 × 20



5083-0190-8982V1ND  
CZ 457 AMERICAN 17 HMR MINISET, 5 ROUND, 630 MM, 1/2 × 20

5083-0090-8982V1ND  
CZ 457 AMERICAN 17 HMR MINISET, 24" 1/2 × 20



5083-0090-82V1ND  
CZ 457 AMERICAN 22 LR MINISET, 24" 1/2 × 20

5083-0090-8882V1ND  
CZ 457 AMERICAN 22 WMR MINISET, 24" 1/2 × 20



5083-0091-81V1ND  
CZ 457 STAINLESS 22 LR MINISET, 5 ROUND, 525 MM, 1/2 × 20



5120-0330-01  
CZ 457 RUBBER BOLT KNOB



5070-0070-11ND  
COMPENSATOR FOR 1/2 × 20 UNF THREAD  
(AMERICAN)

5070-0070-21ND  
COMPENSATOR FOR 1/2 × 20 UNF THREAD  
(VARMINT)



5080-0060-80ND  
1/2 × 20 UNF THREAD PROTECTOR  
(AMERICAN)

5080-0060-90ND  
1/2 × 20 UNF THREAD PROTECTOR  
(VARMINT)

C0307-0008  
SUPPRESSOR ECOI AU-ECO-1220  
22LR 1/2"×20



C0307-0009  
SUPPRESSOR ECOI AU-ECO-1228  
22LR 1/2"×28



A0310-0028  
LONG CLEANING ROD – CARBON  
FIBER Ø 5 L=910MM UNC 8-32



C0405-0000  
CZ 457 TRIGGER GUARD – BLACK

C0405-0001  
CZ 457 TRIGGER GUARD – GOLD

C0405-0002  
CZ 457 TRIGGER GUARD – GREEN

C0405-0003  
CZ 457 TRIGGER GUARD – RED

C0405-0004  
CZ 457 TRIGGER GUARD – BLUE



C0310-0000  
223 REM. CLEANING BRUSH SET



5120-0400  
CZ BASIC RIFLE BAG – BLACK



5120-0500  
CZ BASIC RIFLE BAG – FDE

ACCESSORIES  
SEMI-AUTO



A0103-0001  
INFORCE WML TACTICAL FLASHLIGHT, 400 LM, BLACK

A0103-0001-0003  
INFORCE WML TACTICAL FLASHLIGHT, 400 LM, FDE

A0103-0002  
INFORCE WML TACTICAL FLASHLIGHT, 400 LM, IR W-05-2

A0203-0001  
INFORCE WMLX TACTICAL FLASHLIGHT, 800 LM, BLACK

A0203-0002  
INFORCE WMLX TACTICAL FLASHLIGHT, 700 LM, IR



A0101-0010  
TRIJICON MRO RED DOT SIGHT, 39 MM, SCREW



A0105-0001  
CZ SCORPION EVO 3 FRONT HAND GUARD



A0203-0009  
SUREFIRE M600DF-BK FLASHLIGHT

A0203-0010  
SUREFIRE M312C-BK FLASHLIGHT

A0203-0012  
SUREFIRE M340 DFT PRO TURBO FLASHLIGHT

A0103-0018  
SUREFIRE 1000LM M640U-BK-PRO FLASHLIGHT



A0201-0003  
AIMPOINT COMPM4 RED DOT SIGHT, SCREW



A0105-0002  
FRONT HAND GUARD FOR  
CZ SCORPION EVO 3, M-LOK



A0101-0027  
AIMPOINT MICRO H-2 LRP  
RED DOT SIGHT MOUNT 39 MM 200211



A0201-0004  
AIMPOINT MAGNIFICATION MODULE,  
3x MAGNIFICATION



A0310-0007  
M-LOK DURAL RAIL, 5 SLOTS

A0310-0008  
M-LOK DURAL RAIL, 3 SLOTS

A0310-0019  
M-LOK DURAL RAIL, 9 SLOTS

A0310-0020  
M-LOK DURAL RAIL, 11 SLOTS

D3900-0300  
CZ BREN 2 TACTICAL BAG –  
BLACK

D3900-0600  
FOR CZ BREN 2 –  
FDE

D3800-0600  
FOR CZ SCORPION EVO 3 –  
FDE



A0212-0003  
CZ BREN 2, CZ SCORPION EVO 3  
SET – STANDARD FPS DURAL SIGHTS

A0212-0004  
CZ BREN 2, CZ SCORPION EVO 3  
SET – STANDARD FPS SAFETY SIGHTS

A0212-0005  
CZ BREN 2, CZ SCORPION EVO 3  
SET – STANDARD FPS PLAST SIGHTS



A0210-0007  
SM-2001 MICRO MOUNT

A0210-0010  
SM-3002 MOUNT FOR TRIJICON MRO RED DOT SIGHT,  
ABSOLUTE



A0210-0012  
QDM-3001 MOUNT FOR TRIJICON MRO RED DOT SIGHT



A0210-0014  
AIM 50 TACTICAL DRAGBAG – GREEN

A0210-0013  
AIM 40 TACTICAL DRAGBAG – GREEN



3722-3500-7310ND  
CZ MAG 7,62 x 39, 10 ROUND



A0210-0002  
QD SLING SWIVEL 47 MM

A0310-0003  
QD SLING SWIVEL 25 MM



3722-3500-6501 ND  
CZ MAG 5,56 x 45, 30 ROUND

3722-3500-6503ND  
CZ MAG 5,56 x 45, 10 ROUND



A0106-0002  
CZ SCORPION EVO 3 MAG 22 LR,  
10 ROUND



3662-0770-0725ND  
CZ SCORPION EVO 3 MAG 9 x 19, 20 ROUND

3662-0800-0715ND  
CZ SCORPION EVO 3 MAG 9 x 19, 10 ROUND

3662-0780-0735 ND  
CZ SCORPION EVO 3 MAG 9 x 19, 30 ROUND



A0310-0006  
M-LOK QD MOUNT FOR SLING LOOP



D2800-0300  
1/2 POINT SLING FOR CZ BREN 2 – BLACK

D2800-0600  
1/2 POINT SLING FOR CZ BREN 2 – FDE



A0107-0009  
SUPPRESSOR FOR CZ SCORPION EVO 3  
AU-ECO-18 x 1 ECOI 22LR M18 x 1


# CZ CONFIGURATOR

*Build the firearm  
of your dreams*

Since 2019, Ceska zbrojovka a.s. has offered its customers an unrivalled opportunity to build a firearm in exact accordance with their wants and needs via an interactive website. You can choose the color of the frame and slide, type of sights (including red dot sights), size and color of the controls, magazine capacity and much more. After placing a binding order, the configured firearm is assembled and ready for final sale, which takes place in accordance with legal regulations.

The CZ Configurator is now available for CZ customers in seven countries around the world – Czech Republic, Slovakia, France, Germany, Poland, Austria and the USA.

Build the firearm of your dreams now!



[czconfigurator.com](http://czconfigurator.com)

Ceska zbrojovka a.s. is a member of **Colt CZ Group SE**

COLT  
CZGROUP



