

MAGTECH[®]

AMMUNITION



PRODUCT CATALOGUE
2023 | 2024



Visit the website:



ABOUT US	04
HANDGUN AMMUNITION	06
 Range / Training	06
 Self-Defense / Service	10
 Non-Toxic	12
 Cowboy Action	14
RIFLE AMMUNITION	16
 Centerfire Rifle	16
RIMFIRE AMMUNITION	18
BALLISTIC DATA	20
 Handgun Ammunition	20
 Rifle Ammunition	26
 Rimfire Ammunition	26
RELOADING	28
MILITARY AMMUNITION	30

MAGTECH® IS A MEMBER OF

Since its creation, Magtech® has become one of the most successful ammunition brands in the world, building its reputation on quality, consistency and reliability. From sport shooting to self-defense, as well as tactical and law enforcement applications, Magtech® offers a wide range of products for every need.

Magtech® is a member of CBC Global Ammunition®, the holding for a group of companies internationally active in the ammunition sector: CBC Brazil, Magtech Ammunition USA, MEN Germany and Sellier & Bellot Czech Republic.

Together, this strategic alliance forms one of the largest ammunition corporations in the world, with a combined experience of more than 300 years in the manufacturing of small and medium calibers.



CBC 9mm Luger Factory - Brazil

CBC GLOBAL AMMUNITION®



CBC Plant - Ribeirão Pires/SP Brazil

The comprehensive range of CBC Global Ammunition® products is exported to over 100 countries, meeting the needs of Military, Law Enforcement and Commercial markets. CBC Global Ammunition® today is one of the largest suppliers of ammunition to NATO and allied forces, worldwide.

CBC Global Ammunition® has its headquarters and three production facilities in Brazil (where Magtech® products are made), two factories in Europe – MEN in Germany and Sellier & Bellot in Czech Republic – and one subsidiary in Minnesota – Magtech Ammunition Inc, which acts as a master distributor to the US market.

Together, CBC Global Ammunition® operations employ more than 3,500 skilled workers and produce over 2 billion rounds per each year.



RANGE / TRAINING

Magtech® offers a complete line of high quality rifle and handgun ammunition for range and training use.



Caliber	Symbol	Bullet		Packaging	
		Type	Weight (GR)	Inner	Outer
25 AUTO	25A	FMJ	50	50	1.000
32 AUTO	32A	FMJ	71	50	1.000
	32B	JHP	71	50	1.000
	32C	LRN	71	50	1.000
	32C	LRN	71	50	1.000
32 S&W	32SWA	LRN	85	50	1.000
32 S&W LONG	32SWLA	LRN	98	50	1.000
	32SWLB	LWC	98	50	1.000
	32SWLC	SJHP	98	50	1.000
380 AUTO	380A	FMJ	95	50	1.000
	MP380A	FMJ	95	250	1.000
	380B	JHP	95	50	1.000
	380D	LRN	95	50	1.000
9mm LUGER	9A	FMJ	115	50	1.000
	MP9A	FMJ	115	250	1.000
	9B	FMJ	124	50	1.000
	9C	JHP	115	50	1.000
	9D	JSP Flat	95	50	1.000
	9E	LRN	124	50	1.000
	9F	JSP Flat w/o Grooves	95	50	1.000
	9G	FMJ Flat Subsonic	147	50	1.000
	9H	JHP (+P+)	115	50	1.000
	9K	JHP Sub	147	50	1.000
	9NATO	FMJ	124	50	1.000
	9S	JSP	124	50	1.000
9 x 21mm	921A	FMJ	124	50	1.000
	921B	LRN	124	50	1.000
38 S&W	38SWA	LRN	146	50	1.000
38 SPL	38A	LRN	158	50	1.000
	MP38A	LRN	158	250	1.000
	38B	LWC	148	50	1.000
	38C	SJSP Flat	158	50	1.000
	38D	SJSP Flat (+P)	125	50	1.000
	38E	SJHP	158	50	1.000
	38F	SJHP (+P)	125	50	1.000
	38G	LRN (Short)	125	50	1.000
	38H	SJHP (+P)	158	50	1.000
	38J	LSWC	158	50	1.000
	38N	SJSP Flat (+P)	158	50	1.000
	38P	FMJ Flat	158	50	1.000
	38Q	FMJ Flat	125	50	1.000
	38T	FMJ Flat	130	50	1.000
38 SUPER AUTO	38S	FMJ (+P)	130	50	1.000



RANGE / TRAINING



RANGE / TRAINING



Caliber	Symbol	Bullet		Packaging	
		Type	Weight (GR)	Inner	Outer
357 MAGNUM	357A	SJSP Flat w/o nickel	158	50	1.000
	357B	SJHP	158	50	1.000
	357D	FMJ Flat	158	50	1.000
	357E	SJSP Flat w/o nickel	158	50	1.000
	357Q	FMJ Flat	125	50	1.000
	MP357E	SJSP Flat w/o nickel	158	250	1.000
40 S&W	40A	JHP	180	50	1.000
	40B	FMJ Flat	180	50	1.000
	40C	LSWC	160	50	1.000
	40G	FMJ Flat	165	50	1.000
	40PS	FMJ Flat	180	50	1.000
	MP40B	FMJ Flat	180	250	1.000
10mm	10A	FMJ	180	50	1.000
	10B	JHP	180	50	1.000
44-40 WIN	4440A	LFN	200	50	1.000
44 S&W SPL	44F	FMJ	240	50	1.000
44 REM MAG	44A	SJSP Flat	240	50	1.000
	44C	FMJ Flat	240	50	1.000
45 GAP	45GA	FMJ	230	50	1.000
45 AUTO	45A	FMJ	230	50	1.000
	45B	FMJ-SWC	230	50	1.000
	MP45A	FMJ	230	250	1.000
454 CASULL	454A	SJSP Flat	260	20	1.000
	454B	FMJ Flat	260	20	1.000
500 S&W	500A	SJSP Flat	400	20	500
	500B	SJSP Flat	325	20	500
	500D	FMJ Flat	325	20	500
	500L	SJSP-Flat Light	325	20	500





SELF-DEFENSE / SERVICE

Magtech® Self-Defense and Service ammunition is currently used by law enforcement agencies around the world.

Caliber	Symbol	Bullet		Packaging	
		Type	Weight (GR)	Inner	Outer
BONDED LINE					
380 AUTO	380BONA	JHP Bonded	90	50	1.000
9mm LUGER	9BONA	JHP Bonded	124	50	1.000
	9BONB	JHP Bonded (+P)	124	50	1.000
	9BONC	JHP Bonded	147	50	1.000
	9BOND	JHP Subsonic Bonded (+P)	147	50	1.000
38 SPL	38BONA	JHP Bonded	124	50	1.000
40 S&W	40BONA	JHP Bonded	155	50	1.000
	40BONB	JHP Bonded	180	50	1.000
45 AUTO	45BONA	JHP Bonded	230	50	1.000
GUARDIAN GOLD LINE					
32 AUTO	GG32A	JHP	65	50	1.000
380 AUTO	GG380A	JHP (+P)	85	50	1.000
9mm LUGER	GG9A	JHP (+P)	115	50	1.000
	GG9B	JHP	124	50	1.000
38 SPL	GG38A	JHP (+P)	125	50	1.000
357 MAGNUM	GG357A	JHP	125	50	1.000
40 S&W	GG40A	JHP	155	50	1.000
	GG40B	JHP	180	50	1.000
45 AUTO	GG45B	JHP (+P)	230	50	1.000





NON-TOXIC

NON-TOXIC

Magtech® Clean Range™ line is manufactured using a non-toxic primer and fully encapsulated projectile to eliminate exposure to lead and heavy metals. Clean Range™ ammunition is the perfect choice for indoor shooting.



Caliber	Symbol	Bullet		Packaging	
		Type	Weight (GR)	Inner	Outer
380 AUTO	CR380A	FEB	95	50	1.000
9mm LUGER	CR9A	FEB	115	50	1.000
	CR9B	FEB	124	50	1.000
38 SPL	CR38A	FEB Flat	158	50	1.000
40 S&W	CR40A	FEB Flat	180	50	1.000
45 AUTO	CR45A	FEB	230	50	1.000





COWBOY ACTION

Magtech® Cowboy Action bullets are designed to achieve superior performance in both single-action revolvers and lever-action rifles. The flat-nose bullets deliver reliable knockdown power for dropping steel targets efficiently shot after quick shot.



Caliber	Symbol	Bullet		Packaging	
		Type	Weight (GR)	Inner	Outer
38 SPL	38L	LFN	158	50	1.000
	38U	LFN	125	50	1.000
357 MAGNUM	357L	LFN	158	50	1.000
44-40 WIN	4440B	LFN	225	50	1.000
	4440C	LFN	200	50	1.000
44 S&W SPL	44B	LFN	240	50	1.000
45 LONG COLT	45D	LFN	250	50	1.000
	45F	LFN	200	50	1.000





TACTICAL & SNIPER

Magtech® line of Sniper and Tactical ammunition is manufactured with top quality components to ensure absolute precision and reliability, meeting the most stringent military and law enforcement requirements.



Caliber	Symbol	Bullet		Packaging	
		Type	Weight (GR)	Inner	Outer
TACTICAL LINE					
.223 REM	223A	FMJ	55	50	1.000
	223B	PSP	55	50	1.000
5.56 x 45mm	556A	Ball	55	50	1.000
	556A-LK	Ball	55	-	800
	556B	Ball	62	50	1.000
	556B-LK	Ball	62	-	800
	556C	Sierra Cannelured HPBT	77	50	1.000
	30A	FMJ	110	50	1.000
30 CARBINE	30B	JSP	110	50	1.000
	30C	JHP	110	50	1.000
	300BLKA	OTM	115	50	1.000
.300 BLACKOUT	300BLKB	FMJ	123	50	1.000
	300BLKSUBA	FMJ Sub	200	50	1.000
	6.5 CREEDMOOR	65A	FMJBT	140	20
.308 WIN	308A	FMJ	150	50	1.000
	308B	PSP	150	50	1.000
	308C	FMJ	180	50	1.000
	308F	PSP	180	50	1.000
7.62 x 51 mm	762A	Ball	147	50	1.000
	762A-LK	Ball	147	-	500
12.7 x 99 mm .50 BALL	50BMGA	Ball	656	10	250
SNIPER LINE					
.223 REM	223C	HPBT	77	50	1.000
.308 WIN	308D	HPBT	168	50	1.000
12.7 x 99 mm .50 BALL	50BMGB	BALL SOLID	770	10	250





RIMFIRE AMMUNITION

Magtech® rimfire ammunition is manufactured using the highest quality materials along with the latest manufacturing technology to ensure performance, accuracy and reliability.



Caliber	Symbol	Bullet		Packaging	
		Type	Weight (GR)	Inner	Outer
.22 LR	22F	LRN SV	29	50	5.000
	22A	LRN HVBP	40	50	5.000
	22B	LRN SV	40	500	5.000
	22B PREC	LRN SV Precision	40	50	5.000
	22C	LHP HVCP	36	50	5.000
	22D	LHP Sub	40	50	5.000
	22E	LHP HYPV	33	50	5.000
	22G	LRN CP	40	500	5.000



New Bottle Pack - 500rds



HANDGUN AMMUNITION

Caliber	Product Line	Symbol	Packaging		Bullet			Velocity				
			Inner	Outer	Type	Weight		Muzzle		50 m	50 yd	100 m
						g	gr	m/s	fps	m/s	fps	m/s
25 AUTO	Range / Training	25A	50	1.000	FMJ	3,24	50	232	760	214	707	199
32 AUTO	Range / Training	32A	50	1.000	FMJ	4,60	71	276	905	259	855	245
	Range / Training	32B	50	1.000	JHP	4,60	71	276	905	259	855	245
	Range / Training	32C	50	1.000	LRN	4,60	71	276	905	259	855	245
	Self-Defense / Service	GG32A	50	1.000	JHP	4,21	65	283	928	265	874	250
32 S&W	Range / Training	32SWA	50	1.000	LRN	5,50	85	207	680	195	645	187
32 S&W LONG	Range / Training	32SWLA	50	1.000	LRN	6,35	98	215	705	202	670	192
	Range / Training	32SWLB	50	1.000	LWC	6,35	98	208	682	174	579	145
	Range / Training	32SWLC	50	1.000	SJHP	6,35	98	237	778	225	742	214
380 AUTO	Range / Training	380A	50	1.000	FMJ	6,15	95	290	951	260	859	236
	Range / Training	MP380A	250	1.000	FMJ	6,15	95	290	951	260	859	236
	Range / Training	380B	50	1.000	JHP	6,15	95	290	951	260	859	236
	Range / Training	380D	50	1.000	LRN	6,15	95	290	951	260	859	236
	Self-Defense / Service	380BONA	50	1.000	JHP Bonded	5,83	90	290	951	266	879	247
	Self-Defense / Service	GG380A	50	1.000	JHP (+P)	5,50	85	323	1.060	296	980	270
	Non-Toxic	CR380A	50	1.000	FEB	6,15	95	290	951	260	859	236
9mm LUGER	Range / Training	9A	50	1.000	FMJ	7,45	115	346	1.135	313	1.034	290
	Range / Training	MP9A	250	1.000	FMJ	7,45	115	346	1.135	313	1.034	290
	Range / Training	9B	50	1.000	FMJ	8,03	124	338	1.109	310	1.024	290
	Range / Training	9C	50	1.000	JHP	7,45	115	352	1.155	317	1.048	293
	Range / Training	9D	50	1.000	JSP Flat	6,15	95	410	1.345	356	1.175	317
	Range / Training	9E	50	1.000	LRN	8,03	124	338	1.109	310	1.024	290
	Range / Training	9F	50	1.000	JSP Flat w/o Grooves	6,15	95	410	1.345	356	1.175	317
	Range / Training	9G	50	1.000	FMJ Flat Subsonic	9,52	147	302	990	287	944	274
	Range / Training	9H	50	1.000	JHP (+P+)	7,45	115	405	1.330	353	1.171	317
	Range / Training	9K	50	1.000	JHP Subsonic	9,52	147	302	990	287	944	274
	Range / Training	9NATO	50	1.000	FMJ	8,03	124	405	1.329	357	1.184	324
	Range / Training	9S	50	1.000	JSP	8,03	124	338	1.109	310	1.024	290
	Self-Defense / Service	9BONA	50	1.000	JHP Bonded	8,03	124	355	1.165	320	1.060	297
	Self-Defense / Service	9BONB	50	1.000	JHP Bonded (+P)	8,03	124	370	1.215	331	1.095	304
	Self-Defense / Service	9BONC	50	1.000	JHP Bonded	9,52	147	302	990	287	944	274
	Self-Defense / Service	9BOND	50	1.000	JHP Subsonic Bonded (+P)	9,52	147	320	1.050	301	994	286
	Self-Defense / Service	GG9A	50	1.000	JHP (+P)	7,45	115	380	1.247	335	1.111	306
	Self-Defense / Service	GG9B	50	1.000	JHP	8,03	124	334	1.096	306	1.011	286
	Non-Toxic	CR9A	50	1.000	FEB	7,45	115	346	1.135	313	1.034	290
	Non-Toxic	CR9B	50	1.000	FEB	8,03	124	338	1.109	310	1.024	290
9 × 21mm	Range / Training	921A	50	1.000	FMJ	8,03	124	350	1.150	321	1.061	300
	Range / Training	921B	50	1.000	LRN	8,03	124	350	1.150	321	1.061	300

	Energy						Trajectory				Test Barrel Lenght		Ballistic Coefficient
100 yd	Muzzle		50 m	50 yd	100 m	100 yd	50 m	50 yd	100 m	100 yd			
fps	J	ft.lbs	J	ft.lbs	J	ft.lbs	cm	inch	cm	inch	cm	inch	
659	87	64	75	56	64	48	-12,3	-4	-77,9	-25,4	5,1	2	0,093
810	175	129	154	115	138	103	-8,6	-2,8	-53,6	-17,5	10,2	4	0,134
810	175	129	154	115	138	103	-8,6	-2,8	-53,6	-17,5	10,2	4	0,134
810	175	129	154	115	138	103	-8,6	-2,8	-53,6	-17,5	10,2	4	0,134
827	169	124	148	110	131	99	-8,2	-2,7	-51,2	-16,7	10,2	4	0,134
610	118	87	105	78	96	70	-15	-4,9	-93,5	-30,6	7,6	3	0,137
635	147	108	130	98	117	88	-14	-4,6	-87,6	-28,6	10,2-V	4-V	0,123
490	137	102	96	73	67	52	-16,9	-5,5	-115,9	-36,9	10,2-V	4-V	0,039
708	178	132	161	120	145	109	-11,5	-3,8	-71,4	-23,3	10,2-V	4-V	0,141
786	259	191	207	156	171	130	-8,2	-2,5	-52,7	-16,7	9,52	3,75	0,082
786	259	191	207	156	171	130	-8,2	-2,5	-52,7	-16,7	9,52	3,75	0,082
786	259	190	209	156	171	128	-8,2	-2,5	-52,7	-16,7	9,52	3,75	0,082
786	259	190	209	156	171	128	-8,2	-2,5	-52,7	-16,7	9,52	3,75	0,082
820	245	180	207	154	178	134	-8	-2,6	-50,5	-16,5	9,52	3,75	0,106
896	288	212	241	181	200	152	-6,2	-1,9	-39,1	-12,4	9,52	3,75	0,115
786	259	190	209	156	171	128	-8,2	-2,5	-52,7	-16,7	9,52	3,75	0,082
963	446	329	365	273	313	237	-5,7	-1,9	-36,3	-11,8	10,2	4	0,144
963	446	329	365	273	313	237	-5,7	-1,9	-36,3	-11,8	10,2	4	0,144
961	459	339	386	289	338	254	-5,9	-1,9	-37,2	-12,1	10,2	4	0,160
973	462	341	374	280	320	242	-5,5	-1,8	-35,4	-11,5	10,2	4	0,144
1.057	517	382	386	291	309	236	-4,3	-1,4	-28	-9	10,2	4	0,137
961	459	339	386	289	338	254	-5,9	-1,9	-37,2	-12,1	10,2	4	0,160
1.057	517	382	386	291	309	236	-4,3	-1,4	-28	-9	10,2	4	0,137
905	434	320	392	291	358	267	-7	-2,3	-44	-14,5	10,2	4	0,200
1.059	611	452	464	350	376	286	-4,2	-1,4	-27,6	-8,9	10,2	4	0,142
905	434	320	392	291	358	267	-7	-2,3	-44	-14,5	10,2	4	0,200
1.078	659	486	513	386	421	320	-4,3	-1,4	-27,7	-8,9	20	8	0,160
961	459	339	386	289	338	254	-5,9	-1,9	-37,2	-12,1	10,2	4	0,160
985	506	374	412	309	353	267	-5,2	-1,7	-34,2	-11,1	10,2	4	0,152
1.011	550	407	439	330	371	281	-5	-1,6	-32,4	-10,5	10,2	4	0,152
905	434	320	392	291	358	267	-6,8	-2,2	-44,4	-14,2	10,2	4	0,200
947	488	360	433	322	391	293	-6,4	-2,1	-39,7	-12,9	10,2	4	0,200
1.018	538	397	419	315	349	265	-4,7	-1,5	-31	-10	10,2	4	0,144
948	448	331	377	282	328	248	-6	-2	-38,2	-12,4	10,2	4	0,152
963	446	329	365	273	313	237	-5,7	-1,9	-36,3	-11,8	10,2	4	0,144
961	459	339	386	289	338	254	-5,9	-1,9	-37,2	-12,1	10,2	4	0,160
995	492	364	414	310	361	273	-5,3	-1,7	-34,3	-11,1	10,2	4	0,176
995	492	364	414	310	361	273	-5,3	-1,7	-34,3	-11,1	10,2	4	0,176

HANDGUN AMMUNITION

Caliber	Product Line	Symbol	Packaging		Bullet			Velocity				
			Inner	Outer	Type	Weight		Muzzle		50 m	50 yd	100 m
						g	gr	m/s	fps	m/s	fps	m/s
38 S&W	Range / Training	38SWA	50	1.000	LRN	9,45	146	209	686	199	657	190
38 SPL	Range / Training	38A	50	1.000	LRN	10,24	158	230	755	219	722	209
	Range / Training	MP38A	250	1.000	LRN	10,24	158	230	755	219	722	209
	Range / Training	38B	50	1.000	LWC	9,59	148	216	709	191	635	170
	Range / Training	38C	50	1.000	SJSP Flat	10,24	158	230	755	221	741	212
	Range / Training	38D	50	1.000	SJSP Flat (+P)	8,10	125	286	938	270	891	257
	Range / Training	38E	50	1.000	SJHP	10,24	158	246	807	236	776	226
	Range / Training	38F	50	1.000	SJHP (+P)	8,10	125	286	938	270	891	257
	Range / Training	38G	50	1.000	LRN (Short)	8,10	125	209	686	199	655	189
	Range / Training	38H	50	1.000	SJHP (+P)	10,24	158	270	886	257	847	245
	Range / Training	38J	50	1.000	LSWC	10,24	158	230	755	219	722	209
	Range / Training	38N	50	1.000	SJSP Flat (+P)	10,24	158	270	886	257	847	245
	Range / Training	38P	50	1.000	FMJ Flat	10,24	158	230	755	220	726	211
	Range / Training	38Q	50	1.000	FMJ Flat	8,10	125	286	938	271	894	259
	Range / Training	38T	50	1.000	FMJ Flat	8,42	130	244	800	234	770	225
	Self-Defense / Service	38BONA	50	1.000	JHP Bonded	8,03	124	290	950	273	899	258
	Self-Defense / Service	GG38A	50	1.000	JHP (+P)	8,10	125	310	1.017	291	960	276
	Non-Toxic	CR38A	50	1.000	FEB Flat	10,24	158	230	755	220	726	211
	Cowboy Action	38L	50	1.000	LFN	10,24	158	244	800	234	769	224
	Cowboy Action	38U	50	1.000	LFN	8,10	125	280	920	266	879	254
38 SUPER AUTO	Range / Training	38S	50	1.000	FMJ (+P)	8,42	130	370	1.215	332	1.098	306
357 MAGNUM	Range / Training	357A	50	1.000	SJSP Flat w/o nickel	10,24	158	376	1.235	338	1.120	312
	Range / Training	357B	50	1.000	SJHP	10,24	158	376	1.235	338	1.120	312
	Range / Training	357D	50	1.000	FMJ Flat	10,24	158	376	1.235	338	1.120	312
	Range / Training	357E	50	1.000	SJSP Flat w/o nickel	10,24	158	376	1.235	338	1.120	312
	Range / Training	MP357E	250	1.000	SJSP Flat w/o nickel	10,24	158	376	1.235	338	1.120	312
	Range / Training	357Q	50	1.000	FMJ Flat	8,10	125	428	1.405	379	1.255	341
	Self-Defense / Service	GG357A	50	1.000	JHP	8,10	125	420	1.378	372	1.233	336
	Cowboy Action	357L	50	1.000	LFN	10,24	158	330	1.085	306	1.012	288
40 S&W	Range / Training	40A	50	1.000	JHP	11,66	180	302	990	285	938	270
	Range / Training	40B	50	1.000	FMJ Flat	11,66	180	302	990	287	944	274
	Range / Training	MP40B	250	1.000	FMJ Flat	11,66	180	302	990	287	944	274
	Range / Training	40C	50	1.000	LSWC	10,37	160	355	1.165	324	1.069	301
	Range / Training	40G	50	1.000	FMJ Flat	10,69	165	320	1.050	301	993	286
	Range / Training	40PS	50	1.000	FMJ Flat	11,66	180	320	1.050	301	993	286
	Self-Defense / Service	40BONA	50	1.000	JHP Bonded	10,04	155	365	1.198	330	1.090	305
	Self-Defense / Service	40BONB	50	1.000	JHP Bonded	11,66	180	302	990	285	938	270
	Self-Defense / Service	GG40A	50	1.000	JHP	10,04	155	367	1.205	331	1.095	306
	Self-Defense / Service	GG40B	50	1.000	JHP	11,66	180	302	990	285	938	270
	Non-Toxic	CR40A	50	1.000	FEB Flat	11,66	180	302	990	287	944	274

	Energy						Trajectory				Test Barrel Lenght		Ballistic Coefficient
100 yd	Muzzle		50 m	50 yd	100 m	100 yd	50 m	50 yd	100 m	100 yd			
fps	J	ft.lbs	J	ft.lbs	J	ft.lbs	cm	inch	cm	inch	cm	inch	
629	207	153	188	140	171	128	-14,7	-4,8	-91,2	-29,8	10,2-V	4-V	0,146
691	271	200	246	183	224	168	-11,7	-3,8	-74,4	-24,3	10,2-V	4-V	0,149
691	271	200	246	183	224	168	-11,7	-3,8	-74,4	-24,3	10,2-V	4-V	0,149
569	224	165	176	132	138	106	-14,8	-4,8	-96,8	-31,3	10,2-V	4-V	0,055
700	271	200	246	185	230	172	-12	-3,9	-74,5	-24,3	10,2-V	4-V	0,149
850	331	244	296	220	268	201	-7,6	-2,5	-48,7	-15,9	10,2-V	4-V	0,163
746	310	229	284	211	261	195	-10,5	-3,4	-65,3	-21,3	10,2-V	4-V	0,149
850	331	244	296	220	268	201	-7,6	-2,5	-48,7	-15,9	10,2-V	4-V	0,163
625	177	131	160	119	145	109	-14,8	-4,8	-91,6	-29,9	10,2-V	4-V	0,139
811	373	275	338	252	308	231	-8,5	-2,7	-54,1	-17,6	10,2-V	4-V	0,172
691	271	200	246	183	224	168	-10,3	-3,4	-65,6	-21,5	10,2-V	4-V	0,149
811	373	275	338	252	308	231	-8,5	-2,7	-54,1	-17,6	10,2-V	4-V	0,172
699	271	200	249	185	229	171	-11,6	-3,8	-73,7	-24,1	10,2-V	4-V	0,172
855	331	244	298	222	271	203	-7,6	-2,5	-48,5	-15,9	10,2-V	4-V	0,163
742	251	185	231	171	213	159	-10,3	-3,4	-65,3	-21,4	10,2-V	4-V	0,181
854	338	249	299	222	568	201	-7,8	-2,5	-48,4	-15,8	10,2-V	4-V	0,152
913	389	287	343	256	308	231	-6,5	-2,1	-41,9	-13,7	10,2-V	4-V	0,174
699	271	200	249	185	229	171	-11,6	-3,8	-73,7	-24,1	10,2-V	4-V	0,149
739	305	225	279	207	257	192	-10,6	-3,5	-65,2	-21,4	10,2-V	4-V	0,172
842	318	235	288	214	262	197	-7,9	-2,6	-50,3	-16,4	10,2-V	4-V	0,172
1.016	577	426	464	348	393	298	-4,8	-1,6	-31,9	-10,3	12,7	5	0,159
1.036	724	535	586	440	498	377	-4,6	-1,5	-30,7	-9,9	10,2-V	4-V	0,172
1.036	724	535	586	440	498	377	-4,6	-1,5	-30,7	-9,9	10,2-V	4-V	0,172
1.036	724	535	586	440	498	377	-4,6	-1,5	-30,7	-9,9	10,2-V	4-V	0,172
1.036	724	535	586	440	498	377	-4,6	-1,5	-30,7	-9,9	10,2-V	4-V	0,172
1.036	724	535	586	440	498	377	-4,6	-1,5	-30,7	-9,9	10,2-V	4-V	0,172
1.136	938	693	734	553	594	453	-3,6	-1,2	-24,4	-7,9	10,2-V	4-V	0,174
1.120	715	527	561	422	458	348	-3,8	-1,2	-25,3	-8,2	10,2	4	0,173
955	558	413	480	359	425	320	-6,1	-2	-38,3	-12,4	10,2-V	4-V	0,172
894	532	392	473	352	426	319	-6,8	-2,2	-43,9	-14,3	10,2	4	0,174
904	532	392	479	356	437	327	-6,8	-2,2	-43,4	-14,2	10,2	4	0,191
904	532	392	479	356	437	327	-6,8	-2,2	-43,4	-14,2	10,2	4	0,191
999	654	482	543	406	470	355	-5,2	-1,7	-33,6	-10,9	10,2	4	0,169
947	548	404	486	362	438	329	-6,1	-2	-39,2	-12,8	10,2	4	0,200
946	597	441	529	394	477	358	-6,1	-2	-39,2	-12,8	10,2	4	0,197
1.013	669	494	546	409	467	353	-4,9	-1,7	-32,3	-10,5	10,2	4	0,165
894	532	392	473	352	426	319	-6,8	-2,2	-43,9	-14,3	10,2	4	0,174
1.016	676	500	550	413	470	356	-4,8	-1,6	-32,1	10,400	10,2	4	0,166
894	532	392	473	352	426	319	-6,8	-2,2	-43,9	-14,3	10,2	4	0,174
904	532	392	479	356	437	327	-6,8	-2,2	-43,4	-14,2	10,2	4	0,200

HANDGUN AMMUNITION

Caliber	Product Line	Symbol	Packaging		Bullet			Velocity				
			Inner	Outer	Type	Weight		Muzzle		50 m	50 yd	100 m
						g	gr	m/s	fps	m/s	fps	m/s
10mm	Range / Training	10A	50	1.000	FMJ	11,66	180	375	1.230	342	1.122	318
	Range / Training	10B	50	1.000	JHP	11,66	180	370	1.230	338	1.119	313
44-40 WIN	Range / Training	4440A	50	1.000	LFN	12,96	200	256	840	245	806	235
	Cowboy Action	4440B	50	1.000	LFN	14,58	225	230	755	221	728	212
	Cowboy Action	4440C	50	1.000	LFN	12,96	200	220	722	211	696	203
44 S&W SPL	Range / Training	44F	50	1.000	FMJ	15,55	240	220	722	211	696	203
	Cowboy Action	44B	50	1.000	LFN	15,55	240	232	760	223	732	214
44 REM MAG	Range / Training	44A	50	1.000	SJSP Flat	15,55	240	493	1.617	434	1.439	384
	Range / Training	44C	50	1.000	FMJ Flat	15,55	240	493	1.617	434	1.439	384
45 GAP	Range / Training	45GA	50	1.000	FMJ	14,90	230	255	837	245	808	236
45 AUTO	Range / Training	45A	50	1.000	FMJ	14,90	230	255	837	245	808	236
	Range / Training	MP45A	250	1.000	FMJ	14,90	230	255	837	245	808	236
	Range / Training	45B	50	1.000	FMJ-SWC	14,90	230	238	780	229	752	220
	Self-Defense / Service	45BONA	50	1.000	JHP Bonded	14,90	230	255	837	244	803	233
	Self-Defense / Service	GG45B	50	1.000	JHP (+P)	14,91	230	350	1.150	316	1.046	293
	Non-Toxic	CR45A	50	1.000	FEB	14,90	230	255	837	245	808	236
45 LONG COLT	Cowboy Action	45D	50	1.000	LFN	16,20	250	232	760	224	735	216
	Cowboy Action	45F	50	1.000	LFN	12,96	200	215	705	206	679	198
454 CASULL	Range / Training	454A	20	1.000	SJSP Flat	16,85	260	548	1.798	480	1.593	420
	Range / Training	454B	20	1.000	FMJ Flat	16,85	260	548	1.798	480	1.593	420
500 S&W	Range / Training	500A	20	500	SJSP Flat	25,92	400	490	1.608	434	1.440	387
	Range / Training	500B	20	500	SJSP Flat	21,06	325	550	1.805	477	1.584	413
	Range / Training	500D	20	500	FMJ Flat	21,06	325	550	1.805	477	1.584	413
	Range / Training	500L	20	500	SJSP-Flat Light	21,06	325	420	1.380	367	1.220	330

	Energy						Trajectory				Test Barrel Lenght		Ballistic Coefficient
100 yd	Muzzle		50 m	50 yd	100 m	100 yd	50 m	50 yd	100 m	100 yd			
fps	J	ft.lbs	J	ft.lbs	J	ft.lbs	cm	inch	cm	inch	cm	inch	
1.054	820	605	683	510	589	444	-4,8	-1,5	-30,5	-9,9	12,7	5	0,197
1.038	820	605	668	500	570	431	-4,9	-1,6	-31,1	-10,1	12,7	5	0,174
775	425	313	389	289	357	267	-9,8	-3,2	-60,5	-19,8	10,2-V	4-V	0,173
702	386	285	356	265	329	246	-11,6	-3,8	-74,4	-24	10,2-V	4-V	0,175
671	314	232	289	215	267	200	-12,7	-4,2	-80,3	-26,3	10,2-V	4-V	0,173
671	376	278	347	258	321	240	-13,2	-4,3	-81,3	-26,6	10,2-V	4-V	0,175
706	419	308	386	286	356	266	-11,4	-3,8	-72,2	-23,7	10,2-V	4-V	0,177
1.285	1.891	1.395	1.465	1.104	1.148	881	-2,9	-0,9	-18,8	-6,1	21	8,3	0,172
1.285	1.891	1.395	1.465	1.104	1.148	881	-2,9	-0,9	-18,8	-6,1	21	8,3	0,172
781	485	358	449	333	416	311	-9,4	-3,1	-59,5	-19,5	12,7	5	0,167
781	485	358	449	333	416	311	-9,4	-3,1	-59,5	-19,5	12,7	5	0,194
781	485	358	449	333	416	311	-9,4	-3,1	-59,5	-19,5	12,7	5	0,194
725	422	311	390	289	360	269	-10,8	-3,5	-68,5	-22,5	12,7	5	0,184
771	485	358	442	329	405	304	-9,5	-3,1	-60,3	-19,7	12,7	5	0,169
973	734	541	600	449	734	389	-5,4	-1,8	-35,1	-11,4	12,7	5	0,147
781	485	358	449	333	416	311	-9,4	-3,1	-59,5	-19,5	12,7	5	0,196
712	436	321	406	300	378	281	-11,3	-3,7	-71,6	-23,5	10,2-V	4-V	0,200
654	300	221	276	205	254	190	-13,3	-4,4	-84,2	-27,6	10,2-V	4-V	0,170
1.409	2.531	1.867	1.941	1.465	1.487	1.147	-2,2	-0,8	-15,2	-5	19	7,5	0,167
1.409	2.531	1.867	1.941	1.465	1.487	1.147	-2,2	-0,8	-15,2	-5	19	7,5	0,167
1.293	3.113	2.297	2.445	1.841	1.937	1.485	-2,9	-0,9	-18,6	-6,1	25,4	10	0,186
1.389	3.187	2.352	2.393	1.811	1.797	1.392	-2,2	-0,7	-15,4	-4,9	25,4	10	0,155
1.389	3.187	2.352	2.393	1.811	1.797	1.392	-2,2	-0,7	-15,4	-4,9	25,4	10	0,155
1.100	1.858	1.375	1.422	1.074	1.144	874	-3,9	-1,3	-26,1	-8,4	25,4	10	0,155

RIFLE AMMUNITION

Caliber	Product Line	Symbol	Packaging		Bullet			Velocity							
			Inner	Outer	Type	Weight		Muzzle		100 m	100 yd	200 m	200 yd	300 m	300 yd
						g	gr	m/s	fps	m/s	fps	m/s	fps	m/s	fps
.223 REM	Tactical / Training	223A	50	1.000	FMJ	3,56	55	990	3.250	869	2.886	759	2.551	656	2.238
	Tactical / Training	223B	50	1.000	PSP	3,56	55	990	3.250	859	2.856	740	2.494	631	2.159
	Sniper / Match	223C	50	1.000	HPBT	4,99	77	805	2.641	729	2.411	657	2.193	588	1.987
5.56 x 45mm	Tactical / Training	556A	50	1.000	BALL	3,56	55	995	3.265	874	2.900	763	2.563	660	2.250
	Tactical / Training	556A-LK	-	800	BALL	3,56	55	995	3.265	874	2.900	763	2.563	660	2.250
	Tactical / Training	556B	50	1.000	BALL	4,00	62	940	3.085	846	2.803	758	2.537	676	2.286
	Tactical / Training	556B-LK	-	800	BALL	4,00	62	940	3.085	846	2.803	758	2.537	676	2.286
	Tactical / Training	556C	50	1.000	Sierra Cannelured HPBT	4,99	77	850	2.790	767	2.541	689	2.305	616	2.081
30 CARBINE	Tactical / Training	30A	50	1.000	FMJ	7,13	110	610	2.000	477	1.598	374	1.276	313	1.066
	Tactical / Training	30B	50	1.000	JSP	7,13	110	610	2.000	477	1.598	374	1.276	313	1.066
	Tactical / Training	30C	50	1.000	JHP	7,13	110	610	2.000	462	1.552	355	1.211	298	1.014
.300 BLACKOUT	Tactical / Training	300BLKA	50	1.000	OTM	7,45	115	695	2.280	613	2.033	537	1.803	468	1.591
	Tactical / Training	300BLKB	50	1.000	FMJ	7,97	123	680	2.230	600	1.990	526	1.766	460	1.561
	Tactical / Training	300BLKSUBA	50	1.000	FMJ SUBSONIC	12,96	200	310	1.017	298	980	287	948	278	920
6.5 CREEDMOOR	Tactical / Training	65A	20	500	FMJBT	9,07	140	811	2.660	751	2.481	694	2.309	640	2.144
.308 WIN	Tactical / Training	308A	50	1.000	FMJ	9,72	150	858	2.815	782	2.587	710	2.369	642	2.162
	Tactical / Training	308B	50	1.000	PSP	9,72	150	858	2.815	774	2.563	695	2.324	621	2.098
	Tactical / Training	308C	50	1.000	FMJ	11,66	180	795	2.608	734	2.424	675	2.248	620	2.079
	Sniper / Match	308D	50	1.000	HPBT	10,89	168	803	2.635	743	2.456	686	2.284	632	2.119
	Tactical / Training	308F	50	1.000	PSP	11,66	180	795	2.608	725	2.398	659	2.198	596	2.007
7.62 x 51mm	Tactical / Training	762A	50	400	BALL	9,52	147	835	2.740	760	2.515	689	2.301	622	2.097
	Tactical / Training	762A-LK	-	500	BALL	9,52	147	835	2.740	760	2.515	689	2.301	622	2.097
12.7 x 99mm (.50)	Tactical / Training	50BMGA	10	250	BALL	42,50	656	900	2.953	852	2.810	806	2.672	762	2.537
	Sniper / Match	50BMGB	10	250	BALL SOLID	49,9	770	857	2.812	827	2.722	797	2.633	769	2.546

RIMFIRE AMMUNITION

Caliber	Symbol	Packaging		Bullet			Velocity						J
		Inner	Outer	Type	Weight		Muzzle		50 m	50 yd	100 m	100 yd	
					g	gr	m/s	fps	m/s	fps	m/s	fps	
.22 SHORT	22F	50	5.000	LRN SV	1,88	29	320	1.050	288	953	265	882	96
.22 LR	22A	50	5.000	LRN HVBP	2,59	40	380	1.245	337	1.114	308	1.023	187
	22B	50	5.000	LRN SV	2,59	40	350	1.150	317	1.048	294	976	159
	22B PREC	50	5.000	LRN SV Precision	2,59	40	350	1.150	317	1.048	294	976	159
	22C	50	5.000	LHP HVCP	2,33	36	390	1.280	336	1.115	303	1.008	177
	22D	50	5.000	LHP Subsonic	2,59	40	320	1.050	295	972	275	913	133
	22E	50	5.000	LHP HYPV	2,14	33	455	1.495	373	1.245	320	1.075	222
	22G	50	5.000	LRN CP	2,59	40	350	1.150	317	1.048	294	976	159

Energy								Trajectory						Test Barrel Lenght		Ballistic Coefficient
Muzzle		100 m	100 yd	200 m	200 yd	300 m	300 yd	100 m	100 yd	200 m	200 yd	300 m	300 yd			
J	ft.lbs	J	ft.lbs	J	ft.lbs	J	ft.lbs	cm	inch	cm	inch	cm	inch	cm	inch	
1.745	1.290	1.346	1.018	1.025	795	767	612	0	0	-13	-4,2	-43,3	-13,8	61	24	0,272
1.745	1.290	1.315	996	975	760	708	570	0	0	-13,4	-4,3	-44,9	-14,2	61	24	0,250
1.618	1.193	1.325	994	1.076	823	864	675	0	0	-18,6	-6,1	-59,9	-19,5	61	24	0,191
1.763	1.302	1.360	1.028	1.036	803	776	618	0	0	-12,9	-4,1	-42,8	-13,6	50,8	20	0,272
1.763	1.302	1.360	1.028	1.036	803	776	618	0	0	-12,9	-4,1	-42,8	-13,6	50,8	20	0,272
1.768	1.311	1.432	1.082	1.150	886	913	720	0	0	-13,8	-4,4	-44,7	-14,3	50,8	20	0,340
1.768	1.311	1.432	1.082	1.150	886	913	720	0	0	-13,8	-4,4	-44,7	-14,3	50,8	20	0,340
1.803	1.331	1.469	1.104	1.185	908	946	741	0	0	-16,7	-5,4	-54,2	-17,4	50,8	20	0,362
1.327	977	812	624	499	398	349	277	0	0	-44	-13,9	-158,6	-49,3	51	20	0,178
1.327	977	812	624	499	398	349	277	0	0	-44	-13,9	-158,6	-49,3	51	20	0,178
1.327	977	762	589	449	358	317	251	0	0	-47,2	-14,8	-171,9	-53,3	51	20	0,158
1.800	1.328	1.400	1.056	1.074	830	817	647	0	0	-26,3	-8,5	-86,8	-27,7	40,6	16	0,325
1.843	1.359	1.436	1.082	1.104	852	843	666	0	0	-27,4	-8,8	-90,4	-28,8	40,6	16	0,330
623	459	575	427	535	399	501	376	0	0	-110,5	-36,2	-339,8	-110,9	40,6	16	0,560
2.983	2.200	2.561	1.913	2.187	1.657	1.858	1.429	0	0	-13,7	-4,2	-47,5	-14,8	61	24	0,252
3.579	2.640	973	2.229	2.451	1.870	2.003	1.557	0	0	-16,1	-5,2	-51,7	-16,6	61	24	0,398
3.579	2.640	2.914	2.188	2.350	1.800	1.874	1.466	0	0	-16,4	-5,3	-53,2	-17,1	61	24	0,360
3.686	2.719	3.141	2.350	2.660	2.020	2.239	1.541	0	0	-18,3	-5,9	-58,1	-18,7	61	24	0,475
3.513	2.591	3.011	2.251	2.567	1.946	2.175	1.675	0	0	-17,8	-5,8	-56,4	-18,2	61	24	0,246
3.686	2.719	3.067	2.299	2.532	1.931	2.072	1.611	0	0	-18,7	-6	-60,1	-19,3	61	24	0,415
3.320	2.451	2.750	2.065	2.262	1.728	1.843	1.436	0	0	-17	-5,5	-54,8	-17,6	56,2	22	0,398
3.320	2.451	2.750	2.065	2.262	1.728	1.843	1.436	0	0	-17	-5,5	-54,8	-17,6	56,2	22	0,398
17.213	12.657	15.448	11.523	13.828	10.416	12.345	9.395	0	0	-13,5	-4,4	-42,1	-13,7	114,3	45	0,663
18.333	13.520	17.070	12.670	15.875	11.670	14.746	11.087	0	0	-14,4	-4,7	-44	-14,4	114,3	45	0,511

Energy					Trajectory				Test Barrel Lenght		Ballistic Coefficient
Muzzle	50 m	50 yd	100 m	100 yd	50 m	50 yd	100 m	100 yd			
ft.lbs	J	ft.lbs	J	ft.lbs	cm	inch	cm	inch	cm	inch	
71	78	58	66	50	-6,7	-2,2	-42,9	-13,9	61	24	0,107
138	147	110	123	93	-4,8	-1,6	-31,2	-10,1	61	24	0,150
117	130	98	112	85	-5,6	-1,8	-35,5	-11,5	61	24	0,150
117	130	98	112	85	-5,6	-1,8	-35,5	-11,5	61	24	0,150
131	132	99	107	81	-4,7	-1,5	-31	-10	61	24	0,125
98	112	84	98	74	-6,5	-2,1	-41,3	-13,4	61	24	0,139
164	149	114	110	85	-3,6	-1,2	-24,9	-8	61	24	0,108
117	130	98	112	85	-5,6	-1,8	-35,5	-11,5	61	24	0,150



RELOADING

Magtech® reloading components are made under the same quality standards as our technologically advanced factory loads, resulting in top quality primers, unprimed handgun brass cases, unprimed shotshell brass cases and handgun bullets that you can depend on.

BULLETS

Symbol	Description	Rounds Bag	Bags Case	Rounds Case
BU25A	25 AUTO 50GR FMJ	100	10	1.000
BU32A	32 AUTO 71GR FMJ	100	10	1.000
BU32B	32 AUTO 71GR JHP	100	10	1.000
BU32SWA	32 S&W 85GR LRN	100	10	1.000
BU32SWLA	32 S&W Long 98GR LRN	100	10	1.000
BU32SWLB	32 S&W Long 98GR LWC	100	10	1.000
BU32SWLC	32 S&W LONG 98GR SJHP	100	10	1.000
BU380A	380 AUTO 95GR FMJ	100	10	1.000
BU380B	380 AUTO 95GR JHP	100	10	1.000
BU380C	380 AUTO 85GR JHP Gold	100	10	1.000
BU9A	9mm Luger 115GR FMJ	100	10	1.000
BU9B	9mm Luger 124GR FMJ	100	10	1.000
BU9C	9mm Luger 115GR JHP	100	10	1.000
BU9E	9mm Luger 124GR LRN	100	10	1.000
BU9F	9mm Luger 95GR JSP Flat	100	10	1.000
BU9G	9mm Luger 147GR FMJ Flat	100	10	1.000
BU9K	9mm Luger 147GR JHP	100	10	1.000
BU9M	9mm Luger 115GR JHP Gold	100	10	1.000
BU38SWA	38 S&W 146GR LRN	100	10	1.000
BU38A	38 SPL 158GR LRN	100	10	1.000
BU38B	38 SPL 148GR LWC	100	10	1.000
BU38C	38 SPL 158GR SJSP	100	10	1.000
BU38D	38 SPL 125GR SJSP	100	10	1.000
BU38L	38 SPL 158GR LFN Cowboy	100	10	1.000
BU38M	38 SPL 125GR JHP Gold	100	10	1.000
BU38S	38 SUPER AUTO 130GR FMJ	100	10	1.000
BU357A	357 MAGNUM 158GR SJSP	100	10	1.000
BU357B	357 MAGNUM 158GR SJHP	100	10	1.000
BU40A	40 S&W 180GR JHP	100	10	1.000
BU40B	40 S&W 180GR FMJ-Flat	100	10	1.000
BU40C	40 S&W 160GR LSWC	100	10	1.000
BU40E	40 S&W 155GR JHP Gold	100	10	1.000
BU440A	44-40 WIN 200GR LFN	100	10	1.000
BU440B	44-40 WIN 225GR LFN Cowboy	100	10	1.000
BU44B	44 S&W SPL 240GR LFN Cowboy	100	10	1.000
BU44A	44 REM MAG 240GR SJSP	100	10	1.000
BU44C	44 REM MAG 240GR FMJ Flat	100	10	1.000
BU45A	45 AUTO 230GR FMJ	100	10	1.000
BU45B	45 AUTO 230GR FMJ-SWC	100	10	1.000
BU45E	45 AUTO 185GR JHP Gold	100	10	1.000
BU45D	45 LONG COLT 250GR LFN	100	10	1.000
BU45F	45 LONG COLT 200GR LFN	100	10	1.000
BU454A	454 CASULL 260GR SJSP Flat	100	10	1.000
BU454B	454 CASULL 260GR FMJ Flat	100	10	1.000
BU500B	500 S&W 325GR SJSP	100	10	1.000
BU500D	500 S&W 325GR FMJ	100	10	1.000
BU223A	.223 REM 55GR FMJ	100	10	1.000
BU556M193	5.56 x 45mm BALL M193	100	10	1.000
BU556SS109	5.56 x 45mm BALL SS109	100	10	1.000
BU30A	30 CARBINE 110GR FMJ	100	10	1.000
BU300BLKB	.300 BLACKOUT 123GR FMJ	100	10	1.000
BU300BLKSUBA	.300 BLACKOUT 200GR FMJ SUB	100	10	1.000
BU308A	.308 WIN 150GR FMJ	100	10	1.000
BUM80	7.62 x 51mm NATO BALL	100	10	1.000
BUM33	12.7 x 51mm (.50) NATO BALL	100	10	1.000

*Other bullet types also available.

PRIMERS

Symbol	Description	Rounds Box	Box Case	Rounds Case
PR-SP	Small Pistol Primer	100	50	5.000
PR-SPCR	Small Pistol Primer Clean Range™	100	50	5.000
PR-SPM	Small Magnum Pistol Primer	100	50	5.000
PR-LP	Large Pistol Primer	100	50	5.000
PR-SR	Small Rifle Primer	100	50	5.000
PR-LR	Large Rifle Primer	100	50	5.000

UNPRIMED BRASS

Symbol	Description	Rounds Bag	Bags Case	Rounds Case
BR25	25 AUTO Unprimed Cases	100	10	1.000
BR32A	32 AUTO Unprimed Cases	100	10	1.000
BR32SW	32 S&W Unprimed Cases	100	10	1.000
BR32SWL	32 S&W LONG Unprimed Cases	100	10	1.000
BR380	380 AUTO Unprimed Cases	100	10	1.000
BR9	9mm LUGER Unprimed Cases	100	10	1.000
BR921A	9 x 21mm Unprimed Cases	100	10	1.000
BR38SWA	38 S&W Unprimed Cases	100	10	1.000
BR38A	38 SPL Unprimed Cases	100	10	1.000
BR38G	38 SPL (Short) Unprimed Cases	100	10	1.000
BR38S	38 SUPER AUTO Unprimed Cases	100	10	1.000
BR357	357 MAGNUM Unprimed Cases	100	10	1.000
BR40SW	40 S&W Unprimed Cases	100	10	1.000
BR10A	10mm Unprimed Cases	100	10	1.000
BR440B	44-40 WIN Unprimed Cases	100	10	1.000
BR44F	44 S&W SPL Unprimed Cases	100	10	1.000
BR44M	44 REM MAG Unprimed Cases	100	10	1.000
BR45GA	45 GAP Unprimed Cases	100	10	1.000
BR45A	45 AUTO Unprimed Cases	100	10	1.000
BR45C	45 LONG COLT Unprimed Cases	100	10	1.000
BR454	454 CASULL Unprimed Cases	100	10	1.000
BR500	500 S&W Unprimed Cases	100	10	1.000
BR223A	.223 REM Unprimed Cases	100	10	1.000
BR556A	5.56 x 45mm Unprimed Cases	100	10	1.000
BR30	30 CARBINE Unprimed Cases	100	10	1.000
BR300BLKA	.300 BLACKOUT Unprimed Cases	100	10	1.000
BR308A	.308 WIN Unprimed Cases	100	10	1.000
BR650A	6.5 Creedmoor Unprimed Cases	100	10	1.000
BR762A	7.62 x 51mm Unprimed Cases	100	10	1.000
BR50	12.7 x 99mm (.50) Unprimed Cases	25	10	250

*Primed brass cases also available.

UNPRIMED SHOTSHELL BRASS

Symbol	Description	Primer Used	Rounds Box	Box Case	Rounds Case
SBR12	12 GA Brass Shotgunshell	LP	25	10	250
SBR16	16 GA Brass Shotgunshell	LP	25	10	250
SBR20	20 GA Brass Shotgunshell	LP	25	10	250
SBR24	24 GA Brass Shotgunshell	LP	25	10	250
SBR28	28 GA Brass Shotgunshell	LP	25	10	250
SBR32	32 GA Brass Shotgunshell	LP	25	10	250
SBR36	36 (.410") GA Brass Shotgunshell	LP	25	10	250
SBR9.1	9.1 GA Brass Shotgunshell	LP	36	10	360

ONE OF THE WORLD LEADERS IN AMMUNITION



STATUS

- Among the three largest ammunition producers in the World
- One of the main suppliers to NATO and allied forces
- Operations in Brazil, Germany, USA and Czech Republic



ON FOR PORTABLE WEAPONS



GLOBAL PRESENCE

- Present in more than 100 countries
- Serving military forces in over 50 countries
- Preferred supplier to several private and military OEMs, worldwide



PRODUCTION

- Largest private manufacturer of .50 ammunition
- Pioneer ammunition producer with LEAN system
- Fully integrated production site and self-sufficient in technology
- Flexible production lines, convertible to different calibers

Visit the website:
cbcdefense.com





INTERNATIONAL INQUIRIES

Companhia Brasileira de Cartuchos - CBC

Av. Humberto de Campos, 3220
09426-900 - Ribeirão Pires SP Brazil
+55 11 2139 8202 / +55 11 2139 8342
export@cbc.com.br

U.S.A. INQUIRIES

Magtech Ammunition Inc.

9100, Wyoming Ave North #515
5445 - Brooklyn Park MN USA
+ 1 800 466 7191 / +1 763 235 4000
sales@magtechammunition.com